



7th Floor - 4922 48th Street
PO Box 2130, Yellowknife NT X1A 2P6

Tel: 867-669-0506 Fax: 867-873-6610
www.mvlwb.com

October 26, 2021

File: MV2019X0006 MV2017L2-0007

Michelle Unger
Manager, Environmental Performance
Legacy Properties, Teck Resources Limited
Suite 3300, Bentall 5
550 Burrard Street
Vancouver BC V6C 0B3

Sent via email

Dear Michelle Unger:

Re: Spill Contingency Plan – Version 5 – Confirmation of Changes – Pine Point, NT

The Mackenzie Valley Land and Water Board (MVLWB or the Board) met on September 9, 2021 to review your Spill Contingency Plan Version 4, which was submitted under condition 77 of Land Use Permit MV2019X0006 and Part G, condition 1 of Licence MV2017L2-0007. At that time, the Board approved your Plan, conditional upon receipt of additional information and written conformity from Board staff.

This additional information was received by the Board on September 17, 2021, after which Board staff confirmed concordance. This letter hereby confirms that the changes required in the September 9, 2021 decision letter have all been addressed, and the Spill Contingency Plan Version 5 is therefore considered approved.

If you have any questions or concerns, please contact Andrew Wheeler at (867) 766-7467.

Yours sincerely,

A handwritten signature in black ink, appearing to read "A. Wheeler".

Andrew Wheeler
Regulatory Specialist

Bcc: Distribution List