



Water Withdrawal Plan

Pine Point Mining Limited

Purpose

This document is provided in support of a water licence application by Pine Point Mines Limited for ongoing exploration at the Pine Point Mine. This document identifies potential water sources that may be used, describes maximum withdrawals from these sources and identifies other users of these water sources.

Version History

Pine Point Mining Limited is responsible for the distribution, maintenance, and updating of this document. Changes that do not affect the intent of the document will be made as required (e.g., phone numbers, names of individuals). The table below indicates the version of this document, and a summary of revisions made.

Version #	Section(s) Revised	Description of Revision	Issue Date
1.0	All	First version in support of the confirmation and exploration water licence application	18 November 2020
1.1	Section 2.0 Water Sources Section 3.0 Water Withdrawal Limits	Section 2.0 updated to describe waterbody selection criteria and cross-references to tables Added section 3.2 Water Withdrawal Limits from Pits for Groundwater Pumping Tests Tables split based on bathymetry data, pits, and approval status Updated pit depths and withdrawal volumes	19 March 2021

TABLE OF CONTENTS

1.0 INTRODUCTION	1
1.1 Background	1
1.2 Purpose and Scope	1
1.3 Site Contact	1
2.0 WATER SOURCES.....	2
3.0 WATER WITHDRAWAL LIMITS	4
3.1 Water Withdrawal Limits for Natural Waterbodies	4
3.2 Water Withdrawal Limits from Pits for Groundwater Pumping Tests.....	4
3.3 Other Water Users	6
3.4 Other Conditions	6
4.0 REFERENCES	72

LIST OF APPENDICES

Appendix A	Mapbook of Waterbodies and Watercourses
Appendix B	Technical Memorandum – Response to Mackenzie Valley Land and Water Board Regarding Question Regarding Utilization of Pit Waters Pine Point Mine Site for Dust Suppression Activities

List of Tables

Table 1: Pits Considered For Use With Bathymetry Data	7
Table 2: Pits Considered For Use Without Bathymetry Data.....	8
Table 3: Waterbodies Considered For Use With Bathymetry Data	9
Table 4: Waterbodies Considered For Use Without Bathymetry Data.....	10
Table 5: Waterbodies Not Considered For Use	52
Table 6: Watercourses Considered For Use.....	67
Table 7: Watercourses Not Considered For Use.....	71

List of Figures

Figure 1: Project Location	3
----------------------------------	---

Abbreviations

DFO	Fisheries and Oceans Canada
GIS	Geographic Information System
MVLWB	Mackenzie Valley Land and Water Board
NWT	Northwest Territories
PPML	Pine Point Mining Limited

Units

%	percent
km	kilometre
m	metre
m^2	square metre
m^3	cubic metre
m^3/d	cubic metres per day

1.0 Introduction

1.1 Background

Pine Point Mining Limited (PPML) wishes to continue mineral exploration in the region of the historical Pine Point Mine in the Northwest Territories (NWT), situated approximately 175 kilometres (km) directly south of Yellowknife, 75 km east of Hay River, and 53 km southwest of Fort Resolution (Figure 1).

To undertake exploration at Pine Point, PPML has applied for a Type A Water Licence and Type A Land Use Permit from the Mackenzie Valley Land and Water Board (MVLWB). Water will be withdrawn for camp use, exploration drilling, dust control, and aquifer testing.

Any accumulation of water accessible from the surface or below surface for use related to the Project within the active mineral claims and leases held by PPML in whole or in part are considered as water sources in this document. For the purposes of this plan, water sources are divided between waterbodies and watercourses because methods to determine the water withdrawal limits differ (DFO 2010, 2013). Watercourses are accumulations of moving water that flow continuously, or seasonally, and include rivers and streams. Waterbodies are accumulations of water that are generally still and include lakes and ponds. Because of historical mining activity at Pine Point, historical pits and water management structures that have impounded water are considered waterbodies.

1.2 Purpose and Scope

Following the *Draft Method for Determining Available Winter Water Volumes for Small-Scale Projects*, prepared by the Land and Water Boards of the Mackenzie Valley (LWBMV 2020a), this Water Withdrawal Plan has been prepared with the following information:

- a) Name and location of the waterbody or watercourse to be withdrawn from as a water source
- b) Possible daily withdrawal volumes and total allowable use, based on known or assumed total water volumes
- c) Any available bathymetric information, including maximum depths for waterbodies
- d) Any available information on other water withdrawals from or other users of the sources
- e) Protocols for field confirmation of depth prior to withdrawal and monitoring the volume of the withdrawal

This document identifies potential water sources that may be used, describes maximum withdrawals from these sources and identifies other users of these water sources. Water withdrawal will not exceed Water Licence limits.

1.3 Site Contact

Primary Pine Point Mining Limited Contact: Andrew Williams, Environmental Manager

Address: 1100 Avenue des Canadiens-de-Montréal, Bureau 300, Montreal, Québec, H3B 2S2

Telephone: 416-209-2056

Email: acwilliams@live.ca

2.0 Water Sources

For the purposes of this document, all identified waterbodies (Tables 1 to 4) and watercourses (Tables 5 and 6) within the Water Licence extents were identified (maps are provided in Appendix A). Of these, the following waterbodies and watercourses were considered:

- Existing mine pits.
- Natural waterbodies with a surface area of at least 1,000 square metres (m^2) and no conflicting users.

Tables 1, 2, 3, 4, and 6 indicate each waterbody and watercourse which was considered as a potential water source. Waterbodies will be transferred from Table 2 to Table 1 and Table 4 to Table 3 as bathymetry data is collected. Tables 5 and 7 indicate each waterbody and watercourse not considered as a potential water source. Waterbody surface areas were derived from Canvec hydrographic shapefiles at 1:50,000 scale provided by Natural Resources Canada (2017).

To account for waterbodies and areas where delineation of waterbodies is not clear, all water sources within 500 metres (m) of the waterbodies in Tables 1, 2, 3, and 4 will also be considered to be potential water sources for the Project. Waterbodies within 500 metres of the Buffalo River are excluded from this and will not be used as sources. Some water sources intersect the Pine Point Railbed (Federal Contaminated Site 00024168) on federal lands (illustrated in the maps in Appendix A), but as they lie predominantly within non-federal lands, they are assumed to be non-federal and under the jurisdiction of the NWT *Waters Act*. As such, this is not considered by PPML to be a Split-Interest Project (LWBMV 2020b).

Waterbodies and watercourses that are already named (such as Polar Lake and Buffalo River) are identified in Tables 3, 4, and 5. Waterbodies formed from historic open pits at Pine Point are named with a letter-number code (such as K-62) and are identified in Tables 1 and 2. Table 1 includes all pits with available bathymetry data and Table 2 includes the pits without bathymetry data. All unnamed waterbodies were assigned a name using the prefix PP-WB for waterbodies, and PP-WC for watercourses. These waterbodies are identified in Tables 3 to 7.

Justification for use of pit water for dust control is provided in Appendix B.



- LEGEND**
- FORMER PINE POINT TOWN SITE
 - POPULATED PLACE
 - ALL-SEASON ROAD
 - PARK/PROTECTED AREA
 - WATERBODY
 - GENERAL PROJECT LOCATION



REFERENCE(S)

1. BASE DATA OBTAINED FROM GEORAGRAPHIS, © DEPARTMENT OF NATURAL RESOURCES CANADA. ALL RIGHTS RESERVED.
 2. PARKS AND PROTECTED AREAS OBTAINED FROM CONSERVATION AREAS REPORTING AND TRACKING SYSTEM (CARTS), CANADIAN COUNCIL ON ECOLOGICAL AREAS, 2017.
- PROJECTION: ALBERS CONIC EQUAL AREA

CLIENT
PINE POINT MINING LTD.

PROJECT
PINE POINT CONFIRMATION AND EXPLORATION PROGRAM

CONSULTANT

GOLDER

YYYY-MM-DD 2020-10-16

DESIGNED DC

PREPARED BW / MM / JE

REVIEWED DP

APPROVED DP

TITLE

PROJECT LOCATION

PROJECT NO. 19125747 CONTROL

REV. 0

FIGURE 1

3.0 Water Withdrawal Limits

3.1 Water Withdrawal Limits for Natural Waterbodies

The water withdrawal limits from natural waterbodies (generally for drilling and dust control) are based on the following assumptions and guidance from the *Draft Method for Determining Available Winter Water Volumes for Small-Scale Projects* (LWBMV 2020a):

- Withdrawal from a waterbody be limited to 10% of the under-ice volume of a lake, following guidance from Fisheries and Oceans Canada (DFO 2010). If bathymetry is not available or this is not known, the limit is determined by the multiplication of the surface area (m^2) by 0.1 m.
- The daily drill water withdrawal is estimated at an average of 33 cubic metres (m^3) per drill per day (/d). More than one drill may withdraw from a water source at any one time, but the daily Water Licence limit and the annual withdrawal limit for any water source will not be exceeded.
- For watercourses, the withdrawal rate is limited to 10% of the instantaneous flow rate (DFO 2013). Prior to withdrawal from watercourses, the instantaneous flow rate will be measured and used to determine appropriate withdrawal limits each week.
- Maximum expected ice thickness during the winter is assumed to be 1.0 m (DFO 2010). The approach used in this Plan accounts for ice cover, as no water withdrawal will take place for ice-covered water sources with a field verified depth less than 3.0 m
- PPML will not exceed the Water Licence daily limits.

Using these assumptions, the maximum volume of water that may be withdrawn from a water source in one year is presented in Tables 1 to 4.

Waterbody surface area and watercourse section length was computed using publicly available 1:50,000 scale CanVec hydrographic feature data published by Natural Resources Canada (2017).

Field confirmation of water source depth will be completed prior to withdrawal from ice-covered lakes. Where no bathymetric information is available, or if lake depth is 3.0 m or less at the withdrawal location, a minimum of three under-ice depth measurements at least 20 m from the proposed withdrawal sites and at least 20 m from the shore will confirm that lakes have a depth of at least 3.0 m (including ice cover) (LWBMV 2020a).

3.2 Water Withdrawal Limits from Pits for Groundwater Pumping Tests

Groundwater pumping is required to describe groundwater recharge rates and will involve moving groundwater from a source well or pit to a receiving well or pit. When withdrawing water from a pit, there will be recharge from the surrounding groundwater and likewise, some of the water pumped to a pit will migrate to groundwater. The goal of the groundwater test is to change water levels and force this recharge so that it may be better understood and guide future mine planning. Current understanding of groundwater flow at Pine Point indicates that some pits may recharge quickly, indicating that pumping

volume may not be limited by the current volume of water in the pit. The water withdrawal limits for pits during groundwater pump tests are therefore based on the following criteria:

For pits where fish are not present:

- Groundwater tests will use up to 105,000 m³ total per pit at a pump a rate of up to 15,000 m³/day, running continuously for up to 7 days at each test site. This may exceed the current volume of the pit, and that the difference will be made up by recharge from groundwater.
- Pits will not be dewatered. At least 2 metres of water will always remain in the pit.
- The receiving pit will be filled to not higher than 1 m from the bedrock elevation at the pit edge.
- The end of the pipe for the receiving pit will be within the water column and at least 5 metres from the edge of water to prevent erosion from shoreline or disturbing sediments.
- Water levels and pumping rates will be tracked during each groundwater test.
- Where necessary, pit depths (bathymetry) will be measured prior to the groundwater test. If bathymetry has not been measured, current volume was estimated with an assumed average 3 metre depth.

For pits where fish are or may be present:

- The Protocol for Winter Water Withdrawal from Ice-Covered Waterbodies In The Northwest Territories (DFO 2010) will apply, whereby the groundwater test will not cause the water level to change beyond the equivalent of a 10% change in pit water volume.
- The end of the pipe for the receiving pit will be within the water column and at least 5 metres from edge of water to prevent erosion from shoreline or disturbing sediments.
- Pumping rates will be limited to 0.15m³/s as required by the DFO code of practice for end-of-pipe fish protection (DFO 2020).

3.3 Other Water Users

Possible conflicting water users within the boundaries of the Water Licence were identified by reviewing other authorizations near PPML's activities. Other authorizations that were identified include the following:

- Teck Metals Ltd.'s Licence (MV2017L2-0007) to manage Pine Point Tailings Impoundment Area (issued for discharge of waste, with no allowance for water use)
- Reliable Group of Companies' Permit (MV2016Q0014) for a gravel quarry
- Rowes Construction's Permit (MV2014Q0019) for a sand quarry

Land Use Permits are included in the list above as they may indicate water use of up to 99 m³/d. Great Slave Lake has many other users, but no specific users were identified at the shoreline of Great Slave Lake within the Water Licence boundaries that would be affected by a withdrawal. No other water users or adversely affected persons were identified during the preparation of this document.

3.4 Other Conditions

PPML confirms that water intake(s) in waters that are or are likely to contain fish will continue to use a fish screen designed to prevent impingement and/or entrainment of fish, considering guidelines provided by DFO (2020).

Waterbodies within 500 metres of the Buffalo River are not considered for use and are indicated in Tables 5 and 7.

Water withdrawal from water sources will be reported in the Annual Water Licence Report.

Table 1: Pits Considered For Use With Bathymetry Data

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³) ^(a)	Considered for Water Use?	Usage Activities
I-46	60° 51' 34"	114° 28' 9"	0858/16	K15917	23,524	13	305,813	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
J-44	60° 51' 36"	114° 27' 22"	0858/16	K15917	21,676	16.4	355,490	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
L-37	60° 51' 59"	114° 23' 51"	0858/16	NT-5249	3,486	3.7	12,898	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
N-42	60° 50' 57"	114° 26' 13"	0858/16	NT-5250 / K15914	20,496	9.6	196,761	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
T-37	60° 55' 57"	114° 23' 52"	0858/16	M10519	50,865	8	406,918	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling

Note: Waterbodies were delineated from publicly available 1:50,000 scale hydrographic feature data (Natural Resources Canada 2017). In some cases, this source divided individual waterbodies into sections. Mean depth of open pits was derived from Maskwa (2018).

a) Actual water withdrawals will be limited by capacity of the pit and the criteria in Section 3.2.

Table 2: Pits Considered For Use Without Bathymetry Data

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m²)	Mean Depth (m)	Estimated Water Volume (m³)	Annual Withdrawal Limit (m³) ^(a)	Considered for Water Use?	Usage Activities
A-55	60° 52' 41"	114° 32' 47"	085B/15	M10810	132,031	3	396,093	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
A-70	60° 50' 52"	114° 40' 37"	085B/15	NT-5243 / NT-4868	108,709	3	326,128	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
G03/H-02	60° 45' 30"	114° 56' 47"	085B/15	NT-4859	333	3	1,000	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
I-65	60° 49' 31"	114° 37' 41"	085B/15	M10818	18,396	3	55,188	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
J-69	60° 48' 41"	114° 40' 12"	085B/15	NT-5255	75,398	3	226,194	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
K-48	60° 51' 5"	114° 29' 17"	085B/16	NT-5251	60,234	3	180,702	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
K-53	60° 50' 27"	114° 31' 38"	085B/15	NT-5252	31,616	3	94,847	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
K-57	60° 49' 57"	114° 34' 1"	085B/15	M10825	47,845	3	143,534	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
K-60	60° 49' 26"	114° 35' 31"	085B/15	NT-5253	16,641	3	49,923	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
K-62	60° 49' 30"	114° 36' 14"	085B/15	M10818	29,246	3	87,737	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
K-77	60° 47' 45"	114° 43' 54"	085B/15	NT-5257	57,195	3	171,584	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
L-35	60° 52' 26"	114° 23' 6"	085B/16	NT-5249 / M10808	867	3	2,600	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
M-52	60° 49' 45"	114° 31' 20"	085B/15	NT-5252	17,500	3	52,500	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
M-64	60° 48' 37"	114° 37' 14"	085B/15	NT-5254	29,605	3	88,816	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
N-50	60° 49' 57"	114° 30' 34"	085B/15	NT-5252	274	3	823	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
N-81	60° 46' 30"	114° 45' 59"	085B/15	M10878 / NT-5257 / NT-5258	157,830	3	473,490	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
N-99	60° 44' 0"	114° 55' 13"	085B/10		6,976	3	20,927	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
O-28	60° 52' 18"	114° 18' 59"	085B/16	M10806	16,048	3	48,143	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
O-32	60° 51' 59"	114° 21' 11"	085B/16	M10857 / NT-5248	22,476	3	67,427	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
O-42	60° 50' 37"	114° 26' 14"	085B/16	K15916	29,005	3	87,015	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
O-53	60° 49' 25"	114° 32' 5"	085B/15	NT-5252	68	3	203	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
O-555	60° 43' 56"	115° 10' 20"	085B/11	NT-4867	4,556	3	13,667	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
O-556	60° 43' 52"	115° 10' 38"	085B/11	NT-4867	2,419	3	7,256	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
P-24	60° 53' 19"	114° 16' 36"	085B/16	M10805	9,152	3	27,456	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
P-29	60° 52' 2"	114° 19' 57"	085B/16	M10857	5,708	3	17,123	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
P-31	60° 51' 49"	114° 20' 44"	085B/16	M10857	4,207	3	12,621	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
P-32	60° 51' 45"	114° 21' 11"	085B/16	M10857	1,812	3	5,437	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
R-190	60° 43' 46"	115° 7' 38"	085B/11	NT-4860	19,469	3	58,408	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
R-61	60° 47' 30"	114° 35' 51"	085B/15	M10862	44,800	3	134,399	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
S-65	60° 46' 57"	114° 38' 3"	085B/15	M10868	30,202	3	90,606	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
T-58	60° 47' 29"	114° 34' 25"	085B/15	M10862	54,019	3	162,057	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
T-799	60° 44' 25"	115° 5' 37"	085B/11	NT-4865	486	3	1,458	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
W-17	60° 52' 40"	114° 14' 8"	085B/16	M10852	66,524	3	199,573	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
W-85	60° 49' 51"	114° 47' 43"	085B/15	NT-4873	7,210	3	21,629	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
X-15	60° 53' 10"	114° 12' 47"	085B/16	M10853	368,369	3	1,105,108	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
X-49	60° 53' 54"	114° 30' 4"	085B/15	M10826	2,043	3	6,129	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
X-51-54	60° 53' 38"	114° 31' 24"	085B/15	M10809 / M10826 / M10810	897,953	3	2,693,860	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
X-57_56	60° 53' 11"	114° 33' 36"	085B/15		267,243	3	801,728	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
X-58	60° 52' 54"	114° 34' 27"	085B/15	NT-5239	3,183	3	9,550	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
X-59	60° 52' 51"	114° 34' 44"	085B/15	NT-5240	504	3	1,513	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
X-61	60° 52' 38"	114° 35' 38"	085B/15	NT-5240	28,441	3	85,322	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
X-71	60° 51' 27"	114° 41' 11"	085B/15	NT-4868	1,069	3	3,207	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
Y-55	60° 53' 5"	114° 33' 8"	085B/15	M10810 / NT-5239	47,125	3	141,375	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
Y-60	60° 52' 18"	114° 36' 6"	085B/15	NT-5240 / NT-5241	155,253	3	465,759	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
Y-61	60° 52' 30"	114° 36' 20"	085B/15	M10813	9,308	3	27,923	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
Y-65	60° 51' 56"	114° 38' 6"	085B/15	NT-5242	3,896	3	11,689	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
Z-57	60° 52' 32"	114° 34' 1"	085B/15	NT-5239	12,714	3	38,142	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling
Z-64	60° 51' 41"	114° 37' 46"	085B/15	NT-5241 / NT-5242	168,603	3	505,809	105,000	Yes	Dust control, drilling, groundwater testing, and metallurgical sampling

Note: Waterbodies were delineated from publicly available 1:50,000 scale hydrographic feature data (Natural Resources Canada 2017). In some cases, this source divided individual waterbodies into sections. Mean depth was assumed to be 3.0 metres where bathymetry was not available (LWBMV 2020a).

a) Actual water withdrawals will be limited by capacity of the pit and the criteria in Section 3.2.

Table 3: Waterbodies Considered For Use With Bathymetry Data

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
None	-	-	-	-	-	-	-	-	-	-

Note: Waterbodies were delineated from publicly available 1:50,000 scale hydrographic feature data (Natural Resources Canada 2017). In some cases, this source divided individual waterbodies into sections.

Table 4: Waterbodies Considered For Use Without Bathymetry Data

Waterbody ID	Approximate Centroid Latitude (DD°MM' SS")	Approximate Centroid Longitude (DD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m²)	Mean Depth (m)	Estimated Water Volume (m³)	Annual Withdrawal Limit (m³)	Considered for Water Use?	Usage Activities
GREAT SLAVE LAKE	61° 5' 2"	114° 41' 18"	085B/15	M10520	3,471,455,474	1	3,471,455,474	100,000	Yes	Drilling, dust control, and camp
PP-WB-100	60° 39' 5"	115° 6' 51"	085B/11	-	6,459	1	6,459	646	Yes	Drilling and dust control
PP-WB-1000	60° 42' 14"	115° 20' 5"	085B/11	-	2,547	1	2,547	255	Yes	Drilling and dust control
PP-WB-1001	60° 40' 51"	114° 1' 29"	085B/09	-	4,446	1	4,446	445	Yes	Drilling and dust control
PP-WB-1002	60° 42' 14"	115° 19' 48"	085B/11	-	1,153	1	1,153	115	Yes	Drilling and dust control
PP-WB-1003	60° 42' 6"	115° 9' 49"	085B/11	-	3,976	1	3,976	398	Yes	Drilling and dust control
PP-WB-1004	60° 40' 58"	114° 5' 44"	085B/09	-	3,539	1	3,539	354	Yes	Drilling and dust control
PP-WB-1005	60° 41' 16"	114° 21' 11"	085B/09	-	18,257	1	18,257	1,826	Yes	Drilling and dust control
PP-WB-1006	60° 41' 19"	114° 23' 1"	085B/09	-	5,140	1	5,140	514	Yes	Drilling and dust control
PP-WB-1007	60° 41' 15"	114° 19' 6"	085B/09	-	4,755	1	4,755	475	Yes	Drilling and dust control
PP-WB-1008	60° 41' 18"	114° 22' 26"	085B/09	-	14,698	1	14,698	1,470	Yes	Drilling and dust control
PP-WB-1009	60° 40' 51"	113° 59' 37"	085A/12	-	1,566	1	1,566	157	Yes	Drilling and dust control
PP-WB-101	60° 39' 5"	115° 7' 44"	085B/11	-	2,948	1	2,948	295	Yes	Drilling and dust control
PP-WB-1010	60° 42' 16"	115° 20' 6"	085B/11	-	1,730	1	1,730	173	Yes	Drilling and dust control
PP-WB-1012	60° 41' 5"	114° 9' 39"	085B/09	-	2,328	1	2,328	233	Yes	Drilling and dust control
PP-WB-1013	60° 42' 16"	115° 19' 56"	085B/11	-	1,073	1	1,073	107	Yes	Drilling and dust control
PP-WB-1014	60° 41' 19"	114° 23' 13"	085B/09	-	15,842	1	15,842	1,584	Yes	Drilling and dust control
PP-WB-1015	60° 41' 21"	114° 23' 7"	085B/09	-	5,791	1	5,791	579	Yes	Drilling and dust control
PP-WB-1016	60° 42' 6"	115° 9' 47"	085B/11	-	5,884	1	5,884	588	Yes	Drilling and dust control
PP-WB-1017	60° 41' 14"	114° 20' 59"	085B/09	-	79,364	1	79,364	7,936	Yes	Drilling and dust control
PP-WB-1019	60° 40' 53"	113° 59' 39"	085A/12	-	1,677	1	1,677	168	Yes	Drilling and dust control
PP-WB-102	60° 39' 5"	115° 7' 38"	085B/11	-	6,623	1	6,623	662	Yes	Drilling and dust control
PP-WB-1020	60° 41' 16"	114° 18' 58"	085B/09	-	5,200	1	5,200	520	Yes	Drilling and dust control
PP-WB-1021	60° 42' 18"	115° 20' 8"	085B/11	-	2,116	1	2,116	212	Yes	Drilling and dust control
PP-WB-1023	60° 42' 3"	115° 2' 24"	085B/11	-	3,053	1	3,053	305	Yes	Drilling and dust control
PP-WB-1025	60° 42' 1"	115° 3' 48"	085B/11	M10297	67,549	1	67,549	6,755	Yes	Drilling and dust control
PP-WB-1026	60° 41' 21"	114° 22' 32"	085B/09	-	25,749	1	25,749	2,575	Yes	Drilling and dust control
PP-WB-1027	60° 41' 24"	114° 23' 14"	085B/09	-	6,641	1	6,641	664	Yes	Drilling and dust control
PP-WB-1028	60° 41' 23"	114° 22' 59"	085B/09	-	8,050	1	8,050	805	Yes	Drilling and dust control
PP-WB-1029	60° 42' 5"	115° 2' 22"	085B/11	-	1,066	1	1,066	107	Yes	Drilling and dust control
PP-WB-103	60° 39' 6"	115° 7' 21"	085B/11	-	4,940	1	4,940	494	Yes	Drilling and dust control
PP-WB-1030	60° 42' 19"	115° 19' 44"	085B/11	-	1,338	1	1,338	134	Yes	Drilling and dust control
PP-WB-1032	60° 42' 19"	115° 20' 3"	085B/11	-	1,785	1	1,785	179	Yes	Drilling and dust control
PP-WB-1033	60° 41' 24"	114° 22' 46"	085B/09	-	6,592	1	6,592	659	Yes	Drilling and dust control
PP-WB-1034	60° 42' 5"	115° 2' 72"	085B/11	-	1,483	1	1,483	148	Yes	Drilling and dust control
PP-WB-1035	60° 41' 33"	114° 29' 28"	085B/09	-	1,107	1	1,107	111	Yes	Drilling and dust control
PP-WB-1036	60° 42' 20"	115° 20' 8"	085B/11	-	2,611	1	2,611	261	Yes	Drilling and dust control
PP-WB-1037	60° 41' 22"	114° 21' 15"	085B/09	-	15,736	1	15,736	1,574	Yes	Drilling and dust control
PP-WB-1038	60° 41' 20"	114° 18' 59"	085B/09	-	5,159	1	5,159	516	Yes	Drilling and dust control
PP-WB-1039	60° 41' 26"	114° 23' 59"	085B/09	-	4,092	1	4,092	409	Yes	Drilling and dust control
PP-WB-104	60° 38' 0"	114° 6' 23"	085B/09	-	10,870	1	10,870	1,087	Yes	Drilling and dust control
PP-WB-1040	60° 42' 21"	115° 19' 58"	085B/11	-	1,140	1	1,140	114	Yes	Drilling and dust control
PP-WB-1041	60° 40' 59"	114° 2' 38"	085B/09	-	5,339	1	5,339	534	Yes	Drilling and dust control
PP-WB-1042	60° 42' 6"	115° 2' 17"	085B/11	-	3,372	1	3,372	337	Yes	Drilling and dust control
PP-WB-1043	60° 41' 20"	114° 18' 8"	085B/09	-	1,447	1	1,447	145	Yes	Drilling and dust control
PP-WB-1044	60° 41' 31"	114° 27' 7"	085B/09	-	1,132	1	1,132	113	Yes	Drilling and dust control
PP-WB-1045	60° 42' 21"	115° 19' 47"	085B/11	-	2,390	1	2,390	239	Yes	Drilling and dust control
PP-WB-1046	60° 41' 24"	114° 22' 17"	085B/09	-	18,197	1	18,197	1,820	Yes	Drilling and dust control
PP-WB-1048	60° 41' 0"	114° 2' 21"	085B/09	-	6,145	1	6,145	614	Yes	Drilling and dust control
PP-WB-1049	60° 41' 1"	114° 2' 86"	085B/09	-	3,723	1	3,723	372	Yes	Drilling and dust control
PP-WB-105	60° 39' 2"	115° 3' 16"	085B/11	-	6,437	1	6,437	644	Yes	Drilling and dust control
PP-WB-1050	60° 40' 59"	114° 0' 32"	085B/09	-	3,125	1	3,125	313	Yes	Drilling and dust control
PP-WB-1051	60° 41' 26"	114° 21' 52"	085B/09	-	1,788	1	1,788	179	Yes	Drilling and dust control
PP-WB-1053	60° 41' 0"	114° 2' 15"	085B/09	-	8,305	1	8,305	831	Yes	Drilling and dust control
PP-WB-1055	60° 41' 25"	114° 20' 55"	085B/09	-	7,364	1	7,364	736	Yes	Drilling and dust control
PP-WB-1056	60° 41' 6"	114° 4' 26"	085B/09	-	1,156	1	1,156	116	Yes	Drilling and dust control
PP-WB-1057	60° 41' 0"	114° 0' 60"	085B/09	-	3,719	1	3,719	372	Yes	Drilling and dust control
PP-WB-1058	60° 41' 29"	114° 23' 37"	085B/09	-	3,307	1	3,307	331	Yes	Drilling and dust control
PP-WB-1059	60° 41' 0"	114° 0' 14"	085B/09	-	2,975	1	2,975	298	Yes	Drilling and dust control
PP-WB-106	60° 37' 52"	113° 59' 18"	085A/12	-	4,445	1	4,445	444	Yes	Drilling and dust control
PP-WB-1060	60° 41' 23"	114° 20' 38"	085B/09	-	36,827	1	36,827	3,683	Yes	Drilling and dust control
PP-WB-1061	60° 41' 10"	114° 8' 33"	085B/09	-	7,276	1	7,276	728	Yes	

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-110	60° 41' 12"	114° 2' 31"	0858/09	-	5,918	1	5,918	592	Yes	Drilling and dust control
PP-WB-111	60° 41' 37"	114° 23' 7"	0858/09	-	11,974	1	11,974	1,197	Yes	Drilling and dust control
PP-WB-112	60° 42' 15"	114° 57' 6"	0858/10	-	1,386	1	1,386	139	Yes	Drilling and dust control
PP-WB-113	60° 41' 12"	114° 0' 57"	0858/09	-	1,916	1	1,916	192	Yes	Drilling and dust control
PP-WB-114	60° 41' 13"	114° 2' 18"	0858/09	-	11,119	1	11,119	1,112	Yes	Drilling and dust control
PP-WB-115	60° 42' 22"	115° 4' 60"	0858/11	-	1,278	1	1,278	128	Yes	Drilling and dust control
PP-WB-116	60° 42' 17"	114° 57' 35"	0858/10	-	3,341	1	3,341	334	Yes	Drilling and dust control
PP-WB-117	60° 41' 13"	114° 1' 20"	0858/09	-	3,382	1	3,382	338	Yes	Drilling and dust control
PP-WB-118	60° 41' 32"	114° 16' 25"	0858/09	-	6,750	1	6,750	675	Yes	Drilling and dust control
PP-WB-119	60° 42' 22"	115° 3' 18"	0858/11	-	1,957	1	1,957	196	Yes	Drilling and dust control
PP-WB-122	60° 39' 7"	115° 5' 53"	0858/11	-	1,748	1	1,748	175	Yes	Drilling and dust control
PP-WB-120	60° 42' 24"	115° 4' 16"	0858/11	-	1,459	1	1,459	146	Yes	Drilling and dust control
PP-WB-121	60° 42' 23"	115° 4' 22"	0858/11	-	1,198	1	1,198	120	Yes	Drilling and dust control
PP-WB-122	60° 41' 12"	114° 0' 26"	0858/09	-	9,750	1	9,750	975	Yes	Drilling and dust control
PP-WB-123	60° 41' 5"	113° 59' 13"	0858/12	-	64,719	1	64,719	6,472	Yes	Drilling and dust control
PP-WB-124	60° 41' 16"	114° 1' 55"	0858/09	-	3,257	1	3,257	326	Yes	Drilling and dust control
PP-WB-125	60° 41' 15"	114° 2' 11"	0858/09	-	10,080	1	10,080	1,008	Yes	Drilling and dust control
PP-WB-126	60° 41' 32"	114° 22' 35"	0858/09	-	220,436	1	220,436	22,044	Yes	Drilling and dust control
PP-WB-127	60° 41' 13"	113° 59' 46"	0858/12	-	10,181	1	10,181	1,018	Yes	Drilling and dust control
PP-WB-128	60° 42' 25"	115° 4' 10"	0858/11	-	18,777	1	18,777	1,878	Yes	Drilling and dust control
PP-WB-129	60° 41' 15"	114° 0' 51"	0858/09	-	6,137	1	6,137	614	Yes	Drilling and dust control
PP-WB-133	60° 39' 8"	115° 7' 53"	0858/11	-	3,607	1	3,607	361	Yes	Drilling and dust control
PP-WB-130	60° 41' 14"	114° 0' 38"	0858/09	-	26,384	1	26,384	2,638	Yes	Drilling and dust control
PP-WB-131	60° 41' 43"	114° 22' 0"	0858/09	-	8,020	1	8,020	802	Yes	Drilling and dust control
PP-WB-132	60° 41' 16"	113° 59' 20"	0858/12	-	5,254	1	5,254	525	Yes	Drilling and dust control
PP-WB-133	60° 41' 19"	114° 2' 35"	0858/09	-	8,630	1	8,630	863	Yes	Drilling and dust control
PP-WB-135	60° 41' 40"	114° 20' 40"	0858/09	-	34,612	1	34,612	3,461	Yes	Drilling and dust control
PP-WB-137	60° 42' 40"	115° 18' 3"	0858/11	-	2,228	1	2,228	223	Yes	Drilling and dust control
PP-WB-138	60° 41' 17"	114° 0' 59"	0858/09	-	19,488	1	19,488	1,949	Yes	Drilling and dust control
PP-WB-139	60° 42' 19"	114° 56' 8"	0858/10	-	56,920	1	56,920	5,692	Yes	Drilling and dust control
PP-WB-144	60° 38' 44"	114° 41' 0"	0858/10	-	1,347	1	1,347	135	Yes	Drilling and dust control
PP-WB-140	60° 41' 38"	114° 15' 10"	0858/09	-	1,471	1	1,471	147	Yes	Drilling and dust control
PP-WB-141	60° 42' 30"	115° 4' 20"	0858/11	-	1,382	1	1,382	138	Yes	Drilling and dust control
PP-WB-142	60° 42' 24"	114° 58' 47"	0858/10	-	28,556	1	28,556	2,856	Yes	Drilling and dust control
PP-WB-143	60° 41' 38"	114° 14' 59"	0858/09	-	4,361	1	4,361	436	Yes	Drilling and dust control
PP-WB-144	60° 41' 20"	114° 0' 38"	0858/09	-	9,530	1	9,530	953	Yes	Drilling and dust control
PP-WB-145	60° 41' 20"	113° 59' 54"	0858/12	-	2,572	1	2,572	257	Yes	Drilling and dust control
PP-WB-146	60° 41' 27"	114° 7' 42"	0858/09	-	69,529	1	69,529	6,953	Yes	Drilling and dust control
PP-WB-147	60° 41' 44"	114° 17' 47"	0858/09	-	1,765	1	1,765	177	Yes	Drilling and dust control
PP-WB-148	60° 42' 18"	114° 49' 4"	0858/10	-	9,425	1	9,425	942	Yes	Drilling and dust control
PP-WB-149	60° 41' 23"	113° 59' 55"	0858/12	-	1,320	1	1,320	132	Yes	Drilling and dust control
PP-WB-155	60° 39' 8"	115° 8' 35"	0858/11	-	13,781	1	13,781	1,378	Yes	Drilling and dust control
PP-WB-150	60° 42' 27"	114° 55' 51"	0858/10	-	2,367	1	2,367	237	Yes	Drilling and dust control
PP-WB-151	60° 41' 42"	114° 14' 59"	0858/09	-	5,941	1	5,941	594	Yes	Drilling and dust control
PP-WB-152	60° 41' 58"	114° 27' 28"	0858/09	-	1,484	1	1,484	148	Yes	Drilling and dust control
PP-WB-153	60° 42' 29"	115° 0' 53"	0858/11	-	86,323	1	86,323	8,632	Yes	Drilling and dust control
PP-WB-154	60° 41' 52"	114° 22' 5"	0858/09	-	5,955	1	5,955	595	Yes	Drilling and dust control
PP-WB-155	60° 42' 32"	114° 59' 15"	0858/10	-	4,137	1	4,137	414	Yes	Drilling and dust control
PP-WB-156	60° 41' 57"	114° 25' 18"	0858/09	-	1,462	1	1,462	146	Yes	Drilling and dust control
PP-WB-157	60° 41' 24"	114° 2' 47"	0858/09	-	38,169	1	38,169	3,817	Yes	Drilling and dust control
PP-WB-158	60° 41' 57"	114° 24' 52"	0858/09	-	2,095	1	2,095	210	Yes	Drilling and dust control
PP-WB-159	60° 41' 26"	114° 2' 24"	0858/09	-	11,611	1	11,611	1,161	Yes	Drilling and dust control
PP-WB-166	60° 38' 13"	114° 15' 13"	0858/09	-	8,617	1	8,617	862	Yes	Drilling and dust control
PP-WB-160	60° 41' 50"	114° 19' 54"	0858/09	-	8,618	1	8,618	862	Yes	Drilling and dust control
PP-WB-161	60° 41' 25"	114° 0' 36"	0858/09	-	12,155	1	12,155	1,216	Yes	Drilling and dust control
PP-WB-162	60° 41' 45"	114° 21' 27"	0858/09	-	141,256	1	141,256	14,126	Yes	Drilling and dust control
PP-WB-163	60° 41' 46"	114° 15' 13"	0858/09	-	8,647	1	8,647	865	Yes	Drilling and dust control
PP-WB-164	60° 41' 45"	114° 15' 22"	0858/09	-	6,795	1	6,795	679	Yes	Drilling and dust control
PP-WB-165	60° 41' 50"	114° 17' 45"	0858/09	-	5,190	1	5,190	519	Yes	Drilling and dust control
PP-WB-166	60° 41' 26"	114° 0' 47"	0858/09	-	26,519	1	26,519	2,652	Yes	Drilling and dust control
PP-WB-167	60° 41' 33"	114° 3' 44"	0858/09	-	7,071	1	7,071	707	Yes	Drilling and dust control
PP-WB-168	60° 42' 31"	114° 57' 25"	0858/10	-	34,269	1	34,269	3,427	Yes	Drilling and dust control
PP-WB-169										

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m²)	Mean Depth (m)	Estimated Water Volume (m³)	Annual Withdrawal Limit (m³)	Considered for Water Use?	Usage Activities
PP-WB-1220	60° 42' 19"	114° 28' 55"	0858/09	-	8,478	1	8,478	848	Yes	Drilling and dust control
PP-WB-1222	60° 42' 22"	114° 29' 43"	0858/09	-	1,435	1	1,435	143	Yes	Drilling and dust control
PP-WB-1223	60° 42' 5"	114° 15' 50"	0858/09	-	7,296	1	7,296	730	Yes	Drilling and dust control
PP-WB-1224	60° 42' 5"	114° 15' 21"	0858/09	-	1,956	1	1,956	196	Yes	Drilling and dust control
PP-WB-1225	60° 42' 54"	115° 1' 10"	0858/11	-	2,714	1	2,714	271	Yes	Drilling and dust control
PP-WB-1227	60° 42' 22"	114° 28' 17"	0858/09	-	1,094	1	1,094	109	Yes	Drilling and dust control
PP-WB-1229	60° 41' 31"	114° 1' 81"	0858/09	-	79,914	1	79,914	7,991	Yes	Drilling and dust control
PP-WB-123	60° 38' 15"	114° 15' 50"	0858/09	-	8,154	1	8,154	815	Yes	Drilling and dust control
PP-WB-1230	60° 42' 7"	114° 15' 9"	0858/09	-	1,349	1	1,349	135	Yes	Drilling and dust control
PP-WB-1231	60° 42' 16"	114° 22' 49"	0858/09	-	2,042	1	2,042	204	Yes	Drilling and dust control
PP-WB-1232	60° 42' 17"	114° 23' 1"	0858/09	-	3,066	1	3,066	307	Yes	Drilling and dust control
PP-WB-1233	60° 42' 52"	115° 4' 10"	0858/11	-	242,554	1	242,554	24,255	Yes	Drilling and dust control
PP-WB-1234	60° 42' 57"	115° 0' 44"	0858/11	-	2,899	1	2,899	290	Yes	Drilling and dust control
PP-WB-1235	60° 42' 8"	114° 15' 3"	0858/09	-	4,530	1	4,530	453	Yes	Drilling and dust control
PP-WB-1236	60° 42' 6"	114° 13' 57"	0858/09	-	19,187	1	19,187	1,919	Yes	Drilling and dust control
PP-WB-1237	60° 42' 25"	114° 28' 26"	0858/09	-	1,379	1	1,379	138	Yes	Drilling and dust control
PP-WB-1238	60° 42' 26"	114° 29' 51"	0858/09	-	1,268	1	1,268	127	Yes	Drilling and dust control
PP-WB-1239	60° 42' 44"	114° 46' 14"	0858/10	-	3,359	1	3,359	336	Yes	Drilling and dust control
PP-WB-124	60° 38' 5"	114° 6' 26"	0858/09	-	9,471	1	9,471	947	Yes	Drilling and dust control
PP-WB-1241	60° 42' 19"	114° 23' 35"	0858/09	-	1,365	1	1,365	136	Yes	Drilling and dust control
PP-WB-1242	60° 41' 50"	114° 1' 24"	0858/09	-	6,547	1	6,547	655	Yes	Drilling and dust control
PP-WB-1243	60° 42' 0"	114° 7' 53"	0858/09	-	2,067	1	2,067	207	Yes	Drilling and dust control
PP-WB-1245	60° 41' 51"	114° 1' 35"	0858/09	-	9,317	1	9,317	932	Yes	Drilling and dust control
PP-WB-1246	60° 41' 51"	114° 1' 10"	0858/09	-	7,050	1	7,050	705	Yes	Drilling and dust control
PP-WB-1249	60° 42' 7"	114° 13' 7"	0858/09	-	6,162	1	6,162	616	Yes	Drilling and dust control
PP-WB-125	60° 39' 10"	115° 7' 22"	0858/11	-	2,962	1	2,962	296	Yes	Drilling and dust control
PP-WB-1250	60° 42' 35"	114° 35' 41"	0858/10	-	4,967	1	4,967	497	Yes	Drilling and dust control
PP-WB-1251	60° 42' 11"	114° 14' 57"	0858/09	-	2,151	1	2,151	215	Yes	Drilling and dust control
PP-WB-1252	60° 43' 1"	115° 1' 40"	0858/11	-	1,781	1	1,781	178	Yes	Drilling and dust control
PP-WB-1253	60° 42' 49"	114° 57' 43"	0858/10	-	231,709	1	231,709	23,171	Yes	Drilling and dust control
PP-WB-1254	60° 42' 22"	114° 22' 45"	0858/09	-	1,767	1	1,767	177	Yes	Drilling and dust control
PP-WB-1255	60° 41' 53"	114° 1' 14"	0858/09	-	12,435	1	12,435	1,244	Yes	Drilling and dust control
PP-WB-1256	60° 42' 11"	114° 14' 0"	0858/09	-	2,929	1	2,929	293	Yes	Drilling and dust control
PP-WB-1257	60° 42' 12"	114° 15' 10"	0858/09	-	17,766	1	17,766	1,777	Yes	Drilling and dust control
PP-WB-1258	60° 42' 36"	114° 37' 52"	0858/10	-	81,009	1	81,009	8,101	Yes	Drilling and dust control
PP-WB-1259	60° 41' 48"	114° 20' 39"	0858/09	-	547,830	1	547,830	54,783	Yes	Drilling and dust control
PP-WB-126	60° 39' 7"	115° 3' 12"	0858/11	-	1,486	1	1,486	149	Yes	Drilling and dust control
PP-WB-1261	60° 42' 8"	114° 15' 37"	0858/09	-	47,641	1	47,641	4,764	Yes	Drilling and dust control
PP-WB-1262	60° 42' 25"	114° 23' 43"	0858/09	-	1,209	1	1,209	121	Yes	Drilling and dust control
PP-WB-1263	60° 42' 11"	114° 13' 43"	0858/09	-	6,506	1	6,506	651	Yes	Drilling and dust control
PP-WB-1264	60° 42' 10"	114° 10' 44"	0858/09	-	6,268	1	6,268	627	Yes	Drilling and dust control
PP-WB-1265	60° 42' 13"	114° 13' 36"	0858/09	-	8,675	1	8,675	867	Yes	Drilling and dust control
PP-WB-1266	60° 42' 16"	114° 15' 1"	0858/09	-	7,224	1	7,224	722	Yes	Drilling and dust control
PP-WB-1267	60° 42' 14"	114° 13' 18"	0858/09	-	6,654	1	6,654	665	Yes	Drilling and dust control
PP-WB-1268	60° 42' 29"	114° 24' 35"	0858/09	-	2,754	1	2,754	275	Yes	Drilling and dust control
PP-WB-1269	60° 42' 42"	114° 34' 57"	0858/10	-	1,903	1	1,903	190	Yes	Drilling and dust control
PP-WB-127	60° 38' 15"	114° 15' 4"	0858/09	-	6,742	1	6,742	674	Yes	Drilling and dust control
PP-WB-1270	60° 42' 53"	114° 44' 0"	0858/10	-	1,401	1	1,401	140	Yes	Drilling and dust control
PP-WB-1271	60° 42' 19"	114° 14' 34"	0858/09	-	8,454	1	8,454	845	Yes	Drilling and dust control
PP-WB-1272	60° 42' 17"	114° 12' 57"	0858/09	-	8,641	1	8,641	864	Yes	Drilling and dust control
PP-WB-1273	60° 42' 58"	114° 49' 58"	0858/10	-	13,240	1	13,240	1,324	Yes	Drilling and dust control
PP-WB-1274	60° 42' 58"	114° 49' 24"	0858/10	-	5,153	1	5,153	515	Yes	Drilling and dust control
PP-WB-1275	60° 42' 36"	114° 27' 41"	0858/09	-	1,681	1	1,681	168	Yes	Drilling and dust control
PP-WB-1276	60° 42' 19"	114° 13' 18"	0858/09	-	3,237	1	3,237	324	Yes	Drilling and dust control
PP-WB-1277	60° 42' 21"	114° 14' 21"	0858/09	-	6,378	1	6,378	638	Yes	Drilling and dust control
PP-WB-1278	60° 42' 43"	114° 35' 50"	0858/10	-	17,303	1	17,303	1,730	Yes	Drilling and dust control
PP-WB-1279	60° 42' 15"	114° 8' 56"	0858/09	-	1,454	1	1,454	145	Yes	Drilling and dust control
PP-WB-1280	60° 42' 40"	114° 28' 25"	0858/09	-	1,274	1	1,274	127	Yes	Drilling and dust control
PP-WB-1282	60° 42' 22"	114° 11' 57"	0858/09	-	1,011	1	1,011	101	Yes	Drilling and dust control
PP-WB-1283	60° 42' 23"	114° 13' 31"	0858/09	-	4,754	1	4,754	475	Yes	Drilling and dust control
PP-WB-1284	60° 42' 23"	114° 13' 22"	0858/09	-	5,444	1	5,444	544	Yes	Drilling and dust control
PP-WB-1285	60° 42' 46"	114° 32' 12"	0858/10	-	1,797	1	1,797	180	Yes	Drilling and dust control
PP-WB-1286	60° 42									

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-1340	60° 42' 24"	114° 2' 18"	0858/09	-	1,938	1	1,938	194	Yes	Drilling and dust control
PP-WB-1341	60° 42' 35"	114° 11' 58"	0858/09	-	13,551	1	13,551	1,355	Yes	Drilling and dust control
PP-WB-1342	60° 43' 7"	114° 40' 33"	0858/10	-	34,928	1	34,928	3,493	Yes	Drilling and dust control
PP-WB-1343	60° 42' 34"	114° 9' 36"	0858/09	-	5,442	1	5,442	544	Yes	Drilling and dust control
PP-WB-1344	60° 42' 35"	114° 11' 9"	0858/09	-	11,204	1	11,204	1,120	Yes	Drilling and dust control
PP-WB-1345	60° 42' 22"	113° 59' 52"	085A/12	-	1,542	1	1,542	154	Yes	Drilling and dust control
PP-WB-1346	60° 42' 32"	114° 7' 49"	0858/09	-	1,626	1	1,626	163	Yes	Drilling and dust control
PP-WB-1347	60° 43' 44"	115° 18' 52"	0858/11	-	2,026	1	2,026	203	Yes	Drilling and dust control
PP-WB-1348	60° 42' 50"	114° 21' 37"	0858/09	-	1,101	1	1,101	110	Yes	Drilling and dust control
PP-WB-1349	60° 43' 27"	114° 56' 53"	0858/10	-	4,490	1	4,490	449	Yes	Drilling and dust control
PP-WB-135	60° 39' 20"	115° 17' 19"	0858/11	-	2,048	1	2,048	205	Yes	Drilling and dust control
PP-WB-1350	60° 42' 55"	114° 25' 33"	0858/09	-	5,158	1	5,158	516	Yes	Drilling and dust control
PP-WB-1351	60° 42' 37"	114° 12' 12"	0858/09	-	5,915	1	5,915	592	Yes	Drilling and dust control
PP-WB-1352	60° 42' 56"	114° 25' 22"	0858/09	-	2,715	1	2,715	271	Yes	Drilling and dust control
PP-WB-1353	60° 43' 46"	115° 17' 42"	0858/11	-	1,047	1	1,047	105	Yes	Drilling and dust control
PP-WB-1355	60° 42' 24"	113° 59' 48"	085A/12	-	1,015	1	1,015	102	Yes	Drilling and dust control
PP-WB-1356	60° 43' 49"	115° 20' 22"	0858/11	-	1,321	1	1,321	132	Yes	Drilling and dust control
PP-WB-1357	60° 42' 28"	114° 2' 23"	0858/09	-	1,450	1	1,450	145	Yes	Drilling and dust control
PP-WB-1358	60° 42' 28"	114° 4' 34"	0858/09	-	9,775	1	9,775	978	Yes	Drilling and dust control
PP-WB-1359	60° 43' 45"	115° 16' 40"	0858/11	-	3,757	1	3,757	376	Yes	Drilling and dust control
PP-WB-1360	60° 42' 40"	114° 12' 8"	0858/09	-	4,318	1	4,318	432	Yes	Drilling and dust control
PP-WB-1361	60° 43' 30"	114° 57' 22"	0858/10	-	1,221	1	1,221	122	Yes	Drilling and dust control
PP-WB-1363	60° 42' 50"	114° 18' 51"	0858/09	-	4,783	1	4,783	478	Yes	Drilling and dust control
PP-WB-1364	60° 42' 38"	114° 8' 38"	0858/09	-	3,353	1	3,353	335	Yes	Drilling and dust control
PP-WB-1367	60° 42' 39"	114° 9' 17"	0858/09	-	1,729	1	1,729	173	Yes	Drilling and dust control
PP-WB-1368	60° 43' 47"	115° 15' 49"	0858/11	-	8,172	1	8,172	817	Yes	Drilling and dust control
PP-WB-137	60° 39' 15"	115° 9' 38"	0858/11	-	4,988	1	4,988	499	Yes	Drilling and dust control
PP-WB-1370	60° 42' 26"	113° 59' 6"	085A/12	-	13,334	1	13,334	1,333	Yes	Drilling and dust control
PP-WB-1371	60° 42' 27"	114° 0' 20"	0858/09	-	12,979	1	12,979	1,298	Yes	Drilling and dust control
PP-WB-1372	60° 42' 37"	114° 8' 17"	0858/09	-	13,042	1	13,042	1,304	Yes	Drilling and dust control
PP-WB-1373	60° 42' 24"	113° 58' 52"	085A/12	-	27,015	1	27,015	2,701	Yes	Drilling and dust control
PP-WB-1374	60° 43' 8"	114° 33' 12"	085B/10	-	5,412	1	5,412	541	Yes	Drilling and dust control
PP-WB-1375	60° 43' 48"	115° 15' 35"	0858/11	-	2,773	1	2,773	277	Yes	Drilling and dust control
PP-WB-1376	60° 42' 44"	114° 11' 36"	0858/09	-	1,747	1	1,747	175	Yes	Drilling and dust control
PP-WB-1377	60° 42' 44"	114° 11' 41"	0858/09	-	1,805	1	1,805	181	Yes	Drilling and dust control
PP-WB-1378	60° 43' 49"	115° 15' 39"	0858/11	-	1,531	1	1,531	153	Yes	Drilling and dust control
PP-WB-1379	60° 43' 51"	115° 17' 21"	0858/11	-	3,084	1	3,084	308	Yes	Drilling and dust control
PP-WB-138	60° 38' 53"	114° 46' 50"	0858/10	-	8,845	1	8,845	884	Yes	Drilling and dust control
PP-WB-1380	60° 42' 45"	114° 12' 16"	0858/09	-	6,402	1	6,402	640	Yes	Drilling and dust control
PP-WB-1381	60° 43' 1"	114° 25' 18"	0858/09	-	4,525	1	4,525	453	Yes	Drilling and dust control
PP-WB-1382	60° 42' 30"	114° 0' 42"	0858/09	-	4,581	1	4,581	458	Yes	Drilling and dust control
PP-WB-1383	60° 42' 40"	114° 7' 33"	0858/09	-	7,206	1	7,206	721	Yes	Drilling and dust control
PP-WB-1384	60° 42' 34"	114° 2' 55"	0858/09	-	2,961	1	2,961	296	Yes	Drilling and dust control
PP-WB-1385	60° 42' 46"	114° 12' 9"	0858/09	-	3,147	1	3,147	315	Yes	Drilling and dust control
PP-WB-1386	60° 42' 54"	114° 18' 27"	0858/09	-	12,271	1	12,271	1,227	Yes	Drilling and dust control
PP-WB-1387	60° 42' 30"	113° 59' 14"	085A/12	-	2,452	1	2,452	245	Yes	Drilling and dust control
PP-WB-1388	60° 43' 12"	114° 33' 12"	0858/10	-	1,435	1	1,435	143	Yes	Drilling and dust control
PP-WB-1389	60° 43' 51"	115° 15' 9"	0858/11	-	1,001	1	1,001	100	Yes	Drilling and dust control
PP-WB-139	60° 38' 8"	114° 6' 24"	0858/09	-	3,831	1	3,831	383	Yes	Drilling and dust control
PP-WB-1390	60° 43' 37"	114° 57' 55"	0858/10	-	1,662	1	1,662	166	Yes	Drilling and dust control
PP-WB-1391	60° 42' 53"	114° 17' 15"	0858/09	-	9,305	1	9,305	930	Yes	Drilling and dust control
PP-WB-1392	60° 42' 23"	113° 59' 21"	085A/12	-	77,217	1	77,217	7,722	Yes	Drilling and dust control
PP-WB-1393	60° 43' 54"	115° 17' 55"	0858/11	-	1,640	1	1,640	164	Yes	Drilling and dust control
PP-WB-1394	60° 43' 16"	114° 36' 37"	0858/10	-	2,111	1	2,111	211	Yes	Drilling and dust control
PP-WB-1395	60° 43' 46"	115° 8' 49"	0858/11	NT-4867	2,609	1	2,609	261	Yes	Drilling and dust control
PP-WB-1397	60° 43' 46"	115° 8' 21"	0858/11	NT-4867	2,108	1	2,108	211	Yes	Drilling and dust control
PP-WB-1398	60° 42' 40"	114° 7' 24"	0858/09	-	13,022	1	13,022	1,302	Yes	Drilling and dust control
PP-WB-1399	60° 42' 53"	114° 17' 24"	0858/09	-	6,385	1	6,385	638	Yes	Drilling and dust control
PP-WB-14	60° 37' 40"	114° 2' 16"	0858/09	-	3,800	1	3,800	380	Yes	Drilling and dust control
PP-WB-1400	60° 42' 30"	113° 58' 54"	085A/12	-	6,543	1	6,543	654	Yes	Drilling and dust control
PP-WB-1401	60° 43' 53"	115° 16' 39"	0858/11	-	3,765	1	3,765	377	Yes	Drilling and dust control
PP-WB-1402	60° 43' 55"	115° 18' 0"	0858/11	-	2,576	1	2,576	258		

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m²)	Mean Depth (m)	Estimated Water Volume (m³)	Annual Withdrawal Limit (m³)	Considered for Water Use?	Usage Activities
PP-WB-1456	60° 43' 59"	115° 15' 49"	0858/11	-	5,042	1	5,042	504	Yes	Drilling and dust control
PP-WB-1457	60° 42' 59"	114° 15' 27"	0858/09	-	3,506	1	3,506	351	Yes	Drilling and dust control
PP-WB-1458	60° 42' 51"	114° 11' 10"	0858/09	-	14,536	1	14,536	1,454	Yes	Drilling and dust control
PP-WB-1459	60° 42' 49"	114° 8' 78"	0858/09	-	6,434	1	6,434	643	Yes	Drilling and dust control
PP-WB-1460	60° 42' 59"	114° 15' 41"	0858/09	-	4,684	1	4,684	468	Yes	Drilling and dust control
PP-WB-1461	60° 43' 1"	114° 16' 18"	0858/09	-	1,444	1	1,444	144	Yes	Drilling and dust control
PP-WB-1462	60° 42' 53"	114° 11' 30"	0858/09	-	20,907	1	20,907	2,091	Yes	Drilling and dust control
PP-WB-1463	60° 43' 0"	114° 17' 16"	0858/09	-	20,520	1	20,520	2,052	Yes	Drilling and dust control
PP-WB-1464	60° 42' 59"	114° 14' 28"	0858/09	-	3,278	1	3,278	328	Yes	Drilling and dust control
PP-WB-1465	60° 42' 41"	114° 0' 39"	0858/09	-	4,479	1	4,479	448	Yes	Drilling and dust control
PP-WB-1466	60° 42' 54"	114° 11' 54"	0858/09	-	7,882	1	7,882	788	Yes	Drilling and dust control
PP-WB-1467	60° 42' 59"	114° 14' 35"	0858/09	-	5,373	1	5,373	537	Yes	Drilling and dust control
PP-WB-1468	60° 42' 45"	114° 2' 58"	0858/09	-	3,099	1	3,099	310	Yes	Drilling and dust control
PP-WB-1469	60° 42' 37"	114° 0' 27"	0858/09	-	22,762	1	22,762	2,276	Yes	Drilling and dust control
PP-WB-147	60° 39' 24"	115° 18' 7"	0858/11	-	1,500	1	1,500	150	Yes	Drilling and dust control
PP-WB-1470	60° 44' 1"	115° 16' 53"	0858/11	-	4,166	1	4,166	417	Yes	Drilling and dust control
PP-WB-1471	60° 42' 59"	114° 16' 3"	0858/09	-	23,707	1	23,707	2,371	Yes	Drilling and dust control
PP-WB-1472	60° 42' 39"	113° 59' 22"	085A/12	-	15,631	1	15,631	1,563	Yes	Drilling and dust control
PP-WB-1474	60° 43' 7"	114° 21' 42"	0858/09	-	8,384	1	8,384	838	Yes	Drilling and dust control
PP-WB-1475	60° 42' 50"	114° 7' 26"	0858/09	-	14,952	1	14,952	1,495	Yes	Drilling and dust control
PP-WB-1476	60° 43' 9"	114° 21' 39"	0858/09	-	3,173	1	3,173	317	Yes	Drilling and dust control
PP-WB-1477	60° 42' 46"	114° 3' 25"	0858/09	-	8,391	1	8,391	839	Yes	Drilling and dust control
PP-WB-1478	60° 43' 59"	115° 15' 24"	0858/11	-	23,391	1	23,391	2,339	Yes	Drilling and dust control
PP-WB-148	60° 38' 21"	114° 14' 31"	0858/09	-	2,449	1	2,449	245	Yes	Drilling and dust control
PP-WB-1480	60° 43' 5"	114° 18' 47"	0858/09	-	39,505	1	39,505	3,951	Yes	Drilling and dust control
PP-WB-1481	60° 42' 40"	113° 59' 5"	085A/12	-	8,712	1	8,712	871	Yes	Drilling and dust control
PP-WB-1482	60° 42' 55"	114° 8' 56"	0858/09	-	1,231	1	1,231	123	Yes	Drilling and dust control
PP-WB-1483	60° 44' 1"	115° 12' 14"	0858/11	NT-4867	4,821	1	4,821	482	Yes	Drilling and dust control
PP-WB-1484	60° 43' 7"	114° 19' 15"	0858/09	-	7,508	1	7,508	751	Yes	Drilling and dust control
PP-WB-1485	60° 43' 5"	114° 19' 5"	0858/09	-	16,527	1	16,527	1,653	Yes	Drilling and dust control
PP-WB-1486	60° 43' 1"	114° 13' 45"	0858/09	-	4,524	1	4,524	452	Yes	Drilling and dust control
PP-WB-1487	60° 42' 49"	114° 4' 83"	0858/09	-	4,134	1	4,134	413	Yes	Drilling and dust control
PP-WB-1488	60° 42' 39"	113° 59' 51"	085A/12	-	51,593	1	51,593	5,159	Yes	Drilling and dust control
PP-WB-1489	60° 43' 2"	114° 14' 42"	0858/09	-	9,777	1	9,777	978	Yes	Drilling and dust control
PP-WB-149	60° 38' 19"	114° 12' 49"	0858/09	-	2,599	1	2,599	260	Yes	Drilling and dust control
PP-WB-1490	60° 42' 56"	114° 9' 24"	0858/09	-	3,004	1	3,004	300	Yes	Drilling and dust control
PP-WB-1491	60° 43' 7"	114° 19' 50"	0858/09	-	8,603	1	8,603	860	Yes	Drilling and dust control
PP-WB-1492	60° 42' 43"	114° 0' 62"	0858/09	-	13,618	1	13,618	1,362	Yes	Drilling and dust control
PP-WB-1493	60° 42' 58"	114° 12' 20"	0858/09	-	20,152	1	20,152	2,015	Yes	Drilling and dust control
PP-WB-1494	60° 43' 0"	114° 12' 31"	0858/09	-	6,409	1	6,409	641	Yes	Drilling and dust control
PP-WB-1495	60° 43' 0"	114° 11' 54"	0858/09	-	3,129	1	3,129	313	Yes	Drilling and dust control
PP-WB-1497	60° 43' 9"	114° 20' 0"	0858/09	-	8,602	1	8,602	860	Yes	Drilling and dust control
PP-WB-1498	60° 44' 5"	115° 16' 42"	0858/11	-	8,322	1	8,322	832	Yes	Drilling and dust control
PP-WB-15	60° 38' 46"	115° 0' 48"	0858/11	-	1,828	1	1,828	183	Yes	Drilling and dust control
PP-WB-150	60° 39' 22"	115° 17' 4"	0858/11	-	5,474	1	5,474	547	Yes	Drilling and dust control
PP-WB-1500	60° 43' 3"	114° 14' 2"	0858/09	-	4,794	1	4,794	479	Yes	Drilling and dust control
PP-WB-1501	60° 42' 57"	114° 12' 3"	0858/09	-	22,477	1	22,477	2,248	Yes	Drilling and dust control
PP-WB-1502	60° 42' 45"	113° 59' 42"	085A/12	-	1,666	1	1,666	167	Yes	Drilling and dust control
PP-WB-1503	60° 43' 0"	114° 11' 26"	0858/09	-	2,831	1	2,831	283	Yes	Drilling and dust control
PP-WB-1504	60° 43' 4"	114° 14' 58"	0858/09	-	2,753	1	2,753	275	Yes	Drilling and dust control
PP-WB-1505	60° 43' 54"	115° 0' 28"	0858/11	NT-4864	1,106	1	1,106	111	Yes	Drilling and dust control
PP-WB-1506	60° 43' 3"	114° 14' 29"	0858/09	-	7,749	1	7,749	775	Yes	Drilling and dust control
PP-WB-1508	60° 42' 47"	114° 2' 31"	0858/09	-	20,854	1	20,854	2,085	Yes	Drilling and dust control
PP-WB-1509	60° 42' 49"	114° 2' 20"	0858/09	-	2,973	1	2,973	297	Yes	Drilling and dust control
PP-WB-1510	60° 43' 12"	114° 20' 20"	0858/09	-	1,386	1	1,386	139	Yes	Drilling and dust control
PP-WB-1511	60° 43' 2"	114° 11' 53"	0858/09	-	2,366	1	2,366	237	Yes	Drilling and dust control
PP-WB-1512	60° 42' 59"	114° 11' 45"	0858/09	-	36,492	1	36,492	3,649	Yes	Drilling and dust control
PP-WB-1513	60° 42' 50"	114° 2' 42"	0858/09	-	2,069	1	2,069	207	Yes	Drilling and dust control
PP-WB-1514	60° 43' 13"	114° 20' 17"	0858/09	-	1,077	1	1,077	108	Yes	Drilling and dust control
PP-WB-1515	60° 43' 8"	114° 18' 27"	0858/09	-	30,487	1	30,487	3,049	Yes	Drilling and dust control
PP-WB-1516	60° 43' 4"	114° 12' 52"	0858/09	-	1,434	1	1,434	143	Yes	Drilling and dust control
PP-WB-1517	60° 43' 6"	114° 14' 54"	0858/09	-	3,185	1	3,185	318	Yes	Drilling and dust control
PP-WB-151										

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-1569	60° 42' 50"	114° 0' 40"	085B/09	-	42,299	1	42,299	4,230	Yes	Drilling and dust control
PP-WB-157	60° 39' 26"	115° 17' 54"	085B/11	-	1,332	1	1,332	133	Yes	Drilling and dust control
PP-WB-1570	60° 43' 46"	114° 43' 10"	085B/10	-	1,108	1	1,108	111	Yes	Drilling and dust control
PP-WB-1571	60° 43' 9"	114° 12' 22"	085B/09	-	15,250	1	15,250	1,525	Yes	Drilling and dust control
PP-WB-1572	60° 42' 54"	113° 59' 38"	085A/12	-	1,252	1	1,252	125	Yes	Drilling and dust control
PP-WB-1573	60° 43' 14"	114° 17' 18"	085B/09	-	14,799	1	14,799	1,480	Yes	Drilling and dust control
PP-WB-1574	60° 44' 2"	114° 59' 44"	085B/10	NT-4863	1,144	1	1,144	114	Yes	Drilling and dust control
PP-WB-1575	60° 43' 9"	114° 10' 44"	085B/09	-	1,194	1	1,194	119	Yes	Drilling and dust control
PP-WB-1576	60° 43' 29"	114° 27' 36"	085B/09	-	4,322	1	4,322	432	Yes	Drilling and dust control
PP-WB-1577	60° 43' 47"	114° 43' 51"	085B/10	M10514	1,910	1	1,910	191	Yes	Drilling and dust control
PP-WB-1578	60° 43' 25"	114° 25' 14"	085B/09	-	13,562	1	13,562	1,356	Yes	Drilling and dust control
PP-WB-1579	60° 43' 26"	114° 25' 25"	085B/09	-	10,615	1	10,615	1,062	Yes	Drilling and dust control
PP-WB-1580	60° 42' 55"	113° 59' 34"	085A/12	-	1,019	1	1,019	102	Yes	Drilling and dust control
PP-WB-1581	60° 43' 9"	114° 10' 33"	085B/09	-	2,378	1	2,378	238	Yes	Drilling and dust control
PP-WB-1582	60° 43' 14"	114° 14' 28"	085B/09	-	1,779	1	1,779	178	Yes	Drilling and dust control
PP-WB-1583	60° 43' 19"	114° 18' 38"	085B/09	-	8,765	1	8,765	877	Yes	Drilling and dust control
PP-WB-1584	60° 43' 13"	114° 15' 17"	085B/09	-	21,438	1	21,438	2,144	Yes	Drilling and dust control
PP-WB-1586	60° 43' 20"	114° 20' 56"	085B/09	-	11,826	1	11,826	1,183	Yes	Drilling and dust control
PP-WB-1587	60° 42' 53"	114° 1 20"	085B/09	-	29,725	1	29,725	2,973	Yes	Drilling and dust control
PP-WB-1589	60° 42' 56"	113° 59' 54"	085A/12	-	2,517	1	2,517	252	Yes	Drilling and dust control
PP-WB-1590	60° 43' 1"	114° 2' 57"	085B/09	-	1,005	1	1,005	101	Yes	Drilling and dust control
PP-WB-1591	60° 43' 5"	114° 6' 51"	085B/09	-	3,673	1	3,673	367	Yes	Drilling and dust control
PP-WB-1592	60° 43' 15"	114° 14' 49"	085B/09	-	7,943	1	7,943	794	Yes	Drilling and dust control
PP-WB-1593	60° 42' 54"	113° 58' 44"	085A/12	-	20,332	1	20,332	2,033	Yes	Drilling and dust control
PP-WB-1594	60° 43' 20"	114° 21' 7"	085B/09	-	28,434	1	28,434	2,843	Yes	Drilling and dust control
PP-WB-1595	60° 42' 56"	113° 59' 47"	085A/12	-	8,091	1	8,091	809	Yes	Drilling and dust control
PP-WB-1596	60° 43' 19"	114° 19' 13"	085B/09	-	8,433	1	8,433	843	Yes	Drilling and dust control
PP-WB-1597	60° 43' 28"	114° 24' 20"	085B/09	-	2,034	1	2,034	203	Yes	Drilling and dust control
PP-WB-1599	60° 43' 30"	114° 26' 49"	085B/09	-	9,058	1	9,058	906	Yes	Drilling and dust control
PP-WB-16	60° 38' 6"	114° 23' 18"	085B/09	-	9,337	1	9,337	934	Yes	Drilling and dust control
PP-WB-1600	60° 42' 57"	114° 0' 32"	085A/12	-	10,064	1	10,064	1,006	Yes	Drilling and dust control
PP-WB-1601	60° 43' 50"	114° 43' 48"	085B/10	M10514	1,904	1	1,904	190	Yes	Drilling and dust control
PP-WB-1603	60° 43' 25"	114° 20' 58"	085B/09	-	3,488	1	3,488	349	Yes	Drilling and dust control
PP-WB-1604	60° 43' 29"	114° 24' 14"	085B/09	-	4,074	1	4,074	407	Yes	Drilling and dust control
PP-WB-1606	60° 43' 18"	114° 14' 39"	085B/09	-	1,770	1	1,770	177	Yes	Drilling and dust control
PP-WB-1607	60° 43' 47"	114° 44' 51"	085B/10	M10514	97,559	1	97,559	9,756	Yes	Drilling and dust control
PP-WB-1608	60° 43' 34"	114° 28' 7"	085B/09	-	5,819	1	5,819	582	Yes	Drilling and dust control
PP-WB-1609	60° 43' 22"	114° 19' 53"	085B/09	-	10,213	1	10,213	1,021	Yes	Drilling and dust control
PP-WB-161	60° 38' 3"	113° 59' 58"	085A/12	-	10,002	1	10,002	1,000	Yes	Drilling and dust control
PP-WB-1610	60° 43' 34"	114° 27' 38"	085B/09	-	1,666	1	1,666	167	Yes	Drilling and dust control
PP-WB-1611	60° 43' 45"	114° 40' 27"	085B/10	-	35,808	1	35,808	3,581	Yes	Drilling and dust control
PP-WB-1612	60° 43' 29"	114° 23' 57"	085B/09	-	8,521	1	8,521	852	Yes	Drilling and dust control
PP-WB-1613	60° 43' 4"	114° 2' 52"	085B/09	-	4,121	1	4,121	412	Yes	Drilling and dust control
PP-WB-1615	60° 43' 30"	114° 24' 20"	085B/09	-	2,721	1	2,721	272	Yes	Drilling and dust control
PP-WB-1616	60° 42' 59"	113° 59' 33"	085A/12	-	2,120	1	2,120	212	Yes	Drilling and dust control
PP-WB-1617	60° 43' 51"	114° 43' 12"	085B/10	-	1,018	1	1,018	102	Yes	Drilling and dust control
PP-WB-1618	60° 43' 16"	114° 14' 10"	085B/09	-	30,640	1	30,640	3,064	Yes	Drilling and dust control
PP-WB-1619	60° 43' 16"	114° 12' 14"	085B/09	-	2,097	1	2,097	210	Yes	Drilling and dust control
PP-WB-162	60° 39' 27"	115° 18' 15"	085B/11	-	3,636	1	3,636	364	Yes	Drilling and dust control
PP-WB-1621	60° 43' 13"	114° 10' 58"	085B/09	-	5,112	1	5,112	511	Yes	Drilling and dust control
PP-WB-1622	60° 43' 25"	114° 19' 4"	085B/09	-	2,516	1	2,516	252	Yes	Drilling and dust control
PP-WB-1623	60° 43' 22"	114° 20' 18"	085B/09	-	73,813	1	73,813	7,381	Yes	Drilling and dust control
PP-WB-1625	60° 43' 32"	114° 25' 8"	085B/09	-	5,068	1	5,068	507	Yes	Drilling and dust control
PP-WB-1627	60° 43' 9"	114° 6' 26"	085B/09	-	1,959	1	1,959	196	Yes	Drilling and dust control
PP-WB-1629	60° 43' 36"	114° 29' 25"	085B/09	-	10,307	1	10,307	1,031	Yes	Drilling and dust control
PP-WB-163	60° 38' 23"	114° 14' 48"	085B/09	-	5,272	1	5,272	527	Yes	Drilling and dust control
PP-WB-1630	60° 43' 30"	114° 24' 4"	085B/09	-	10,355	1	10,355	1,036	Yes	Drilling and dust control
PP-WB-1632	60° 43' 52"	114° 44' 5"	085B/10	M10514	13,427	1	13,427	1,343	Yes	Drilling and dust control
PP-WB-1633	60° 43' 31"	114° 25' 34"	085B/09	-	68,660	1	68,660	6,866	Yes	Drilling and dust control
PP-WB-1634	60° 43' 32"	114° 24' 19"	085B/09	-	2,202	1	2,202	220	Yes	Drilling and dust control
PP-WB-1635	60° 43' 0"	113° 59' 11"	085A/12	-	11,915	1	11,915	1,192	Yes	Drilling and dust control
PP-WB-1636	60° 43' 49"	11								

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m²)	Mean Depth (m)	Estimated Water Volume (m³)	Annual Withdrawal Limit (m³)	Considered for Water Use?	Usage Activities
PP-WB-1688	60° 43' 19"	114° 10' 44"	0858/09	-	6,686	1	6,686	669	Yes	Drilling and dust control
PP-WB-1689	60° 43' 3"	113° 59' 12"	085A/12	-	14,004	1	14,004	1,400	Yes	Drilling and dust control
PP-WB-169	60° 39' 29"	115° 18' 24"	0858/11	-	1,999	1	1,999	200	Yes	Drilling and dust control
PP-WB-1690	60° 43' 59"	114° 45' 15"	0858/10	M10514	1,508	1	1,508	151	Yes	Drilling and dust control
PP-WB-1691	60° 43' 44"	114° 31' 1"	0858/10	-	2,611	1	2,611	261	Yes	Drilling and dust control
PP-WB-1692	60° 43' 38"	114° 29' 35"	0858/09	-	27,977	1	27,977	2,798	Yes	Drilling and dust control
PP-WB-1693	60° 43' 35"	114° 23' 25"	0858/09	-	13,025	1	13,025	1,302	Yes	Drilling and dust control
PP-WB-1694	60° 43' 19"	114° 20' 46"	0858/09	-	174,470	1	174,470	17,447	Yes	Drilling and dust control
PP-WB-1695	60° 43' 19"	114° 10' 2"	0858/09	-	2,011	1	2,011	201	Yes	Drilling and dust control
PP-WB-1696	60° 43' 59"	114° 44' 25"	0858/10	M10514	1,012	1	1,012	101	Yes	Drilling and dust control
PP-WB-1697	60° 43' 23"	114° 14' 25"	0858/09	-	23,499	1	23,499	2,350	Yes	Drilling and dust control
PP-WB-1699	60° 43' 37"	114° 27' 51"	0858/09	-	21,884	1	21,884	2,188	Yes	Drilling and dust control
PP-WB-17	60° 37' 55"	114° 14' 0"	0858/09	-	5,766	1	5,766	577	Yes	Drilling and dust control
PP-WB-170	60° 39' 29"	115° 18' 15"	0858/11	-	1,408	1	1,408	141	Yes	Drilling and dust control
PP-WB-1700	60° 43' 29"	114° 20' 8"	0858/09	-	65,917	1	65,917	6,592	Yes	Drilling and dust control
PP-WB-1701	60° 43' 19"	114° 9' 35"	0858/09	-	2,439	1	2,439	244	Yes	Drilling and dust control
PP-WB-1702	60° 43' 44"	114° 30' 57"	0858/10	-	2,336	1	2,336	234	Yes	Drilling and dust control
PP-WB-1703	60° 44' 14"	115° 0' 15"	0858/11	NT-4863	1,401	1	1,401	140	Yes	Drilling and dust control
PP-WB-1704	60° 43' 36"	114° 25' 21"	0858/09	-	11,182	1	11,182	1,118	Yes	Drilling and dust control
PP-WB-1705	60° 44' 2"	114° 48' 8"	0858/10	M10880	5,274	1	5,274	527	Yes	Drilling and dust control
PP-WB-1706	60° 43' 57"	114° 43' 21"	0858/10	M10514	5,600	1	5,600	560	Yes	Drilling and dust control
PP-WB-1707	60° 43' 58"	114° 43' 5"	0858/10	-	2,780	1	2,780	278	Yes	Drilling and dust control
PP-WB-1709	60° 43' 39"	114° 26' 40"	0858/09	-	8,013	1	8,013	801	Yes	Drilling and dust control
PP-WB-171	60° 38' 7"	114° 0' 21"	0858/09	-	5,556	1	5,556	556	Yes	Drilling and dust control
PP-WB-1710	60° 43' 20"	114° 9' 46"	0858/09	-	1,410	1	1,410	141	Yes	Drilling and dust control
PP-WB-1711	60° 43' 21"	114° 10' 20"	0858/09	-	1,340	1	1,340	134	Yes	Drilling and dust control
PP-WB-1712	60° 44' 15"	115° 0' 26"	0858/11	NT-4863	1,605	1	1,605	160	Yes	Drilling and dust control
PP-WB-1714	60° 43' 7"	113° 59' 17"	085A/12	-	2,421	1	2,421	242	Yes	Drilling and dust control
PP-WB-1715	60° 43' 34"	114° 21' 25"	0858/09	-	6,632	1	6,632	663	Yes	Drilling and dust control
PP-WB-1716	60° 44' 0"	114° 44' 24"	0858/10	M10514	1,410	1	1,410	141	Yes	Drilling and dust control
PP-WB-1717	60° 44' 0"	114° 44' 18"	0858/10	M10514	1,042	1	1,042	104	Yes	Drilling and dust control
PP-WB-1718	60° 43' 35"	114° 21' 41"	0858/09	-	1,940	1	1,940	194	Yes	Drilling and dust control
PP-WB-1719	60° 44' 1"	114° 45' 28"	0858/10	M10514	1,443	1	1,443	144	Yes	Drilling and dust control
PP-WB-1722	60° 43' 45"	114° 30' 15"	0858/10	-	3,719	1	3,719	372	Yes	Drilling and dust control
PP-WB-1723	60° 43' 37"	114° 23' 47"	0858/09	-	5,637	1	5,637	564	Yes	Drilling and dust control
PP-WB-1724	60° 44' 0"	114° 43' 16"	0858/10	-	2,412	1	2,412	241	Yes	Drilling and dust control
PP-WB-1725	60° 43' 41"	114° 27' 0"	0858/09	-	6,986	1	6,986	699	Yes	Drilling and dust control
PP-WB-1727	60° 43' 36"	114° 22' 24"	0858/09	-	7,076	1	7,076	708	Yes	Drilling and dust control
PP-WB-1728	60° 43' 42"	114° 28' 0"	0858/09	-	9,171	1	9,171	917	Yes	Drilling and dust control
PP-WB-1729	60° 43' 19"	114° 8' 42"	0858/09	-	4,564	1	4,564	456	Yes	Drilling and dust control
PP-WB-1730	60° 43' 29"	114° 18' 14"	0858/09	-	29,078	1	29,078	2,908	Yes	Drilling and dust control
PP-WB-1732	60° 43' 41"	114° 26' 49"	0858/09	-	15,933	1	15,933	1,593	Yes	Drilling and dust control
PP-WB-1733	60° 43' 36"	114° 21' 47"	0858/09	-	3,180	1	3,180	318	Yes	Drilling and dust control
PP-WB-1735	60° 44' 0"	114° 43' 10"	0858/10	-	1,123	1	1,123	112	Yes	Drilling and dust control
PP-WB-1736	60° 44' 2"	114° 45' 19"	0858/10	M10514	1,320	1	1,320	132	Yes	Drilling and dust control
PP-WB-1737	60° 43' 46"	114° 30' 35"	0858/10	-	1,427	1	1,427	143	Yes	Drilling and dust control
PP-WB-1740	60° 39' 28"	115° 14' 35"	0858/11	-	1,849	1	1,849	185	Yes	Drilling and dust control
PP-WB-1741	60° 43' 44"	114° 29' 37"	0858/09	-	16,652	1	16,652	1,665	Yes	Drilling and dust control
PP-WB-1742	60° 43' 38"	114° 23' 27"	0858/09	-	5,926	1	5,926	593	Yes	Drilling and dust control
PP-WB-1744	60° 43' 37"	114° 23' 9"	0858/09	-	8,820	1	8,820	882	Yes	Drilling and dust control
PP-WB-1745	60° 43' 30"	114° 19' 33"	0858/09	-	16,263	1	16,263	1,626	Yes	Drilling and dust control
PP-WB-1746	60° 43' 35"	114° 21' 52"	0858/09	-	10,355	1	10,355	1,035	Yes	Drilling and dust control
PP-WB-1747	60° 43' 27"	114° 16' 28"	0858/09	-	69,662	1	69,662	6,966	Yes	Drilling and dust control
PP-WB-1748	60° 43' 38"	114° 24' 0"	0858/09	-	16,738	1	16,738	1,674	Yes	Drilling and dust control
PP-WB-1749	60° 43' 30"	114° 16' 52"	0858/09	-	3,805	1	3,805	380	Yes	Drilling and dust control
PP-WB-175	60° 38' 14"	114° 3' 41"	0858/09	-	1,544	1	1,544	154	Yes	Drilling and dust control
PP-WB-1751	60° 43' 46"	114° 30' 44"	0858/10	-	4,589	1	4,589	459	Yes	Drilling and dust control
PP-WB-1752	60° 43' 23"	114° 10' 24"	0858/09	-	1,707	1	1,707	171	Yes	Drilling and dust control
PP-WB-1753	60° 43' 20"	114° 8' 33"	0858/09	-	8,514	1	8,514	851	Yes	Drilling and dust control
PP-WB-1754	60° 44' 17"	115° 0' 10"	0858/11	NT-4863	2,173	1	2,173	217	Yes	Drilling and dust control
PP-WB-1755	60° 44' 1"	114° 51' 4"	0858/10	-	200,102	1	200,102	20,010	Yes	Drilling and dust control
PP-WB-1756	60° 43' 37"	114° 22' 3"	0858/09	-						

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-1814	60° 43' 32"	114° 15' 3"	085B/09	-	23,985	1	23,985	2,399	Yes	Drilling and dust control
PP-WB-1815	60° 43' 39"	114° 20' 9"	085B/09	-	19,150	1	19,150	1,915	Yes	Drilling and dust control
PP-WB-1816	60° 43' 47"	114° 27' 53"	085B/09	-	8,412	1	8,412	841	Yes	Drilling and dust control
PP-WB-1817	60° 43' 14"	113° 59' 17"	085A/12	-	3,776	1	3,776	378	Yes	Drilling and dust control
PP-WB-1818	60° 44' 10"	114° 47' 33"	085B/10	M10880	3,616	1	3,616	362	Yes	Drilling and dust control
PP-WB-182	60° 38' 59"	114° 41' 57"	085B/10	-	25,954	1	25,954	2,595	Yes	Drilling and dust control
PP-WB-1820	60° 44' 6"	114° 43' 27"	085B/10	M10514	1,397	1	1,397	140	Yes	Drilling and dust control
PP-WB-1821	60° 44' 6"	114° 43' 37"	085B/10	M10514	1,897	1	1,897	190	Yes	Drilling and dust control
PP-WB-1822	60° 43' 47"	114° 29' 51"	085B/09	-	21,619	1	21,619	2,162	Yes	Drilling and dust control
PP-WB-1823	60° 44' 23"	115° 0' 16"	085B/11	NT-4863	1,152	1	1,152	115	Yes	Drilling and dust control
PP-WB-1825	60° 43' 45"	114° 26' 39"	085B/09	-	61,741	1	61,741	6,174	Yes	Drilling and dust control
PP-WB-1828	60° 43' 51"	114° 30' 17"	085B/10	-	12,557	1	12,557	1,256	Yes	Drilling and dust control
PP-WB-1829	60° 43' 45"	114° 25' 4"	085B/09	-	9,561	1	9,561	956	Yes	Drilling and dust control
PP-WB-1831	60° 44' 20"	114° 57' 50"	085B/10	NT-4862	5,975	1	5,975	598	Yes	Drilling and dust control
PP-WB-1832	60° 43' 20"	114° 3' 43"	085B/09	-	2,897	1	2,897	290	Yes	Drilling and dust control
PP-WB-1833	60° 43' 52"	114° 30' 49"	085B/10	-	8,468	1	8,468	847	Yes	Drilling and dust control
PP-WB-1834	60° 43' 47"	114° 26' 18"	085B/09	-	15,570	1	15,570	1,557	Yes	Drilling and dust control
PP-WB-1835	60° 43' 53"	114° 29' 55"	085B/09	-	1,827	1	1,827	183	Yes	Drilling and dust control
PP-WB-1836	60° 43' 35"	114° 14' 54"	085B/09	-	1,169	1	1,169	117	Yes	Drilling and dust control
PP-WB-1837	60° 43' 35"	114° 14' 43"	085B/09	-	2,388	1	2,388	239	Yes	Drilling and dust control
PP-WB-1838	60° 43' 28"	114° 9' 62"	085B/09	-	3,475	1	3,475	348	Yes	Drilling and dust control
PP-WB-1839	60° 43' 40"	114° 21' 38"	085B/09	-	87,450	1	87,450	8,745	Yes	Drilling and dust control
PP-WB-184	60° 38' 17"	114° 4' 20"	085B/09	-	4,354	1	4,354	435	Yes	Drilling and dust control
PP-WB-1840	60° 44' 8"	114° 43' 32"	085B/10	M10514	1,497	1	1,497	150	Yes	Drilling and dust control
PP-WB-1841	60° 43' 44"	114° 22' 20"	085B/09	-	5,222	1	5,222	522	Yes	Drilling and dust control
PP-WB-1843	60° 43' 17"	114° 1' 39"	085B/09	-	21,446	1	21,446	2,145	Yes	Drilling and dust control
PP-WB-1844	60° 44' 24"	115° 0' 27"	085B/11	NT-4863	1,087	1	1,087	109	Yes	Drilling and dust control
PP-WB-1845	60° 43' 48"	114° 25' 1"	085B/09	-	3,049	1	3,049	305	Yes	Drilling and dust control
PP-WB-1846	60° 43' 37"	114° 19' 16"	085B/09	-	41,975	1	41,975	4,198	Yes	Drilling and dust control
PP-WB-1847	60° 44' 6"	114° 43' 52"	085B/10	M10514	16,600	1	16,600	1,660	Yes	Drilling and dust control
PP-WB-1848	60° 43' 54"	114° 29' 59"	085B/10, 085B/09	-	1,530	1	1,530	153	Yes	Drilling and dust control
PP-WB-1849	60° 43' 40"	114° 18' 59"	085B/09	-	5,550	1	5,550	555	Yes	Drilling and dust control
PP-WB-1850	60° 43' 41"	114° 27' 11"	085B/09	-	95,121	1	95,121	9,512	Yes	Drilling and dust control
PP-WB-1851	60° 43' 54"	114° 30' 21"	085B/10	-	1,932	1	1,932	193	Yes	Drilling and dust control
PP-WB-1854	60° 43' 42"	114° 22' 8"	085B/09	-	29,249	1	29,249	2,925	Yes	Drilling and dust control
PP-WB-1855	60° 43' 17"	114° 0' 40"	085B/09	-	8,577	1	8,577	858	Yes	Drilling and dust control
PP-WB-1856	60° 43' 50"	114° 29' 21"	085B/09	-	33,768	1	33,768	3,377	Yes	Drilling and dust control
PP-WB-1858	60° 43' 17"	114° 1' 19"	085B/09	-	12,433	1	12,433	1,243	Yes	Drilling and dust control
PP-WB-1859	60° 43' 13"	113° 58' 57"	085A/12	-	30,271	1	30,271	3,027	Yes	Drilling and dust control
PP-WB-1862	60° 44' 10"	114° 45' 18"	085B/10	M10514	5,747	1	5,747	575	Yes	Drilling and dust control
PP-WB-1864	60° 43' 34"	114° 16' 8"	085B/09	-	51,925	1	51,925	5,193	Yes	Drilling and dust control
PP-WB-1866	60° 43' 32"	114° 11' 35"	085B/09	-	4,502	1	4,502	450	Yes	Drilling and dust control
PP-WB-1869	60° 43' 46"	114° 24' 48"	085B/09	-	22,545	1	22,545	2,254	Yes	Drilling and dust control
PP-WB-1870	60° 43' 33"	114° 12' 19"	085B/09	-	3,590	1	3,590	359	Yes	Drilling and dust control
PP-WB-1871	60° 43' 15"	113° 59' 54"	085A/12	-	26,536	1	26,536	2,654	Yes	Drilling and dust control
PP-WB-1872	60° 43' 55"	114° 29' 36"	085B/09	-	1,485	1	1,485	149	Yes	Drilling and dust control
PP-WB-1873	60° 43' 36"	114° 16' 33"	085B/09	-	39,139	1	39,139	3,914	Yes	Drilling and dust control
PP-WB-1874	60° 44' 26"	115° 0' 20"	085B/11	NT-4863	1,805	1	1,805	180	Yes	Drilling and dust control
PP-WB-1875	60° 43' 42"	114° 19' 50"	085B/09	-	43,755	1	43,755	4,376	Yes	Drilling and dust control
PP-WB-1876	60° 43' 45"	114° 23' 41"	085B/09	-	28,368	1	28,368	2,837	Yes	Drilling and dust control
PP-WB-1877	60° 43' 50"	114° 24' 58"	085B/09	-	3,803	1	3,803	380	Yes	Drilling and dust control
PP-WB-1879	60° 43' 46"	114° 22' 1"	085B/09	-	9,920	1	9,920	992	Yes	Drilling and dust control
PP-WB-188	60° 39' 21"	115° 3' 55"	085B/11	-	2,079	1	2,079	208	Yes	Drilling and dust control
PP-WB-1880	60° 43' 47"	114° 22' 23"	085B/09	-	8,470	1	8,470	847	Yes	Drilling and dust control
PP-WB-1881	60° 43' 49"	114° 24' 42"	085B/09	-	7,359	1	7,359	736	Yes	Drilling and dust control
PP-WB-1882	60° 44' 12"	114° 46' 10"	085B/10	M10880	9,863	1	9,863	986	Yes	Drilling and dust control
PP-WB-1883	60° 43' 46"	114° 24' 18"	085B/09	-	26,267	1	26,267	2,627	Yes	Drilling and dust control
PP-WB-1884	60° 44' 27"	115° 0' 15"	085B/11	NT-4863	1,613	1	1,613	161	Yes	Drilling and dust control
PP-WB-1885	60° 43' 48"	114° 24' 28"	085B/09	-	7,046	1	7,046	705	Yes	Drilling and dust control
PP-WB-1886	60° 43' 53"	114° 27' 50"	085B/09	-	3,840	1	3,840	384	Yes	Drilling and dust control
PP-WB-1887	60° 43' 18"	114° 0' 29"	085A/12	-	13,729	1	13,729			

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m²)	Mean Depth (m)	Estimated Water Volume (m³)	Annual Withdrawal Limit (m³)	Considered for Water Use?	Usage Activities
PP-WB-1943	60° 43' 24"	113° 59' 56"	085B/09, 085A/12	-	6,081	1	6,081	608	Yes	Drilling and dust control
PP-WB-1944	60° 44' 16"	114° 43' 43"	085B/10	M10514	1,075	1	1,075	107	Yes	Drilling and dust control
PP-WB-1946	60° 44' 16"	114° 44' 6"	085B/10	M10514	3,532	1	3,532	353	Yes	Drilling and dust control
PP-WB-1947	60° 43' 24"	113° 59' 47"	085A/12	-	3,912	1	3,912	391	Yes	Drilling and dust control
PP-WB-1948	60° 43' 25"	114° 1' 98"	085B/09	-	6,066	1	6,066	607	Yes	Drilling and dust control
PP-WB-1949	60° 43' 8"	114° 0' 29"	085B/09	-	190,051	1	190,051	19,005	Yes	Drilling and dust control
PP-WB-195	60° 39' 23"	115° 2' 58"	085B/11	-	1,831	1	1,831	183	Yes	Drilling and dust control
PP-WB-1950	60° 43' 52"	114° 21' 59"	085B/09	-	6,349	1	6,349	635	Yes	Drilling and dust control
PP-WB-1951	60° 44' 3"	114° 30' 24"	085B/10	-	1,353	1	1,353	135	Yes	Drilling and dust control
PP-WB-1954	60° 43' 43"	114° 13' 46"	085B/09	-	2,095	1	2,095	209	Yes	Drilling and dust control
PP-WB-1956	60° 44' 2"	114° 30' 33"	085B/10	-	7,442	1	7,442	744	Yes	Drilling and dust control
PP-WB-1957	60° 43' 51"	114° 20' 42"	085B/09	-	3,768	1	3,768	377	Yes	Drilling and dust control
PP-WB-1958	60° 43' 54"	114° 24' 46"	085B/09	-	12,731	1	12,731	1,273	Yes	Drilling and dust control
PP-WB-196	60° 38' 26"	114° 9' 56"	085B/09	-	3,002	1	3,002	300	Yes	Drilling and dust control
PP-WB-1960	60° 44' 2"	114° 30' 57"	085B/10	-	6,128	1	6,128	613	Yes	Drilling and dust control
PP-WB-1961	60° 44' 20"	114° 46' 16"	085B/10	M10880	1,428	1	1,428	143	Yes	Drilling and dust control
PP-WB-1962	60° 43' 55"	114° 24' 40"	085B/09	-	8,502	1	8,502	850	Yes	Drilling and dust control
PP-WB-1963	60° 44' 19"	114° 46' 9"	085B/10	M10880	6,755	1	6,755	675	Yes	Drilling and dust control
PP-WB-1964	60° 43' 39"	114° 11' 13"	085B/09	-	9,413	1	9,413	941	Yes	Drilling and dust control
PP-WB-1966	60° 43' 53"	114° 21' 33"	085B/09	-	2,490	1	2,490	249	Yes	Drilling and dust control
PP-WB-1967	60° 43' 30"	114° 2' 57"	085B/09	-	1,686	1	1,686	169	Yes	Drilling and dust control
PP-WB-1968	60° 43' 53"	114° 21' 50"	085B/09	-	13,090	1	13,090	1,309	Yes	Drilling and dust control
PP-WB-1969	60° 43' 57"	114° 26' 14"	085B/09	-	37,307	1	37,307	3,731	Yes	Drilling and dust control
PP-WB-197	60° 39' 37"	115° 18' 57"	085B/11	-	4,377	1	4,377	438	Yes	Drilling and dust control
PP-WB-1971	60° 43' 50"	114° 19' 9"	085B/09	-	7,533	1	7,533	753	Yes	Drilling and dust control
PP-WB-1972	60° 44' 4"	114° 30' 18"	085B/10	-	3,596	1	3,596	360	Yes	Drilling and dust control
PP-WB-1973	60° 44' 20"	114° 46' 4"	085B/10	M10514 / M10880	2,821	1	2,821	282	Yes	Drilling and dust control
PP-WB-1974	60° 44' 20"	114° 45' 57"	085B/10	M10514	3,731	1	3,731	373	Yes	Drilling and dust control
PP-WB-1975	60° 43' 50"	114° 19' 18"	085B/09	-	14,120	1	14,120	1,412	Yes	Drilling and dust control
PP-WB-1976	60° 44' 19"	114° 44' 6"	085B/10	M10514	2,297	1	2,297	230	Yes	Drilling and dust control
PP-WB-1977	60° 43' 26"	113° 59' 28"	085A/12	-	3,602	1	3,602	360	Yes	Drilling and dust control
PP-WB-1978	60° 43' 49"	114° 16' 30"	085B/09	-	4,775	1	4,775	477	Yes	Drilling and dust control
PP-WB-1979	60° 44' 5"	114° 31' 1"	085B/10	-	3,173	1	3,173	317	Yes	Drilling and dust control
PP-WB-198	60° 38' 14"	113° 59' 45"	085A/12	-	1,582	1	1,582	158	Yes	Drilling and dust control
PP-WB-1980	60° 43' 39"	114° 9' 49"	085B/09	-	6,162	1	6,162	616	Yes	Drilling and dust control
PP-WB-1981	60° 43' 56"	114° 21' 32"	085B/09	-	2,386	1	2,386	239	Yes	Drilling and dust control
PP-WB-1982	60° 43' 43"	114° 15' 25"	085B/09	-	157,922	1	157,922	15,792	Yes	Drilling and dust control
PP-WB-1983	60° 44' 6"	114° 30' 19"	085B/10	-	1,189	1	1,189	119	Yes	Drilling and dust control
PP-WB-1984	60° 43' 41"	114° 20' 54"	085B/09	-	213,206	1	213,206	21,321	Yes	Drilling and dust control
PP-WB-1985	60° 44' 6"	114° 29' 53"	085B/09	-	1,929	1	1,929	193	Yes	Drilling and dust control
PP-WB-1986	60° 43' 55"	114° 21' 39"	085B/09	-	8,188	1	8,188	819	Yes	Drilling and dust control
PP-WB-1987	60° 44' 23"	114° 46' 0"	085B/10	M10514	1,092	1	1,092	109	Yes	Drilling and dust control
PP-WB-1988	60° 43' 26"	113° 58' 50"	085A/12	-	10,296	1	10,296	1,030	Yes	Drilling and dust control
PP-WB-1989	60° 43' 53"	114° 21' 3"	085B/09	-	10,530	1	10,530	1,053	Yes	Drilling and dust control
PP-WB-199	60° 38' 23"	114° 7' 10"	085B/09	-	5,131	1	5,131	513	Yes	Drilling and dust control
PP-WB-1990	60° 43' 51"	114° 19' 40"	085B/09	-	43,318	1	43,318	4,332	Yes	Drilling and dust control
PP-WB-1992	60° 43' 59"	114° 27' 12"	085B/09	-	18,661	1	18,661	1,866	Yes	Drilling and dust control
PP-WB-1993	60° 43' 45"	114° 13' 34"	085B/09	-	20,196	1	20,196	2,020	Yes	Drilling and dust control
PP-WB-1994	60° 44' 0"	114° 24' 46"	085B/09	-	9,505	1	9,505	951	Yes	Drilling and dust control
PP-WB-1995	60° 43' 30"	114° 0' 73"	085B/09	-	1,784	1	1,784	178	Yes	Drilling and dust control
PP-WB-1996	60° 44' 4"	114° 27' 18"	085B/09	-	3,823	1	3,823	382	Yes	Drilling and dust control
PP-WB-1997	60° 43' 31"	114° 0' 30"	085B/09	-	2,088	1	2,088	209	Yes	Drilling and dust control
PP-WB-1998	60° 43' 32"	114° 0' 53"	085B/09	-	2,359	1	2,359	236	Yes	Drilling and dust control
PP-WB-1999	60° 43' 44"	114° 11' 6"	085B/09	-	6,805	1	6,805	681	Yes	Drilling and dust control
PP-WB-2	60° 37' 52"	114° 14' 8"	085B/09	-	5,641	1	5,641	564	Yes	Drilling and dust control
PP-WB-20	60° 38' 47"	115° 1' 14"	085B/11	-	6,482	1	6,482	648	Yes	Drilling and dust control
PP-WB-2001	60° 44' 2"	114° 27' 27"	085B/09	-	23,923	1	23,923	2,392	Yes	Drilling and dust control
PP-WB-2002	60° 43' 54"	114° 19' 50"	085B/09	-	14,148	1	14,148	1,415	Yes	Drilling and dust control
PP-WB-2003	60° 43' 46"	114° 16' 17"	085B/09	-	20,070	1	20,070	2,007	Yes	Drilling and dust control
PP-WB-2004	60° 44' 7"	114° 29' 58"	085B/10, 085B/09	-	8,104	1	8,104	810	Yes	Drilling and dust control
PP-WB-2005	60° 44' 1"	114° 24' 19"	085B/09	-	4,377	1	4,377	438	Yes	Drilling and dust control
PP-WB-2006	60° 43' 30"	114° 1' 24"	085B/09	-						

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-2056	60° 44' 26"	114° 46' 41"	0858/10	M10880	230,050	1	230,050	23,005	Yes	Drilling and dust control
PP-WB-2057	60° 43' 36"	113° 59' 5"	085A/12	-	20,271	1	20,271	2,027	Yes	Drilling and dust control
PP-WB-2058	60° 44' 14"	114° 28' 5"	0858/09	-	2,929	1	2,929	293	Yes	Drilling and dust control
PP-WB-206	60° 38' 32"	114° 13' 33"	0858/09	-	9,000	1	9,000	900	Yes	Drilling and dust control
PP-WB-2060	60° 44' 3"	114° 25' 57"	0858/09	-	63,331	1	63,331	6,333	Yes	Drilling and dust control
PP-WB-2061	60° 43' 51"	114° 9' 15"	0858/09	-	1,471	1	1,471	147	Yes	Drilling and dust control
PP-WB-2062	60° 44' 0"	114° 16' 4"	0858/09	-	2,101	1	2,101	210	Yes	Drilling and dust control
PP-WB-2064	60° 43' 53"	114° 10' 55"	0858/09	-	6,227	1	6,227	623	Yes	Drilling and dust control
PP-WB-2065	60° 44' 12"	114° 27' 25"	0858/09	-	14,400	1	14,400	1,440	Yes	Drilling and dust control
PP-WB-2066	60° 44' 33"	114° 45' 27"	0858/10	M10514	1,122	1	1,122	112	Yes	Drilling and dust control
PP-WB-2067	60° 44' 13"	114° 27' 50"	0858/09	-	9,687	1	9,687	969	Yes	Drilling and dust control
PP-WB-2068	60° 44' 17"	114° 30' 13"	0858/10	-	1,355	1	1,355	135	Yes	Drilling and dust control
PP-WB-2069	60° 43' 52"	114° 9' 43"	0858/09	-	2,926	1	2,926	293	Yes	Drilling and dust control
PP-WB-2071	60° 43' 38"	113° 59' 21"	085A/12	-	7,229	1	7,229	723	Yes	Drilling and dust control
PP-WB-2072	60° 43' 49"	114° 7' 22"	0858/09	-	5,156	1	5,156	516	Yes	Drilling and dust control
PP-WB-2073	60° 43' 40"	114° 1' 56"	0858/09	-	15,736	1	15,736	1,574	Yes	Drilling and dust control
PP-WB-2074	60° 44' 8"	114° 21' 45"	0858/09	-	1,628	1	1,628	163	Yes	Drilling and dust control
PP-WB-2075	60° 44' 13"	114° 26' 36"	0858/09	-	2,453	1	2,453	245	Yes	Drilling and dust control
PP-WB-2076	60° 43' 40"	113° 59' 30"	085A/12	-	6,630	1	6,630	663	Yes	Drilling and dust control
PP-WB-2077	60° 44' 27"	114° 45' 20"	0858/10	M10514	144,946	1	144,946	14,495	Yes	Drilling and dust control
PP-WB-2078	60° 43' 55"	114° 11' 5"	0858/09	-	10,891	1	10,891	1,089	Yes	Drilling and dust control
PP-WB-2079	60° 44' 14"	114° 26' 27"	0858/09	-	3,651	1	3,651	365	Yes	Drilling and dust control
PP-WB-208	60° 38' 26"	114° 8' 38"	0858/09	-	13,371	1	13,371	1,337	Yes	Drilling and dust control
PP-WB-2080	60° 44' 14"	114° 26' 31"	0858/09	-	2,353	1	2,353	235	Yes	Drilling and dust control
PP-WB-2082	60° 44' 6"	114° 21' 6"	0858/09	-	21,231	1	21,231	2,123	Yes	Drilling and dust control
PP-WB-2084	60° 44' 14"	114° 26' 17"	0858/09	-	7,591	1	7,591	759	Yes	Drilling and dust control
PP-WB-2085	60° 43' 28"	114° 0' 51"	0858/09	-	82,606	1	82,606	8,261	Yes	Drilling and dust control
PP-WB-2086	60° 44' 14"	114° 25' 41"	0858/09	-	2,186	1	2,186	219	Yes	Drilling and dust control
PP-WB-2087	60° 43' 52"	114° 7' 35"	0858/09	-	5,611	1	5,611	561	Yes	Drilling and dust control
PP-WB-2088	60° 43' 52"	114° 7' 26"	0858/09	-	4,521	1	4,521	452	Yes	Drilling and dust control
PP-WB-2089	60° 43' 56"	114° 10' 54"	0858/09	-	4,365	1	4,365	436	Yes	Drilling and dust control
PP-WB-209	60° 39' 36"	115° 13' 54"	0858/11	-	1,211	1	1,211	121	Yes	Drilling and dust control
PP-WB-2090	60° 44' 20"	114° 30' 12"	0858/10	-	1,964	1	1,964	196	Yes	Drilling and dust control
PP-WB-2091	60° 44' 16"	114° 27' 29"	0858/09	-	4,683	1	4,683	468	Yes	Drilling and dust control
PP-WB-2092	60° 44' 5"	114° 19' 3"	0858/09	-	12,238	1	12,238	1,224	Yes	Drilling and dust control
PP-WB-2093	60° 43' 58"	114° 15' 12"	0858/09	-	120,446	1	120,446	12,045	Yes	Drilling and dust control
PP-WB-2094	60° 44' 17"	114° 28' 2"	0858/09	-	11,620	1	11,620	1,162	Yes	Drilling and dust control
PP-WB-2095	60° 43' 51"	114° 18' 18"	0858/09	-	128,540	1	128,540	12,854	Yes	Drilling and dust control
PP-WB-2096	60° 44' 11"	114° 27' 36"	0858/09	-	37,593	1	37,593	3,759	Yes	Drilling and dust control
PP-WB-2097	60° 44' 12"	114° 25' 35"	0858/09	-	21,826	1	21,826	2,183	Yes	Drilling and dust control
PP-WB-2098	60° 43' 42"	113° 59' 5"	085A/12	-	2,710	1	2,710	271	Yes	Drilling and dust control
PP-WB-2099	60° 44' 5"	114° 19' 51"	0858/09	-	33,676	1	33,676	3,368	Yes	Drilling and dust control
PP-WB-21	60° 38' 52"	115° 6' 17"	0858/11	-	3,021	1	3,021	302	Yes	Drilling and dust control
PP-WB-210	60° 39' 40"	115° 18' 48"	0858/11	-	4,028	1	4,028	403	Yes	Drilling and dust control
PP-WB-2100	60° 43' 40"	114° 1' 52"	0858/09	-	84,071	1	84,071	8,407	Yes	Drilling and dust control
PP-WB-2101	60° 44' 16"	114° 27' 19"	0858/09	-	8,306	1	8,306	831	Yes	Drilling and dust control
PP-WB-2102	60° 43' 55"	114° 9' 23"	0858/09	-	7,785	1	7,785	778	Yes	Drilling and dust control
PP-WB-2104	60° 43' 43"	114° 0' 35"	085A/12	-	8,732	1	8,732	873	Yes	Drilling and dust control
PP-WB-2105	60° 43' 54"	114° 22' 43"	0858/09	-	458,580	1	458,580	45,858	Yes	Drilling and dust control
PP-WB-2106	60° 44' 15"	114° 25' 21"	0858/09	-	5,731	1	5,731	573	Yes	Drilling and dust control
PP-WB-2107	60° 44' 6"	114° 16' 39"	0858/09	-	1,481	1	1,481	148	Yes	Drilling and dust control
PP-WB-2108	60° 43' 53"	114° 6' 21"	0858/09	-	6,989	1	6,989	699	Yes	Drilling and dust control
PP-WB-2109	60° 43' 56"	114° 8' 59"	0858/09	-	2,443	1	2,443	244	Yes	Drilling and dust control
PP-WB-211	60° 39' 30"	115° 6' 46"	0858/11	-	1,030	1	1,030	103	Yes	Drilling and dust control
PP-WB-2110	60° 44' 19"	114° 27' 39"	0858/09	-	4,130	1	4,130	413	Yes	Drilling and dust control
PP-WB-2111	60° 43' 55"	114° 15' 53"	0858/09	-	102,483	1	102,483	10,248	Yes	Drilling and dust control
PP-WB-2112	60° 43' 59"	114° 10' 59"	0858/09	-	5,608	1	5,608	561	Yes	Drilling and dust control
PP-WB-2113	60° 44' 22"	114° 30' 26"	0858/10	-	7,254	1	7,254	725	Yes	Drilling and dust control
PP-WB-2114	60° 44' 52"	114° 59' 36"	0858/10	NT-4863	4,258	1	4,258	426	Yes	Drilling and dust control
PP-WB-2115	60° 43' 57"	114° 9' 98"	0858/09	-	2,457	1	2,457	246	Yes	Drilling and dust control
PP-WB-2116	60° 43' 44"	113° 59' 23"	085A/12	-	12,791	1	12,791	1,279	Yes	Drilling and dust control
PP-WB-2118	60° 43' 45"									

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m²)	Mean Depth (m)	Estimated Water Volume (m³)	Annual Withdrawal Limit (m³)	Considered for Water Use?	Usage Activities
PP-WB-2177	60° 44' 15"	114° 19' 31"	085B/09	-	19,865	1	19,865	1,987	Yes	Drilling and dust control
PP-WB-2178	60° 43' 52"	114° 0' 77"	085B/09	-	10,766	1	10,766	1,077	Yes	Drilling and dust control
PP-WB-2179	60° 44' 22"	114° 27' 12"	085B/09	-	22,584	1	22,584	2,258	Yes	Drilling and dust control
PP-WB-218	60° 38' 21"	114° 3' 39"	085B/09	-	8,411	1	8,411	841	Yes	Drilling and dust control
PP-WB-2180	60° 44' 2"	114° 18' 34"	085B/09	-	440,240	1	440,240	44,024	Yes	Drilling and dust control
PP-WB-2181	60° 43' 51"	113° 59' 26"	085A/12	-	14,136	1	14,136	1,414	Yes	Drilling and dust control
PP-WB-2182	60° 43' 53"	114° 2' 13"	085B/09	-	27,530	1	27,530	2,753	Yes	Drilling and dust control
PP-WB-2186	60° 44' 2"	114° 6' 42"	085B/09	-	7,773	1	7,773	777	Yes	Drilling and dust control
PP-WB-2187	60° 44' 8"	114° 14' 37"	085B/09	-	75,074	1	75,074	7,507	Yes	Drilling and dust control
PP-WB-2188	60° 43' 49"	113° 58' 59"	085A/12	-	43,096	1	43,096	4,310	Yes	Drilling and dust control
PP-WB-219	60° 38' 27"	114° 7' 16"	085B/09	-	11,107	1	11,107	1,111	Yes	Drilling and dust control
PP-WB-2190	60° 44' 23"	114° 22' 39"	085B/09	-	1,425	1	1,425	143	Yes	Drilling and dust control
PP-WB-2191	60° 44' 5"	114° 10' 56"	085B/09	-	24,114	1	24,114	2,411	Yes	Drilling and dust control
PP-WB-2192	60° 44' 29"	114° 28' 0"	085B/09	-	4,033	1	4,033	403	Yes	Drilling and dust control
PP-WB-2193	60° 43' 58"	114° 2' 27"	085B/09	-	6,951	1	6,951	695	Yes	Drilling and dust control
PP-WB-2194	60° 44' 23"	114° 22' 45"	085B/09	-	1,751	1	1,751	175	Yes	Drilling and dust control
PP-WB-2195	60° 44' 17"	114° 17' 19"	085B/09	-	9,079	1	9,079	908	Yes	Drilling and dust control
PP-WB-2196	60° 44' 16"	114° 21' 11"	085B/09	-	73,834	1	73,834	7,383	Yes	Drilling and dust control
PP-WB-2197	60° 44' 41"	114° 44' 23"	085B/10	M10514 / M10515	168,572	1	168,572	16,857	Yes	Drilling and dust control
PP-WB-2198	60° 44' 22"	114° 21' 16"	085B/09	-	2,011	1	2,011	201	Yes	Drilling and dust control
PP-WB-2199	60° 44' 2"	114° 6' 31"	085B/09	-	10,609	1	10,609	1,061	Yes	Drilling and dust control
PP-WB-22	60° 38' 31"	114° 43' 2"	085B/10	-	1,285	1	1,285	129	Yes	Drilling and dust control
PP-WB-220	60° 38' 20"	114° 1' 25"	085B/09	-	4,396	1	4,396	440	Yes	Drilling and dust control
PP-WB-2200	60° 44' 9"	114° 10' 3"	085B/09	-	1,435	1	1,435	144	Yes	Drilling and dust control
PP-WB-2201	60° 43' 53"	113° 58' 38"	085A/12	-	2,796	1	2,796	280	Yes	Drilling and dust control
PP-WB-2202	60° 44' 18"	114° 18' 12"	085B/09	-	6,696	1	6,696	670	Yes	Drilling and dust control
PP-WB-2203	60° 44' 24"	114° 22' 30"	085B/09	-	2,814	1	2,814	281	Yes	Drilling and dust control
PP-WB-2204	60° 44' 19"	114° 17' 40"	085B/09	-	1,101	1	1,101	110	Yes	Drilling and dust control
PP-WB-2205	60° 44' 3"	114° 5' 48"	085B/09	-	8,275	1	8,275	827	Yes	Drilling and dust control
PP-WB-2206	60° 43' 58"	114° 2' 61"	085B/09	-	8,684	1	8,684	868	Yes	Drilling and dust control
PP-WB-2207	60° 44' 31"	114° 28' 18"	085B/09	-	2,283	1	2,283	228	Yes	Drilling and dust control
PP-WB-2208	60° 44' 0"	114° 2' 40"	085B/09	-	9,968	1	9,968	997	Yes	Drilling and dust control
PP-WB-2210	60° 44' 4"	114° 6' 18"	085B/09	-	14,370	1	14,370	1,437	Yes	Drilling and dust control
PP-WB-2211	60° 44' 19"	114° 16' 51"	085B/09	-	1,376	1	1,376	138	Yes	Drilling and dust control
PP-WB-2212	60° 44' 34"	114° 29' 37"	085B/09	-	2,885	1	2,885	289	Yes	Drilling and dust control
PP-WB-2213	60° 44' 33"	114° 28' 23"	085B/09	-	1,391	1	1,391	139	Yes	Drilling and dust control
PP-WB-2214	60° 44' 21"	114° 18' 10"	085B/09	-	1,633	1	1,633	163	Yes	Drilling and dust control
PP-WB-2215	60° 43' 58"	114° 1' 44"	085B/09	-	14,061	1	14,061	1,406	Yes	Drilling and dust control
PP-WB-2216	60° 44' 10"	114° 9' 15"	085B/09	-	3,073	1	3,073	307	Yes	Drilling and dust control
PP-WB-2217	60° 44' 22"	114° 22' 58"	085B/09	-	42,903	1	42,903	4,290	Yes	Drilling and dust control
PP-WB-222	60° 38' 37"	114° 14' 49"	085B/09	-	11,830	1	11,830	1,183	Yes	Drilling and dust control
PP-WB-2220	60° 44' 4"	114° 4' 22"	085B/09	-	4,888	1	4,888	489	Yes	Drilling and dust control
PP-WB-2221	60° 44' 34"	114° 28' 14"	085B/09	-	3,620	1	3,620	362	Yes	Drilling and dust control
PP-WB-2222	60° 44' 12"	114° 9' 53"	085B/09	-	2,701	1	2,701	270	Yes	Drilling and dust control
PP-WB-2223	60° 44' 21"	114° 16' 58"	085B/09	-	5,664	1	5,664	566	Yes	Drilling and dust control
PP-WB-2224	60° 44' 33"	114° 27' 55"	085B/09	-	7,222	1	7,222	722	Yes	Drilling and dust control
PP-WB-2225	60° 43' 59"	113° 59' 4"	085A/12	-	2,299	1	2,299	230	Yes	Drilling and dust control
PP-WB-2226	60° 43' 59"	113° 58' 58"	085A/12	-	1,669	1	1,669	167	Yes	Drilling and dust control
PP-WB-2227	60° 44' 22"	114° 17' 30"	085B/09	-	2,780	1	2,780	278	Yes	Drilling and dust control
PP-WB-2228	60° 44' 7"	114° 5' 47"	085B/09	-	12,458	1	12,458	1,246	Yes	Drilling and dust control
PP-WB-2229	60° 44' 27"	114° 21' 13"	085B/09	-	3,130	1	3,130	313	Yes	Drilling and dust control
PP-WB-223	60° 38' 35"	114° 13' 23"	085B/09	-	7,628	1	7,628	763	Yes	Drilling and dust control
PP-WB-2230	60° 44' 20"	114° 15' 32"	085B/09	-	4,627	1	4,627	463	Yes	Drilling and dust control
PP-WB-2231	60° 44' 37"	114° 29' 37"	085B/09	-	3,550	1	3,550	355	Yes	Drilling and dust control
PP-WB-2232	60° 44' 31"	114° 24' 50"	085B/09	-	2,055	1	2,055	206	Yes	Drilling and dust control
PP-WB-2233	60° 44' 23"	114° 17' 33"	085B/09	-	1,409	1	1,409	141	Yes	Drilling and dust control
PP-WB-2235	60° 44' 4"	114° 2' 48"	085B/09	-	11,750	1	11,750	1,175	Yes	Drilling and dust control
PP-WB-2236	60° 44' 1"	114° 1' 26"	085B/09	-	20,138	1	20,138	2,014	Yes	Drilling and dust control
PP-WB-2237	60° 44' 14"	114° 9' 38"	085B/09	-	1,959	1	1,959	196	Yes	Drilling and dust control
PP-WB-2238	60° 44' 34"	114° 26' 37"	085B/09	-	2,788	1	2,788	279	Yes	Drilling and dust control
PP-WB-2239	60° 44' 36"	114° 28' 10"	085B/09	-	4,400	1	4,400	440	Yes	Drilling and dust control
PP-WB-224	60° 39' 34"	115° 10' 54"	085B/11	-	11,502	1	11,502	1,150</td		

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-2308	60° 44' 44"	114° 27' 51"	0858/09	-	4,530	1	4,530	453	Yes	Drilling and dust control
PP-WB-2309	60° 44' 9"	113° 59' 29"	085A/12	-	1,100	1	1,100	110	Yes	Drilling and dust control
PP-WB-231	60° 38' 40"	114° 15' 58"	0858/09	-	2,815	1	2,815	282	Yes	Drilling and dust control
PP-WB-2310	60° 44' 43"	114° 26' 29"	0858/09	-	3,728	1	3,728	373	Yes	Drilling and dust control
PP-WB-2311	60° 44' 18"	114° 5' 36"	0858/09	-	1,640	1	1,640	164	Yes	Drilling and dust control
PP-WB-2312	60° 44' 44"	114° 28' 35"	0858/09	-	11,565	1	11,565	1,157	Yes	Drilling and dust control
PP-WB-2313	60° 44' 13"	114° 2' 47"	0858/09	-	30,084	1	30,084	3,008	Yes	Drilling and dust control
PP-WB-2314	60° 44' 45"	114° 27' 44"	0858/09	-	4,797	1	4,797	480	Yes	Drilling and dust control
PP-WB-2316	60° 44' 13"	114° 3' 21"	0858/09	-	22,095	1	22,095	2,210	Yes	Drilling and dust control
PP-WB-2317	60° 44' 23"	114° 9' 20"	0858/09	-	2,169	1	2,169	217	Yes	Drilling and dust control
PP-WB-232	60° 38' 39"	114° 14' 43"	0858/09	-	1,513	1	1,513	151	Yes	Drilling and dust control
PP-WB-2320	60° 44' 46"	114° 29' 8"	0858/09	-	16,538	1	16,538	1,654	Yes	Drilling and dust control
PP-WB-2321	60° 44' 44"	114° 28' 17"	0858/09	-	9,695	1	9,695	970	Yes	Drilling and dust control
PP-WB-2322	60° 44' 43"	114° 24' 36"	0858/09	-	2,188	1	2,188	219	Yes	Drilling and dust control
PP-WB-2323	60° 44' 13"	114° 1' 19"	0858/09	-	9,023	1	9,023	902	Yes	Drilling and dust control
PP-WB-2324	60° 44' 45"	114° 26' 55"	0858/09	-	4,197	1	4,197	420	Yes	Drilling and dust control
PP-WB-2325	60° 44' 24"	114° 24' 10"	0858/09	-	829,788	1	829,788	82,979	Yes	Drilling and dust control
PP-WB-2327	60° 45' 23"	115° 4' 41"	0858/14	-	8,484	1	8,484	848	Yes	Drilling and dust control
PP-WB-2328	60° 45' 16"	114° 56' 15"	0858/15	NT-4862	5,460	1	5,460	546	Yes	Drilling and dust control
PP-WB-2329	60° 44' 45"	114° 27' 29"	0858/09	-	12,715	1	12,715	1,272	Yes	Drilling and dust control
PP-WB-2330	60° 44' 12"	113° 58' 41"	085A/12	-	1,062	1	1,062	106	Yes	Drilling and dust control
PP-WB-2331	60° 44' 47"	114° 28' 11"	0858/09	-	6,267	1	6,267	627	Yes	Drilling and dust control
PP-WB-2332	60° 44' 47"	114° 27' 47"	0858/09	-	8,837	1	8,837	884	Yes	Drilling and dust control
PP-WB-2333	60° 44' 46"	114° 26' 32"	0858/09	-	4,711	1	4,711	471	Yes	Drilling and dust control
PP-WB-2334	60° 44' 15"	114° 0' 31"	0858/09	-	2,215	1	2,215	221	Yes	Drilling and dust control
PP-WB-2335	60° 44' 21"	114° 5' 26"	0858/09	-	1,879	1	1,879	188	Yes	Drilling and dust control
PP-WB-2336	60° 44' 48"	114° 26' 57"	0858/09	-	2,329	1	2,329	233	Yes	Drilling and dust control
PP-WB-2337	60° 44' 26"	114° 9' 12"	0858/09	-	3,013	1	3,013	301	Yes	Drilling and dust control
PP-WB-2339	60° 44' 48"	114° 27' 57"	0858/09	-	8,396	1	8,396	840	Yes	Drilling and dust control
PP-WB-2340	60° 44' 14"	113° 59' 0"	085A/12	-	1,334	1	1,334	133	Yes	Drilling and dust control
PP-WB-2342	60° 44' 18"	114° 2' 29"	0858/09	-	2,069	1	2,069	207	Yes	Drilling and dust control
PP-WB-2343	60° 44' 15"	114° 0' 20"	0858/09	-	1,407	1	1,407	141	Yes	Drilling and dust control
PP-WB-2344	60° 44' 44"	114° 26' 42"	0858/09	-	45,540	1	45,540	4,554	Yes	Drilling and dust control
PP-WB-2346	60° 44' 36"	114° 17' 12"	0858/09	-	12,605	1	12,605	1,260	Yes	Drilling and dust control
PP-WB-2348	60° 44' 37"	114° 16' 5"	0858/09	-	1,341	1	1,341	134	Yes	Drilling and dust control
PP-WB-2349	60° 44' 17"	114° 1' 23"	0858/09	-	7,392	1	7,392	739	Yes	Drilling and dust control
PP-WB-235	60° 39' 33"	115° 6' 47"	0858/11	-	1,323	1	1,323	132	Yes	Drilling and dust control
PP-WB-2350	60° 44' 36"	114° 17' 3"	0858/09	-	21,201	1	21,201	2,120	Yes	Drilling and dust control
PP-WB-2352	60° 44' 44"	114° 27' 11"	0858/09	-	32,599	1	32,599	3,260	Yes	Drilling and dust control
PP-WB-2354	60° 44' 14"	113° 58' 52"	085A/12	-	10,481	1	10,481	1,048	Yes	Drilling and dust control
PP-WB-2356	60° 44' 25"	114° 6' 28"	0858/09	-	2,603	1	2,603	260	Yes	Drilling and dust control
PP-WB-2357	60° 44' 50"	114° 26' 37"	0858/09	-	3,384	1	3,384	338	Yes	Drilling and dust control
PP-WB-2359	60° 44' 52"	114° 27' 58"	0858/09	-	6,073	1	6,073	607	Yes	Drilling and dust control
PP-WB-2361	60° 44' 46"	114° 26' 24"	0858/09	-	27,425	1	27,425	2,743	Yes	Drilling and dust control
PP-WB-2362	60° 44' 49"	114° 26' 11"	0858/09	-	8,092	1	8,092	809	Yes	Drilling and dust control
PP-WB-2363	60° 44' 51"	114° 27' 17"	0858/09	-	5,159	1	5,159	516	Yes	Drilling and dust control
PP-WB-2364	60° 44' 51"	114° 26' 54"	0858/09	-	7,894	1	7,894	789	Yes	Drilling and dust control
PP-WB-2365	60° 44' 19"	114° 0' 32"	0858/09	-	3,078	1	3,078	308	Yes	Drilling and dust control
PP-WB-2366	60° 44' 27"	114° 6' 54"	0858/09	-	1,732	1	1,732	173	Yes	Drilling and dust control
PP-WB-2368	60° 44' 51"	114° 27' 2"	0858/09	-	5,580	1	5,580	558	Yes	Drilling and dust control
PP-WB-2369	60° 45' 21"	114° 56' 18"	0858/15	NT-4859 / NT-4862	11,661	1	11,661	1,166	Yes	Drilling and dust control
PP-WB-2370	60° 44' 17"	113° 58' 36"	085A/12	-	1,043	1	1,043	104	Yes	Drilling and dust control
PP-WB-2371	60° 44' 28"	114° 6' 50"	0858/09	-	1,591	1	1,591	159	Yes	Drilling and dust control
PP-WB-2372	60° 44' 27"	114° 6' 59"	0858/09	-	6,176	1	6,176	618	Yes	Drilling and dust control
PP-WB-2373	60° 44' 24"	114° 3' 40"	0858/09	-	3,583	1	3,583	358	Yes	Drilling and dust control
PP-WB-2374	60° 44' 53"	114° 27' 22"	0858/09	-	3,805	1	3,805	381	Yes	Drilling and dust control
PP-WB-2375	60° 44' 43"	114° 20' 7"	0858/09	-	9,821	1	9,821	982	Yes	Drilling and dust control
PP-WB-2376	60° 44' 52"	114° 26' 22"	0858/09	-	5,031	1	5,031	503	Yes	Drilling and dust control
PP-WB-2377	60° 44' 30"	114° 7' 50"	0858/09	-	3,557	1	3,557	356	Yes	Drilling and dust control
PP-WB-2378	60° 44' 40"	114° 17' 42"	0858/09	-	27,709	1	27,709	2,771	Yes	Drilling and dust control
PP-WB-2379	60° 44' 54"	114° 28' 59"	0858/09	-	12,517	1	12,517	1,252	Yes	Drilling and dust control
PP-WB-2380	60° 44' 48"	114° 24' 41"	0858/09	-						

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-2437	60° 44' 51"	114° 16' 21"	085B/09	-	1,332	1	1,332	133	Yes	Drilling and dust control
PP-WB-2438	60° 44' 48"	114° 14' 17"	085B/09	-	6,028	1	6,028	603	Yes	Drilling and dust control
PP-WB-2439	60° 44' 52"	114° 16' 11"	085B/09	-	1,005	1	1,005	100	Yes	Drilling and dust control
PP-WB-2440	60° 44' 59"	114° 22' 49"	085B/16, 085B/09	-	5,502	1	5,502	550	Yes	Drilling and dust control
PP-WB-2441	60° 44' 35"	114° 2' 21"	085B/09	-	1,178	1	1,178	118	Yes	Drilling and dust control
PP-WB-2442	60° 45' 4"	114° 26' 19"	085B/16	-	5,177	1	5,177	518	Yes	Drilling and dust control
PP-WB-2443	60° 44' 59"	114° 21' 57"	085B/16, 085B/09	-	6,124	1	6,124	612	Yes	Drilling and dust control
PP-WB-2444	60° 44' 51"	114° 15' 54"	085B/09	-	4,899	1	4,899	490	Yes	Drilling and dust control
PP-WB-2446	60° 45' 8"	114° 28' 19"	085B/16	-	1,740	1	1,740	174	Yes	Drilling and dust control
PP-WB-2447	60° 44' 51"	114° 13' 43"	085B/09	-	1,144	1	1,144	114	Yes	Drilling and dust control
PP-WB-2448	60° 45' 10"	114° 29' 51"	085B/16	-	1,527	1	1,527	153	Yes	Drilling and dust control
PP-WB-245	60° 38' 22"	114° 1' 14"	085B/09	-	8,309	1	8,309	831	Yes	Drilling and dust control
PP-WB-2450	60° 45' 5"	114° 28' 35"	085B/16	-	13,696	1	13,696	1,370	Yes	Drilling and dust control
PP-WB-2452	60° 44' 48"	114° 14' 23"	085B/09	-	24,225	1	24,225	2,422	Yes	Drilling and dust control
PP-WB-2453	60° 45' 8"	114° 30' 5"	085B/15	-	19,115	1	19,115	1,912	Yes	Drilling and dust control
PP-WB-2454	60° 44' 51"	114° 12' 41"	085B/09	-	2,003	1	2,003	200	Yes	Drilling and dust control
PP-WB-2455	60° 45' 10"	114° 28' 32"	085B/16	-	1,620	1	1,620	162	Yes	Drilling and dust control
PP-WB-2456	60° 45' 6"	114° 25' 27"	085B/16	-	4,183	1	4,183	418	Yes	Drilling and dust control
PP-WB-2457	60° 44' 51"	114° 12' 50"	085B/09	-	1,956	1	1,956	196	Yes	Drilling and dust control
PP-WB-2458	60° 44' 39"	114° 2' 48"	085B/09	-	1,448	1	1,448	145	Yes	Drilling and dust control
PP-WB-2459	60° 44' 40"	114° 3' 45"	085B/09	-	3,362	1	3,362	336	Yes	Drilling and dust control
PP-WB-246	60° 38' 21"	113° 59' 15"	085A/12	-	5,823	1	5,823	582	Yes	Drilling and dust control
PP-WB-2460	60° 45' 28"	114° 45' 9"	085B/15	M10878	6,860	1	6,860	686	Yes	Drilling and dust control
PP-WB-2462	60° 44' 57"	114° 16' 54"	085B/09	-	2,980	1	2,980	298	Yes	Drilling and dust control
PP-WB-2463	60° 44' 40"	114° 3' 39"	085B/09	-	1,996	1	1,996	200	Yes	Drilling and dust control
PP-WB-2465	60° 44' 52"	114° 12' 33"	085B/09	-	4,311	1	4,311	431	Yes	Drilling and dust control
PP-WB-2466	60° 44' 54"	114° 13' 23"	085B/09	-	1,911	1	1,911	191	Yes	Drilling and dust control
PP-WB-2467	60° 45' 9"	114° 26' 17"	085B/16	-	4,283	1	4,283	428	Yes	Drilling and dust control
PP-WB-2468	60° 44' 47"	114° 8' 38"	085B/09	-	4,016	1	4,016	402	Yes	Drilling and dust control
PP-WB-2470	60° 44' 54"	114° 12' 44"	085B/09	-	1,040	1	1,040	104	Yes	Drilling and dust control
PP-WB-2471	60° 44' 55"	114° 13' 19"	085B/09	-	1,076	1	1,076	108	Yes	Drilling and dust control
PP-WB-2472	60° 45' 5"	114° 22' 3"	085B/16	-	6,391	1	6,391	639	Yes	Drilling and dust control
PP-WB-2474	60° 44' 55"	114° 13' 14"	085B/09	-	1,571	1	1,571	157	Yes	Drilling and dust control
PP-WB-2475	60° 44' 44"	114° 4' 58"	085B/09	-	3,036	1	3,036	304	Yes	Drilling and dust control
PP-WB-2476	60° 44' 59"	114° 16' 54"	085B/16, 085B/09	-	5,662	1	5,662	566	Yes	Drilling and dust control
PP-WB-2477	60° 45' 1"	114° 18' 24"	085B/16	-	1,522	1	1,522	152	Yes	Drilling and dust control
PP-WB-2478	60° 45' 13"	114° 29' 10"	085B/16	-	2,905	1	2,905	291	Yes	Drilling and dust control
PP-WB-248	60° 39' 43"	115° 16' 24"	085B/11	-	1,465	1	1,465	146	Yes	Drilling and dust control
PP-WB-2480	60° 45' 13"	114° 28' 50"	085B/16	-	6,536	1	6,536	654	Yes	Drilling and dust control
PP-WB-2481	60° 45' 14"	114° 28' 8"	085B/16	-	1,282	1	1,282	128	Yes	Drilling and dust control
PP-WB-2482	60° 44' 48"	114° 7' 30"	085B/09	-	6,776	1	6,776	678	Yes	Drilling and dust control
PP-WB-2483	60° 45' 33"	114° 49' 22"	085B/15	NT-5259	52,387	1	52,387	5,239	Yes	Drilling and dust control
PP-WB-2485	60° 44' 49"	114° 7' 37"	085B/09	-	2,560	1	2,560	256	Yes	Drilling and dust control
PP-WB-2486	60° 44' 55"	114° 12' 53"	085B/09	-	3,132	1	3,132	313	Yes	Drilling and dust control
PP-WB-2487	60° 44' 56"	114° 16' 32"	085B/16, 085B/09	-	74,638	1	74,638	7,464	Yes	Drilling and dust control
PP-WB-2488	60° 45' 12"	114° 26' 22"	085B/16	-	4,060	1	4,060	406	Yes	Drilling and dust control
PP-WB-2489	60° 45' 5"	114° 22' 32"	085B/16	-	68,243	1	68,243	6,824	Yes	Drilling and dust control
PP-WB-249	60° 38' 53"	114° 24' 35"	085B/09	-	3,049	1	3,049	305	Yes	Drilling and dust control
PP-WB-2491	60° 45' 20"	114° 31' 35"	085B/15	-	1,948	1	1,948	195	Yes	Drilling and dust control
PP-WB-2492	60° 44' 49"	114° 7' 45"	085B/09	-	13,324	1	13,324	1,332	Yes	Drilling and dust control
PP-WB-2493	60° 45' 19"	114° 31' 44"	085B/15	-	7,402	1	7,402	740	Yes	Drilling and dust control
PP-WB-2495	60° 44' 58"	114° 12' 44"	085B/09	-	1,273	1	1,273	127	Yes	Drilling and dust control
PP-WB-2497	60° 45' 27"	114° 36' 52"	085B/15	-	1,155	1	1,155	115	Yes	Drilling and dust control
PP-WB-2498	60° 45' 21"	114° 31' 52"	085B/15	-	3,015	1	3,015	301	Yes	Drilling and dust control
PP-WB-25	60° 37' 41"	114° 1' 39"	085B/09	-	3,202	1	3,202	320	Yes	Drilling and dust control
PP-WB-2500	60° 45' 26"	114° 35' 49"	085B/15	-	7,661	1	7,661	766	Yes	Drilling and dust control
PP-WB-2502	60° 45' 13"	114° 23' 38"	085B/16	-	3,174	1	3,174	317	Yes	Drilling and dust control
PP-WB-2503	60° 45' 0"	114° 12' 16"	085B/16, 085B/09	-	2,203	1	2,203	220	Yes	Drilling and dust control
PP-WB-2504	60° 45' 26"	114° 34' 25"	085B/15	-	1,372	1	1,372	137	Yes	Drilling and dust control
PP-WB-2505	60° 45' 0"	114° 11' 46"	085B/16, 085B/09	-	3,376	1	3,376	338	Yes	Drilling and dust control
PP-WB-2506	60° 45' 25"	114° 34' 7"	085B/15	-	6,811	1	6,811	681	Yes	Drilling and dust control
PP-WB-2507	60° 44' 47"	114° 1' 17"	085B/09							

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-256	60° 39' 48"	115° 19' 57"	085B/11	-	2,734	1	2,734	273	Yes	Drilling and dust control
PP-WB-2560	60° 44' 54"	114° 1' 28"	085B/09	-	2,512	1	2,512	251	Yes	Drilling and dust control
PP-WB-2561	60° 45' 29"	114° 29' 27"	085B/16	-	1,558	1	1,558	156	Yes	Drilling and dust control
PP-WB-2562	60° 45' 20"	114° 22' 41"	085B/16	-	5,349	1	5,349	535	Yes	Drilling and dust control
PP-WB-2563	60° 45' 26"	114° 27' 43"	085B/16	-	2,780	1	2,780	278	Yes	Drilling and dust control
PP-WB-2564	60° 44' 54"	114° 2' 21"	085B/09	-	14,376	1	14,376	1,438	Yes	Drilling and dust control
PP-WB-2565	60° 45' 12"	114° 16' 56"	085B/16	-	27,182	1	27,182	2,718	Yes	Drilling and dust control
PP-WB-2566	60° 44' 52"	113° 59' 51"	085A/12	-	8,939	1	8,939	894	Yes	Drilling and dust control
PP-WB-2567	60° 45' 26"	114° 27' 59"	085B/16	-	3,903	1	3,903	390	Yes	Drilling and dust control
PP-WB-2568	60° 45' 28"	114° 28' 13"	085B/16	-	1,149	1	1,149	115	Yes	Drilling and dust control
PP-WB-2569	60° 45' 37"	114° 36' 11"	085B/15	-	1,148	1	1,148	115	Yes	Drilling and dust control
PP-WB-257	60° 39' 43"	115° 14' 5"	085B/11	-	2,580	1	2,580	258	Yes	Drilling and dust control
PP-WB-2570	60° 45' 27"	114° 27' 54"	085B/16	-	3,646	1	3,646	365	Yes	Drilling and dust control
PP-WB-2571	60° 44' 56"	114° 1' 56"	085B/09	-	2,670	1	2,670	267	Yes	Drilling and dust control
PP-WB-2572	60° 45' 29"	114° 29' 19"	085B/16	-	6,977	1	6,977	698	Yes	Drilling and dust control
PP-WB-2573	60° 45' 23"	114° 23' 1"	085B/16	-	2,861	1	2,861	286	Yes	Drilling and dust control
PP-WB-2574	60° 45' 22"	114° 22' 57"	085B/16	-	8,361	1	8,361	836	Yes	Drilling and dust control
PP-WB-2575	60° 45' 21"	114° 22' 16"	085B/16	-	45,481	1	45,481	4,548	Yes	Drilling and dust control
PP-WB-2576	60° 45' 29"	114° 28' 18"	085B/16	-	3,699	1	3,699	370	Yes	Drilling and dust control
PP-WB-2577	60° 44' 53"	113° 58' 32"	085A/12	-	1,058	1	1,058	106	Yes	Drilling and dust control
PP-WB-2578	60° 44' 54"	114° 1' 12"	085B/09	-	19,966	1	19,966	1,997	Yes	Drilling and dust control
PP-WB-2579	60° 44' 58"	114° 1' 36"	085B/09	-	2,380	1	2,380	238	Yes	Drilling and dust control
PP-WB-258	60° 38' 49"	114° 19' 3"	085B/09	-	3,614	1	3,614	361	Yes	Drilling and dust control
PP-WB-2580	60° 45' 36"	114° 32' 51"	085B/15	-	2,555	1	2,555	256	Yes	Drilling and dust control
PP-WB-2581	60° 45' 42"	114° 37' 58"	085B/15	-	3,978	1	3,978	398	Yes	Drilling and dust control
PP-WB-2583	60° 44' 58"	114° 2' 40"	085B/16, 085B/09	-	20,819	1	20,819	2,082	Yes	Drilling and dust control
PP-WB-2584	60° 44' 59"	114° 1' 27"	085B/09	-	2,252	1	2,252	225	Yes	Drilling and dust control
PP-WB-2585	60° 44' 56"	113° 59' 27"	085A/12	-	4,503	1	4,503	450	Yes	Drilling and dust control
PP-WB-2586	60° 45' 0"	114° 1' 43"	085B/16, 085B/09	-	1,246	1	1,246	125	Yes	Drilling and dust control
PP-WB-2587	60° 44' 59"	114° 2' 96"	085B/16, 085B/09	-	8,381	1	8,381	838	Yes	Drilling and dust control
PP-WB-2588	60° 44' 58"	114° 1' 19"	085B/16, 085B/09	-	5,022	1	5,022	502	Yes	Drilling and dust control
PP-WB-2590	60° 44' 57"	113° 59' 47"	085A/12	-	10,046	1	10,046	1,005	Yes	Drilling and dust control
PP-WB-2591	60° 45' 26"	114° 22' 39"	085B/16	-	2,745	1	2,745	275	Yes	Drilling and dust control
PP-WB-2592	60° 45' 2"	114° 3' 30"	085B/16	-	5,055	1	5,055	506	Yes	Drilling and dust control
PP-WB-2593	60° 45' 52"	114° 46' 44"	085B/15	NT-5258	2,912	1	2,912	291	Yes	Drilling and dust control
PP-WB-2594	60° 45' 32"	114° 28' 6"	085B/16	-	3,630	1	3,630	363	Yes	Drilling and dust control
PP-WB-2595	60° 45' 27"	114° 22' 45"	085B/16	-	3,086	1	3,086	309	Yes	Drilling and dust control
PP-WB-2596	60° 45' 3"	114° 3' 05"	085B/16	-	2,205	1	2,205	221	Yes	Drilling and dust control
PP-WB-2597	60° 45' 38"	114° 32' 50"	085B/15	-	2,370	1	2,370	237	Yes	Drilling and dust control
PP-WB-2598	60° 45' 39"	114° 32' 56"	085B/15	-	2,469	1	2,469	247	Yes	Drilling and dust control
PP-WB-2599	60° 45' 23"	114° 23' 13"	085B/16	-	40,874	1	40,874	4,087	Yes	Drilling and dust control
PP-WB-26	60° 38' 52"	115° 5' 12"	085B/11	-	4,726	1	4,726	473	Yes	Drilling and dust control
PP-WB-260	60° 39' 34"	115° 2' 22"	085B/11	-	5,789	1	5,789	579	Yes	Drilling and dust control
PP-WB-2600	60° 45' 3"	114° 3' 21"	085B/16	-	2,828	1	2,828	283	Yes	Drilling and dust control
PP-WB-2601	60° 45' 18"	114° 14' 20"	085B/16	-	3,945	1	3,945	395	Yes	Drilling and dust control
PP-WB-2602	60° 45' 3"	114° 2' 30"	085B/16	-	1,452	1	1,452	145	Yes	Drilling and dust control
PP-WB-2603	60° 45' 26"	114° 22' 10"	085B/16	-	18,547	1	18,547	1,855	Yes	Drilling and dust control
PP-WB-2604	60° 45' 18"	114° 15' 3"	085B/16	-	6,910	1	6,910	691	Yes	Drilling and dust control
PP-WB-2605	60° 45' 37"	114° 32' 27"	085B/15	-	11,292	1	11,292	1,129	Yes	Drilling and dust control
PP-WB-2606	60° 45' 35"	114° 28' 6"	085B/16	-	1,114	1	1,114	111	Yes	Drilling and dust control
PP-WB-2607	60° 45' 8"	114° 5' 51"	085B/16	-	3,722	1	3,722	372	Yes	Drilling and dust control
PP-WB-2608	60° 45' 6"	114° 4' 12"	085B/16	-	2,581	1	2,581	258	Yes	Drilling and dust control
PP-WB-2609	60° 45' 4"	114° 2' 52"	085B/16	-	3,469	1	3,469	347	Yes	Drilling and dust control
PP-WB-261	60° 38' 27"	114° 1' 55"	085B/09	-	7,224	1	7,224	722	Yes	Drilling and dust control
PP-WB-2610	60° 45' 9"	114° 5' 44"	085B/16	-	2,409	1	2,409	241	Yes	Drilling and dust control
PP-WB-2611	60° 45' 32"	114° 24' 9"	085B/16	-	1,964	1	1,964	196	Yes	Drilling and dust control
PP-WB-2612	60° 45' 42"	114° 32' 53"	085B/15	-	1,345	1	1,345	135	Yes	Drilling and dust control
PP-WB-2613	60° 45' 14"	114° 13' 58"	085B/16	-	96,533	1	96,533	9,653	Yes	Drilling and dust control
PP-WB-2614	60° 45' 1"	113° 59' 42"	085A/13	-	5,562	1	5,562	556	Yes	Drilling and dust control
PP-WB-2615	60° 45' 44"	114° 33' 22"	085B/15	-	1,087	1	1,087	109	Yes	Drilling and dust control
PP-WB-2616	60° 45' 6"	114° 2' 30"	085B/16	-	3,697	1	3,697	370	Yes	Drilling and dust control
PP-WB-2617	60° 46' 16"	115° 7' 12"	085B/14	-	1,421	1	1,			

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-2671	60° 45' 16"	114° 3' 44"	085B/16	-	1,266	1	1,266	127	Yes	Drilling and dust control
PP-WB-2672	60° 45° 30"	114° 15' 3"	085B/16	-	5,088	1	5,088	509	Yes	Drilling and dust control
PP-WB-2673	60° 45' 15"	114° 3' 16"	085B/16	-	2,321	1	2,321	232	Yes	Drilling and dust control
PP-WB-2674	60° 45' 14"	114° 1' 59"	085B/16	-	5,033	1	5,033	503	Yes	Drilling and dust control
PP-WB-2675	60° 45' 13"	114° 2' 40"	085B/16	-	16,832	1	16,832	1,683	Yes	Drilling and dust control
PP-WB-2677	60° 46' 34"	115° 17' 45"	085B/14	-	1,159	1	1,159	116	Yes	Drilling and dust control
PP-WB-2678	60° 45' 14"	114° 1' 20"	085B/16	-	3,768	1	3,768	377	Yes	Drilling and dust control
PP-WB-2679	60° 46' 27"	115° 7' 49"	085B/14	-	1,349	1	1,349	135	Yes	Drilling and dust control
PP-WB-268	60° 38° 36"	114° 7' 22"	085B/09	-	7,814	1	7,814	781	Yes	Drilling and dust control
PP-WB-2680	60° 46' 35"	115° 17' 50"	085B/14	-	1,399	1	1,399	140	Yes	Drilling and dust control
PP-WB-2681	60° 45' 18"	114° 5' 39"	085B/16	-	8,940	1	8,940	894	Yes	Drilling and dust control
PP-WB-2682	60° 45' 14"	114° 1' 35"	085B/16	-	9,444	1	9,444	944	Yes	Drilling and dust control
PP-WB-2683	60° 45' 46"	114° 25' 43"	085B/16	-	4,043	1	4,043	404	Yes	Drilling and dust control
PP-WB-2684	60° 45' 15"	114° 1' 43"	085B/16	-	1,224	1	1,224	122	Yes	Drilling and dust control
PP-WB-2685	60° 45' 18"	114° 3' 39"	085B/16	-	1,738	1	1,738	174	Yes	Drilling and dust control
PP-WB-2686	60° 45' 19"	114° 3' 44"	085B/16	-	2,242	1	2,242	224	Yes	Drilling and dust control
PP-WB-2687	60° 45' 40"	114° 19' 52"	085B/16	-	1,441	1	1,441	144	Yes	Drilling and dust control
PP-WB-2688	60° 45' 20"	114° 3' 49"	085B/16	-	1,873	1	1,873	187	Yes	Drilling and dust control
PP-WB-2689	60° 46' 27"	115° 7' 46"	085B/14	-	6,551	1	6,551	655	Yes	Drilling and dust control
PP-WB-2690	60° 45' 18"	114° 2' 29"	085B/16	-	1,961	1	1,961	196	Yes	Drilling and dust control
PP-WB-2691	60° 45' 47"	114° 25' 55"	085B/16	-	5,147	1	5,147	515	Yes	Drilling and dust control
PP-WB-2692	60° 45' 20"	114° 3' 34"	085B/16	-	2,765	1	2,765	276	Yes	Drilling and dust control
PP-WB-2693	60° 45' 28"	114° 10' 7"	085B/16	-	3,863	1	3,863	386	Yes	Drilling and dust control
PP-WB-2694	60° 45' 18"	114° 1' 27"	085B/16	-	3,207	1	3,207	321	Yes	Drilling and dust control
PP-WB-2695	60° 45' 25"	114° 10' 57"	085B/16	-	43,721	1	43,721	4,372	Yes	Drilling and dust control
PP-WB-2696	60° 45' 11"	113° 58' 44"	085A/13	-	35,359	1	35,359	3,536	Yes	Drilling and dust control
PP-WB-2697	60° 45' 10"	113° 59' 18"	085A/13	-	29,339	1	29,339	2,934	Yes	Drilling and dust control
PP-WB-2699	60° 45' 34"	114° 13' 32"	085B/16	-	4,353	1	4,353	435	Yes	Drilling and dust control
PP-WB-27	60° 38' 48"	115° 0' 49"	085B/11	-	5,456	1	5,456	546	Yes	Drilling and dust control
PP-WB-2702	60° 45' 34"	114° 14' 50"	085B/16	-	15,359	1	15,359	1,536	Yes	Drilling and dust control
PP-WB-2703	60° 45' 53"	114° 28' 25"	085B/16	-	1,428	1	1,428	143	Yes	Drilling and dust control
PP-WB-2704	60° 45' 49"	114° 25' 13"	085B/16	-	1,476	1	1,476	148	Yes	Drilling and dust control
PP-WB-2705	60° 45' 22"	114° 2' 37"	085B/16	-	1,366	1	1,366	137	Yes	Drilling and dust control
PP-WB-2706	60° 45' 30"	114° 10' 0"	085B/16	-	7,359	1	7,359	736	Yes	Drilling and dust control
PP-WB-2707	60° 45' 24"	114° 3' 37"	085B/16	-	1,995	1	1,995	200	Yes	Drilling and dust control
PP-WB-2708	60° 45' 22"	114° 3' 55"	085B/16	-	9,223	1	9,223	922	Yes	Drilling and dust control
PP-WB-2709	60° 46' 32"	115° 7' 49"	085B/14	-	10,944	1	10,944	1,094	Yes	Drilling and dust control
PP-WB-2710	60° 45' 36"	114° 22' 14"	085B/16	-	132,698	1	132,698	13,270	Yes	Drilling and dust control
PP-WB-2711	60° 45' 36"	114° 14' 14"	085B/16	-	12,063	1	12,063	1,206	Yes	Drilling and dust control
PP-WB-2712	60° 45' 18"	113° 59' 20"	085A/13	-	4,767	1	4,767	477	Yes	Drilling and dust control
PP-WB-2713	60° 45' 16"	113° 59' 5"	085A/13	-	10,811	1	10,811	1,081	Yes	Drilling and dust control
PP-WB-2714	60° 45' 33"	114° 10' 54"	085B/16	-	17,887	1	17,887	1,789	Yes	Drilling and dust control
PP-WB-2715	60° 45' 19"	113° 59' 25"	085A/13	-	3,735	1	3,735	373	Yes	Drilling and dust control
PP-WB-2716	60° 46' 13"	114° 52' 52"	085B/15	NT-5260	204,785	1	204,785	20,478	Yes	Drilling and dust control
PP-WB-2717	60° 45' 21"	114° 2' 47"	085B/16	-	24,241	1	24,241	2,424	Yes	Drilling and dust control
PP-WB-2718	60° 45' 20"	113° 59' 35"	085A/13	-	3,043	1	3,043	304	Yes	Drilling and dust control
PP-WB-2719	60° 46' 23"	114° 56' 11"	085B/15	-	3,924	1	3,924	392	Yes	Drilling and dust control
PP-WB-272	60° 38' 51"	114° 16' 59"	085B/09	-	1,164	1	1,164	116	Yes	Drilling and dust control
PP-WB-2720	60° 45' 23"	114° 1' 17"	085B/16	-	2,669	1	2,669	267	Yes	Drilling and dust control
PP-WB-2721	60° 45' 36"	114° 11' 23"	085B/16	-	3,569	1	3,569	357	Yes	Drilling and dust control
PP-WB-2722	60° 45' 38"	114° 13' 36"	085B/16	-	9,686	1	9,686	969	Yes	Drilling and dust control
PP-WB-2723	60° 45' 33"	114° 9' 48"	085B/16	-	9,278	1	9,278	928	Yes	Drilling and dust control
PP-WB-2724	60° 45' 56"	114° 27' 48"	085B/16	-	1,047	1	1,047	105	Yes	Drilling and dust control
PP-WB-2725	60° 45' 26"	114° 3' 35"	085B/16	-	1,703	1	1,703	170	Yes	Drilling and dust control
PP-WB-2726	60° 45' 19"	113° 58' 39"	085A/13	-	6,573	1	6,573	657	Yes	Drilling and dust control
PP-WB-2727	60° 45' 50"	114° 25' 31"	085B/16	-	33,815	1	33,815	3,382	Yes	Drilling and dust control
PP-WB-2728	60° 45' 54"	114° 26' 5"	085B/16	-	2,899	1	2,899	290	Yes	Drilling and dust control
PP-WB-2729	60° 45' 34"	114° 11' 43"	085B/16	-	18,750	1	18,750	1,875	Yes	Drilling and dust control
PP-WB-273	60° 38' 35"	114° 7' 18"	085B/09	-	19,781	1	19,781	1,978	Yes	Drilling and dust control
PP-WB-2730	60° 45' 57"	114° 27' 45"	085B/16	-	1,731	1	1,731	173	Yes	Drilling and dust control
PP-WB-2731	60° 45' 55"	114° 25' 19"	085B/16	-	3,889	1	3,889	389	Yes	Drilling and dust control
PP-WB-2732	60° 45' 40"	114° 14' 26"	085B/16	-	23,482	1				

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-2786	60° 46' 0"	114° 22' 48"	085B/16	-	2,465	1	2,465	246	Yes	Drilling and dust control
PP-WB-2787	60° 45' 35"	114° 3' 10"	085B/16	-	5,120	1	5,120	512	Yes	Drilling and dust control
PP-WB-2788	60° 45' 55"	114° 18' 28"	085B/16	-	3,231	1	3,231	323	Yes	Drilling and dust control
PP-WB-2789	60° 45' 56"	114° 19' 52"	085B/16	-	2,922	1	2,922	292	Yes	Drilling and dust control
PP-WB-2790	60° 45' 58"	114° 21' 3"	085B/16	-	3,968	1	3,968	397	Yes	Drilling and dust control
PP-WB-2792	60° 46' 0"	114° 22' 39"	085B/16	-	4,145	1	4,145	414	Yes	Drilling and dust control
PP-WB-2793	60° 45' 57"	114° 20' 23"	085B/16	-	3,891	1	3,891	389	Yes	Drilling and dust control
PP-WB-2794	60° 45' 36"	114° 3' 22"	085B/16	-	2,735	1	2,735	273	Yes	Drilling and dust control
PP-WB-2795	60° 45' 36"	114° 3' 36"	085B/16	-	2,684	1	2,684	268	Yes	Drilling and dust control
PP-WB-2796	60° 46' 30"	114° 51' 46"	085B/15	NT-5260	10,387	1	10,387	1,039	Yes	Drilling and dust control
PP-WB-2798	60° 45' 35"	114° 1' 72"	085B/16	-	1,438	1	1,438	144	Yes	Drilling and dust control
PP-WB-2799	60° 45' 58"	114° 19' 55"	085B/16	-	2,224	1	2,224	222	Yes	Drilling and dust control
PP-WB-28	60° 38' 52"	115° 5' 24"	085B/11	-	4,222	1	4,222	422	Yes	Drilling and dust control
PP-WB-280	60° 38' 53"	114° 18' 56"	085B/09	-	7,127	1	7,127	713	Yes	Drilling and dust control
PP-WB-2800	60° 46' 1"	114° 22' 28"	085B/16	-	3,897	1	3,897	390	Yes	Drilling and dust control
PP-WB-2801	60° 46' 0"	114° 21' 16"	085B/16	-	4,141	1	4,141	414	Yes	Drilling and dust control
PP-WB-2802	60° 45' 58"	114° 19' 47"	085B/16	-	2,694	1	2,694	269	Yes	Drilling and dust control
PP-WB-2803	60° 45' 57"	114° 18' 22"	085B/16	-	3,024	1	3,024	302	Yes	Drilling and dust control
PP-WB-2804	60° 46' 2"	114° 22' 45"	085B/16	-	2,818	1	2,818	282	Yes	Drilling and dust control
PP-WB-2807	60° 45' 32"	113° 59' 7"	085A/13	-	4,332	1	4,332	433	Yes	Drilling and dust control
PP-WB-2808	60° 45' 46"	114° 13' 39"	085B/16	-	68,711	1	68,711	6,871	Yes	Drilling and dust control
PP-WB-2809	60° 45' 34"	114° 1' 13"	085B/16	-	6,439	1	6,439	644	Yes	Drilling and dust control
PP-WB-281	60° 38' 39"	114° 6' 43"	085B/09	-	10,360	1	10,360	1,036	Yes	Drilling and dust control
PP-WB-2810	60° 45' 35"	114° 0' 52"	085B/16	-	5,854	1	5,854	585	Yes	Drilling and dust control
PP-WB-2811	60° 45' 56"	114° 18' 38"	085B/16	-	17,078	1	17,078	1,708	Yes	Drilling and dust control
PP-WB-2812	60° 45' 31"	113° 59' 18"	085A/13	-	10,319	1	10,319	1,032	Yes	Drilling and dust control
PP-WB-2813	60° 46' 3"	114° 22' 32"	085B/16	-	2,161	1	2,161	216	Yes	Drilling and dust control
PP-WB-2814	60° 45' 48"	114° 12' 56"	085B/16	-	21,188	1	21,188	2,119	Yes	Drilling and dust control
PP-WB-2815	60° 46' 6"	114° 25' 17"	085B/16	-	6,393	1	6,393	639	Yes	Drilling and dust control
PP-WB-2816	60° 46' 3"	114° 22' 17"	085B/16	-	1,779	1	1,779	178	Yes	Drilling and dust control
PP-WB-2817	60° 45' 37"	114° 1' 42"	085B/16	-	3,078	1	3,078	308	Yes	Drilling and dust control
PP-WB-2818	60° 45' 37"	114° 1' 71"	085B/16	-	1,782	1	1,782	178	Yes	Drilling and dust control
PP-WB-2819	60° 46' 0"	114° 20' 36"	085B/16	-	11,403	1	11,403	1,140	Yes	Drilling and dust control
PP-WB-2820	60° 46' 3"	114° 22' 23"	085B/16	-	5,260	1	5,260	526	Yes	Drilling and dust control
PP-WB-2821	60° 46' 1"	114° 19' 52"	085B/16	-	2,025	1	2,025	202	Yes	Drilling and dust control
PP-WB-2822	60° 46' 5"	114° 24' 17"	085B/16	-	3,337	1	3,337	334	Yes	Drilling and dust control
PP-WB-2823	60° 45' 34"	114° 0' 33"	085B/16	-	22,306	1	22,306	2,231	Yes	Drilling and dust control
PP-WB-2824	60° 46' 2"	114° 21' 5"	085B/16	-	13,210	1	13,210	1,321	Yes	Drilling and dust control
PP-WB-2825	60° 46' 1"	114° 19' 59"	085B/16	-	2,755	1	2,755	275	Yes	Drilling and dust control
PP-WB-2826	60° 45' 37"	114° 0' 48"	085B/16	-	3,631	1	3,631	363	Yes	Drilling and dust control
PP-WB-2827	60° 46' 4"	114° 21' 42"	085B/16	-	2,719	1	2,719	272	Yes	Drilling and dust control
PP-WB-2828	60° 46' 25"	114° 42' 8"	085B/15	M10550	17,127	1	17,127	1,713	Yes	Drilling and dust control
PP-WB-2829	60° 45' 59"	114° 18' 49"	085B/16	-	14,065	1	14,065	1,406	Yes	Drilling and dust control
PP-WB-283	60° 38' 35"	114° 9' 85"	085B/09	-	63,268	1	63,268	6,327	Yes	Drilling and dust control
PP-WB-2830	60° 45' 41"	114° 3' 38"	085B/16	-	3,839	1	3,839	384	Yes	Drilling and dust control
PP-WB-2831	60° 46' 2"	114° 19' 47"	085B/16	-	3,251	1	3,251	325	Yes	Drilling and dust control
PP-WB-2832	60° 46' 1"	114° 18' 39"	085B/16	-	1,978	1	1,978	198	Yes	Drilling and dust control
PP-WB-2833	60° 46' 5"	114° 22' 51"	085B/16	-	5,189	1	5,189	519	Yes	Drilling and dust control
PP-WB-2834	60° 45' 38"	114° 1' 31"	085B/16	-	9,147	1	9,147	915	Yes	Drilling and dust control
PP-WB-2835	60° 46' 33"	114° 48' 46"	085B/15	NT-5259	7,034	1	7,034	703	Yes	Drilling and dust control
PP-WB-2837	60° 45' 35"	113° 58' 58"	085A/13	-	7,403	1	7,403	740	Yes	Drilling and dust control
PP-WB-2838	60° 46' 2"	114° 20' 50"	085B/16	-	15,601	1	15,601	1,560	Yes	Drilling and dust control
PP-WB-2839	60° 46' 5"	114° 21' 19"	085B/16	-	2,027	1	2,027	203	Yes	Drilling and dust control
PP-WB-284	60° 38' 29"	113° 59' 10"	085A/12	-	4,563	1	4,563	456	Yes	Drilling and dust control
PP-WB-2840	60° 46' 0"	114° 19' 11"	085B/16	-	10,184	1	10,184	1,018	Yes	Drilling and dust control
PP-WB-2842	60° 45' 56"	114° 14' 4"	085B/16	-	1,889	1	1,889	189	Yes	Drilling and dust control
PP-WB-2844	60° 46' 35"	114° 50' 3"	085B/15	NT-5259	6,959	1	6,959	696	Yes	Drilling and dust control
PP-WB-2845	60° 46' 0"	114° 18' 19"	085B/16	-	9,997	1	9,997	1,000	Yes	Drilling and dust control
PP-WB-2846	60° 45' 49"	114° 8' 13"	085B/16	-	1,988	1	1,988	199	Yes	Drilling and dust control
PP-WB-2847	60° 46' 6"	114° 21' 35"	085B/16	-	3,995	1	3,995	399	Yes	Drilling and dust control
PP-WB-2848	60° 46' 2"	114° 18' 31"	085B/16	-	1,977	1	1,977	198	Yes	Drilling and dust control
PP-WB-2849	60° 45' 41"	114° 2' 46"	085B/16	-	6,556	1	6,556			

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-2899	60° 45' 44"	114° 0' 10"	085B/16	-	3,015	1	3,015	302	Yes	Drilling and dust control
PP-WB-29	60° 38' 54"	115° 6' 24"	085B/11	-	4,667	1	4,667	467	Yes	Drilling and dust control
PP-WB-290	60° 38' 39"	114° 7' 12"	085B/09	-	12,051	1	12,051	1,205	Yes	Drilling and dust control
PP-WB-2900	60° 45' 45"	114° 0' 58"	085B/16	-	8,551	1	8,551	855	Yes	Drilling and dust control
PP-WB-2901	60° 46' 6"	114° 16' 33"	085B/16	-	3,690	1	3,690	369	Yes	Drilling and dust control
PP-WB-2902	60° 46' 7"	114° 19' 53"	085B/16	-	16,677	1	16,677	1,668	Yes	Drilling and dust control
PP-WB-2903	60° 46' 5"	114° 19' 27"	085B/16	-	23,418	1	23,418	2,342	Yes	Drilling and dust control
PP-WB-2904	60° 45' 50"	114° 4' 14"	085B/16	-	2,901	1	2,901	290	Yes	Drilling and dust control
PP-WB-2905	60° 45' 56"	114° 8' 31"	085B/16	-	1,760	1	1,760	176	Yes	Drilling and dust control
PP-WB-2906	60° 46' 8"	114° 18' 33"	085B/16	-	4,912	1	4,912	491	Yes	Drilling and dust control
PP-WB-2907	60° 46' 42"	114° 48' 16"	085B/15	NT-5258	1,294	1	1,294	129	Yes	Drilling and dust control
PP-WB-2908	60° 46' 9"	114° 18' 4"	085B/16	-	2,575	1	2,575	257	Yes	Drilling and dust control
PP-WB-2909	60° 45' 57"	114° 8' 14"	085B/16	-	1,674	1	1,674	167	Yes	Drilling and dust control
PP-WB-291	60° 38' 54"	114° 17' 13"	085B/09	-	2,305	1	2,305	231	Yes	Drilling and dust control
PP-WB-2910	60° 45' 55"	114° 7' 36"	085B/16	-	4,449	1	4,449	445	Yes	Drilling and dust control
PP-WB-2912	60° 45' 47"	114° 0' 32"	085B/16	-	4,925	1	4,925	492	Yes	Drilling and dust control
PP-WB-2913	60° 46' 13"	114° 22' 17"	085B/16	-	16,600	1	16,600	1,660	Yes	Drilling and dust control
PP-WB-2914	60° 45' 50"	114° 4' 40"	085B/16	-	13,448	1	13,448	1,345	Yes	Drilling and dust control
PP-WB-2915	60° 45' 48"	114° 0' 41"	085B/16	-	1,464	1	1,464	146	Yes	Drilling and dust control
PP-WB-2916	60° 45' 46"	113° 59' 27"	085A/13	-	2,603	1	2,603	260	Yes	Drilling and dust control
PP-WB-2917	60° 46' 12"	114° 19' 42"	085B/16	-	2,193	1	2,193	219	Yes	Drilling and dust control
PP-WB-2918	60° 45' 47"	113° 59' 47"	085A/13	-	1,985	1	1,985	198	Yes	Drilling and dust control
PP-WB-2919	60° 45' 47"	114° 1' 14"	085B/16	-	6,468	1	6,468	647	Yes	Drilling and dust control
PP-WB-292	60° 38' 31"	113° 59' 33"	085A/12	-	9,050	1	9,050	905	Yes	Drilling and dust control
PP-WB-2920	60° 46' 9"	114° 16' 45"	085B/16	-	6,909	1	6,909	691	Yes	Drilling and dust control
PP-WB-2921	60° 46' 40"	114° 47' 49"	085B/15	NT-5258	32,836	1	32,836	3,284	Yes	Drilling and dust control
PP-WB-2922	60° 46' 9"	114° 17' 51"	085B/16	-	7,279	1	7,279	728	Yes	Drilling and dust control
PP-WB-2923	60° 46' 16"	114° 23' 9"	085B/16	-	4,507	1	4,507	451	Yes	Drilling and dust control
PP-WB-2924	60° 46' 42"	114° 48' 6"	085B/15	NT-5258	13,278	1	13,278	1,328	Yes	Drilling and dust control
PP-WB-2925	60° 46' 44"	114° 47' 56"	085B/15	NT-5258	1,418	1	1,418	142	Yes	Drilling and dust control
PP-WB-2926	60° 45' 53"	114° 4' 52"	085B/16	-	5,873	1	5,873	587	Yes	Drilling and dust control
PP-WB-2927	60° 46' 12"	114° 18' 45"	085B/16	-	1,694	1	1,694	169	Yes	Drilling and dust control
PP-WB-2928	60° 46' 13"	114° 19' 32"	085B/16	-	1,414	1	1,414	141	Yes	Drilling and dust control
PP-WB-2929	60° 46' 9"	114° 16' 58"	085B/16	-	6,152	1	6,152	615	Yes	Drilling and dust control
PP-WB-293	60° 38' 58"	114° 19' 18"	085B/09	-	3,573	1	3,573	357	Yes	Drilling and dust control
PP-WB-2930	60° 46' 43"	114° 51' 4"	085B/15	NT-5259 / NT-5260	82,388	1	82,388	8,239	Yes	Drilling and dust control
PP-WB-2932	60° 45' 47"	113° 59' 53"	085A/13	-	4,719	1	4,719	472	Yes	Drilling and dust control
PP-WB-2933	60° 46' 10"	114° 18' 13"	085B/16	-	5,618	1	5,618	562	Yes	Drilling and dust control
PP-WB-2934	60° 46' 11"	114° 18' 17"	085B/16	-	1,639	1	1,639	164	Yes	Drilling and dust control
PP-WB-2937	60° 46' 18"	114° 23' 26"	085B/16	-	3,151	1	3,151	315	Yes	Drilling and dust control
PP-WB-2938	60° 45' 53"	114° 3' 24"	085B/16	-	2,569	1	2,569	257	Yes	Drilling and dust control
PP-WB-2939	60° 46' 13"	114° 18' 39"	085B/16	-	1,539	1	1,539	154	Yes	Drilling and dust control
PP-WB-294	60° 38' 55"	114° 16' 18"	085B/09	-	1,936	1	1,936	194	Yes	Drilling and dust control
PP-WB-2941	60° 45' 51"	114° 0' 50"	085B/16	-	2,196	1	2,196	220	Yes	Drilling and dust control
PP-WB-2942	60° 45' 50"	114° 1' 18"	085B/16	-	3,483	1	3,483	348	Yes	Drilling and dust control
PP-WB-2943	60° 46' 11"	114° 16' 23"	085B/16	-	3,845	1	3,845	385	Yes	Drilling and dust control
PP-WB-2944	60° 45' 56"	114° 4' 39"	085B/16	-	3,385	1	3,385	338	Yes	Drilling and dust control
PP-WB-2945	60° 45' 51"	114° 0' 38"	085B/16	-	4,903	1	4,903	490	Yes	Drilling and dust control
PP-WB-2946	60° 46' 14"	114° 20' 3"	085B/16	-	12,055	1	12,055	1,205	Yes	Drilling and dust control
PP-WB-2947	60° 46' 0"	114° 8' 15"	085B/16	-	5,329	1	5,329	533	Yes	Drilling and dust control
PP-WB-2948	60° 46' 13"	114° 17' 53"	085B/16	-	1,439	1	1,439	144	Yes	Drilling and dust control
PP-WB-2949	60° 45' 51"	114° 0' 56"	085B/16	-	4,512	1	4,512	451	Yes	Drilling and dust control
PP-WB-295	60° 39' 2"	114° 23' 33"	085B/09	-	3,884	1	3,884	388	Yes	Drilling and dust control
PP-WB-2951	60° 46' 47"	114° 48' 28"	085B/15	NT-5259 / NT-5259	2,802	1	2,802	280	Yes	Drilling and dust control
PP-WB-2952	60° 46' 47"	114° 48' 20"	085B/15	NT-5258	4,101	1	4,101	410	Yes	Drilling and dust control
PP-WB-2953	60° 45' 57"	114° 5' 17"	085B/16	-	3,790	1	3,790	379	Yes	Drilling and dust control
PP-WB-2954	60° 45' 49"	113° 58' 42"	085A/13	-	1,831	1	1,831	183	Yes	Drilling and dust control
PP-WB-2955	60° 45' 49"	113° 58' 34"	085A/13	-	1,120	1	1,120	112	Yes	Drilling and dust control
PP-WB-2957	60° 46' 16"	114° 19' 22"	085B/16	-	1,974	1	1,974	197	Yes	Drilling and dust control
PP-WB-2958	60° 46' 12"	114° 16' 51"	085B/16	-	7,012	1	7,012	701	Yes	Drilling and dust control
PP-WB-2959	60° 45' 56"	114° 3' 43"	085B/16	-	3,515	1	3,515	352	Yes	Drilling and dust control
PP-WB-2960	60° 45' 51"	113° 59' 14"	085A/13	-	2,065					

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-3018	60° 46' 19"	114° 16' 40"	0858/16	-	10,422	1	10,422	1,042	Yes	Drilling and dust control
PP-WB-3019	60° 46' 4"	114° 5' 20"	0858/16	-	5,659	1	5,659	566	Yes	Drilling and dust control
PP-WB-302	60° 38' 35"	114° 0' 45"	0858/09	-	2,765	1	2,765	276	Yes	Drilling and dust control
PP-WB-3020	60° 46' 9"	114° 8' 19"	0858/16	-	1,568	1	1,568	157	Yes	Drilling and dust control
PP-WB-3022	60° 46' 8"	114° 7' 16"	0858/16	-	3,453	1	3,453	345	Yes	Drilling and dust control
PP-WB-3023	60° 46' 12"	114° 17' 8"	0858/16	-	31,741	1	31,741	3,174	Yes	Drilling and dust control
PP-WB-3024	60° 46' 0"	114° 0' 42"	0858/16	-	1,089	1	1,089	109	Yes	Drilling and dust control
PP-WB-3025	60° 46' 10"	114° 8' 29"	0858/16	-	3,557	1	3,557	356	Yes	Drilling and dust control
PP-WB-3026	60° 46' 28"	114° 23' 8"	0858/16	-	3,336	1	3,336	334	Yes	Drilling and dust control
PP-WB-3027	60° 46' 21"	114° 17' 20"	0858/16	-	3,398	1	3,398	340	Yes	Drilling and dust control
PP-WB-3028	60° 45' 58"	113° 59' 13"	085A/13	-	2,341	1	2,341	234	Yes	Drilling and dust control
PP-WB-3029	60° 46' 22"	114° 18' 8"	0858/16	-	6,201	1	6,201	620	Yes	Drilling and dust control
PP-WB-303	60° 38' 55"	114° 16' 45"	0858/09	-	3,295	1	3,295	330	Yes	Drilling and dust control
PP-WB-3030	60° 46' 8"	114° 6' 56"	0858/16	-	6,436	1	6,436	644	Yes	Drilling and dust control
PP-WB-3031	60° 46' 22"	114° 17' 11"	0858/16	-	2,083	1	2,083	208	Yes	Drilling and dust control
PP-WB-3032	60° 46' 27"	114° 22' 48"	0858/16	-	2,825	1	2,825	283	Yes	Drilling and dust control
PP-WB-3034	60° 45' 59"	113° 59' 29"	085A/13	-	3,008	1	3,008	301	Yes	Drilling and dust control
PP-WB-3035	60° 46' 25"	114° 19' 39"	0858/16	-	1,456	1	1,456	146	Yes	Drilling and dust control
PP-WB-3036	60° 46' 2"	114° 1' 35"	0858/16	-	1,931	1	1,931	193	Yes	Drilling and dust control
PP-WB-3037	60° 46' 8"	114° 6' 11"	0858/16	-	4,694	1	4,694	469	Yes	Drilling and dust control
PP-WB-3038	60° 46' 6"	114° 5' 35"	0858/16	-	7,029	1	7,029	703	Yes	Drilling and dust control
PP-WB-3039	60° 46' 24"	114° 18' 40"	0858/16	-	1,862	1	1,862	186	Yes	Drilling and dust control
PP-WB-304	60° 38' 54"	114° 15' 32"	0858/09	-	5,794	1	5,794	579	Yes	Drilling and dust control
PP-WB-3041	60° 46' 39"	114° 31' 6"	0858/15	-	1,938	1	1,938	194	Yes	Drilling and dust control
PP-WB-3042	60° 46' 1"	113° 59' 42"	085A/13	-	2,032	1	2,032	203	Yes	Drilling and dust control
PP-WB-3043	60° 46' 3"	114° 1' 16"	0858/16	-	1,924	1	1,924	192	Yes	Drilling and dust control
PP-WB-3044	60° 46' 21"	114° 16' 22"	0858/16	-	16,422	1	16,422	1,642	Yes	Drilling and dust control
PP-WB-3045	60° 46' 25"	114° 18' 30"	0858/16	-	1,608	1	1,608	161	Yes	Drilling and dust control
PP-WB-3046	60° 46' 7"	114° 6' 33"	0858/16	-	14,173	1	14,173	1,417	Yes	Drilling and dust control
PP-WB-3047	60° 47' 1"	114° 55' 37"	0858/15	-	19,516	1	19,516	1,952	Yes	Drilling and dust control
PP-WB-3049	60° 46' 12"	114° 8' 21"	0858/16	-	5,393	1	5,393	539	Yes	Drilling and dust control
PP-WB-305	60° 38' 38"	114° 2' 83"	0858/09	-	1,220	1	1,220	122	Yes	Drilling and dust control
PP-WB-3050	60° 46' 24"	114° 17' 59"	0858/16	-	4,477	1	4,477	448	Yes	Drilling and dust control
PP-WB-3052	60° 46' 24"	114° 17' 43"	0858/16	-	18,674	1	18,674	1,867	Yes	Drilling and dust control
PP-WB-3053	60° 46' 24"	114° 17' 23"	0858/16	-	3,550	1	3,550	355	Yes	Drilling and dust control
PP-WB-3054	60° 46' 2"	114° 0' 79"	0858/16	-	5,058	1	5,058	506	Yes	Drilling and dust control
PP-WB-3055	60° 46' 54"	114° 48' 8"	0858/15	NT-5258	28,772	1	28,772	2,877	Yes	Drilling and dust control
PP-WB-3056	60° 46' 25"	114° 17' 17"	0858/16	-	1,560	1	1,560	156	Yes	Drilling and dust control
PP-WB-3057	60° 46' 11"	114° 6' 37"	0858/16	-	3,342	1	3,342	334	Yes	Drilling and dust control
PP-WB-3058	60° 46' 49"	114° 42' 28"	0858/15	M10553	71,713	1	71,713	7,171	Yes	Drilling and dust control
PP-WB-3059	60° 46' 41"	114° 31' 16"	0858/15	-	1,007	1	1,007	101	Yes	Drilling and dust control
PP-WB-306	60° 38' 52"	114° 14' 20"	0858/09	-	9,007	1	9,007	901	Yes	Drilling and dust control
PP-WB-3060	60° 46' 3"	114° 0' 11"	0858/16	-	1,826	1	1,826	183	Yes	Drilling and dust control
PP-WB-3062	60° 46' 23"	114° 16' 44"	0858/16	-	4,230	1	4,230	423	Yes	Drilling and dust control
PP-WB-3063	60° 46' 12"	114° 6' 56"	0858/16	-	2,951	1	2,951	295	Yes	Drilling and dust control
PP-WB-3064	60° 46' 14"	114° 7' 39"	0858/16	-	1,768	1	1,768	177	Yes	Drilling and dust control
PP-WB-3065	60° 46' 25"	114° 17' 30"	0858/16	-	6,235	1	6,235	624	Yes	Drilling and dust control
PP-WB-3066	60° 46' 13"	114° 6' 42"	0858/16	-	2,217	1	2,217	222	Yes	Drilling and dust control
PP-WB-3067	60° 46' 42"	114° 31' 1"	0858/15	-	2,571	1	2,571	257	Yes	Drilling and dust control
PP-WB-3068	60° 46' 15"	114° 7' 54"	0858/16	-	4,797	1	4,797	480	Yes	Drilling and dust control
PP-WB-3069	60° 46' 25"	114° 16' 18"	0858/16	-	9,201	1	9,201	920	Yes	Drilling and dust control
PP-WB-307	60° 38' 34"	113° 59' 14"	085A/12	-	3,872	1	3,872	387	Yes	Drilling and dust control
PP-WB-3071	60° 46' 28"	114° 17' 47"	0858/16	-	1,585	1	1,585	159	Yes	Drilling and dust control
PP-WB-3072	60° 46' 28"	114° 17' 37"	0858/16	-	1,159	1	1,159	116	Yes	Drilling and dust control
PP-WB-3073	60° 46' 28"	114° 17' 42"	0858/16	-	2,014	1	2,014	201	Yes	Drilling and dust control
PP-WB-3074	60° 46' 15"	114° 6' 16"	0858/16	-	3,099	1	3,099	310	Yes	Drilling and dust control
PP-WB-3075	60° 46' 16"	114° 7' 34"	0858/16	-	2,980	1	2,980	298	Yes	Drilling and dust control
PP-WB-3076	60° 46' 45"	114° 31' 2"	0858/15	-	2,430	1	2,430	243	Yes	Drilling and dust control
PP-WB-3078	60° 46' 30"	114° 17' 27"	0858/16	-	2,072	1	2,072	207	Yes	Drilling and dust control
PP-WB-308	60° 39' 0"	114° 19' 21"	0858/09	-	2,297	1	2,297	230	Yes	Drilling and dust control
PP-WB-3080	60° 46' 28"	114° 18' 7"	0858/16	-	19,973	1	19,973	1,997	Yes	Drilling and dust control
PP-WB-3081	60° 46' 30"	114° 17' 44"	0858/16	-	1,559	1	1,559	156	Yes	Drilling and dust control
PP-WB-										

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m²)	Mean Depth (m)	Estimated Water Volume (m³)	Annual Withdrawal Limit (m³)	Considered for Water Use?	Usage Activities
PP-WB-3135	60° 47' 35"	115° 2' 26"	085B/14	-	19,086	1	19,086	1,909	Yes	Drilling and dust control
PP-WB-3137	60° 46' 51"	114° 17' 33"	085B/16	-	2,311	1	2,311	231	Yes	Drilling and dust control
PP-WB-3138	60° 46' 48"	114° 14' 39"	085B/16	-	3,914	1	3,914	391	Yes	Drilling and dust control
PP-WB-3139	60° 46' 27"	113° 58' 27"	085A/13	-	3,523	1	3,523	352	Yes	Drilling and dust control
PP-WB-314	60° 38' 38"	114° 0' 52"	085B/09	-	1,259	1	1,259	126	Yes	Drilling and dust control
PP-WB-3140	60° 47' 41"	115° 4' 37"	085B/14	-	4,387	1	4,387	439	Yes	Drilling and dust control
PP-WB-3141	60° 46' 29"	113° 59' 5"	085A/13	-	4,071	1	4,071	407	Yes	Drilling and dust control
PP-WB-3142	60° 46' 52"	114° 17' 11"	085B/16	-	3,271	1	3,271	327	Yes	Drilling and dust control
PP-WB-3143	60° 47' 43"	115° 4' 32"	085B/14	-	2,444	1	2,444	244	Yes	Drilling and dust control
PP-WB-3144	60° 47' 42"	115° 2' 30"	085B/14	-	2,367	1	2,367	237	Yes	Drilling and dust control
PP-WB-3145	60° 46' 54"	114° 17' 27"	085B/16	-	14,087	1	14,087	1,409	Yes	Drilling and dust control
PP-WB-3147	60° 46' 54"	114° 17' 13"	085B/16	-	3,713	1	3,713	371	Yes	Drilling and dust control
PP-WB-3148	60° 47' 43"	115° 2' 03"	085B/14	-	8,212	1	8,212	821	Yes	Drilling and dust control
PP-WB-3149	60° 46' 56"	114° 17' 18"	085B/16	-	3,309	1	3,309	331	Yes	Drilling and dust control
PP-WB-315	60° 38' 49"	114° 9' 31"	085B/09	-	3,468	1	3,468	347	Yes	Drilling and dust control
PP-WB-3152	60° 47' 43"	115° 4' 59"	085B/14	-	22,722	1	22,722	2,272	Yes	Drilling and dust control
PP-WB-3153	60° 46' 58"	114° 17' 1"	085B/16	-	2,561	1	2,561	256	Yes	Drilling and dust control
PP-WB-3154	60° 46' 34"	113° 58' 20"	085A/13	-	6,522	1	6,522	652	Yes	Drilling and dust control
PP-WB-3155	60° 47' 46"	115° 2' 29"	085B/14	-	2,933	1	2,933	293	Yes	Drilling and dust control
PP-WB-3156	60° 47' 46"	115° 2' 22"	085B/14	-	7,670	1	7,670	767	Yes	Drilling and dust control
PP-WB-3157	60° 47' 0"	114° 17' 18"	085B/16	-	1,890	1	1,890	189	Yes	Drilling and dust control
PP-WB-3158	60° 47' 0"	114° 17' 13"	085B/16	-	2,225	1	2,225	222	Yes	Drilling and dust control
PP-WB-3159	60° 47' 0"	114° 17' 7"	085B/16	-	2,698	1	2,698	270	Yes	Drilling and dust control
PP-WB-316	60° 38' 54"	114° 14' 2"	085B/09	-	6,535	1	6,535	654	Yes	Drilling and dust control
PP-WB-3160	60° 46' 59"	114° 15' 10"	085B/16	-	3,016	1	3,016	302	Yes	Drilling and dust control
PP-WB-3161	60° 47' 0"	114° 15' 31"	085B/16	-	1,778	1	1,778	178	Yes	Drilling and dust control
PP-WB-3162	60° 47' 48"	115° 1' 20"	085B/14	-	20,680	1	20,680	2,068	Yes	Drilling and dust control
PP-WB-3163	60° 47' 3"	114° 17' 13"	085B/16	-	4,513	1	4,513	451	Yes	Drilling and dust control
PP-WB-3164	60° 47' 41"	114° 52' 33"	085B/15	-	2,204	1	2,204	220	Yes	Drilling and dust control
PP-WB-3165	60° 47' 49"	115° 0' 43"	085B/14	-	1,936	1	1,936	194	Yes	Drilling and dust control
PP-WB-3166	60° 47' 50"	115° 2' 10"	085B/14	-	15,421	1	15,421	1,542	Yes	Drilling and dust control
PP-WB-3167	60° 47' 2"	114° 16' 37"	085B/16	-	6,002	1	6,002	600	Yes	Drilling and dust control
PP-WB-3168	60° 47' 41"	114° 52' 14"	085B/15	-	4,394	1	4,394	439	Yes	Drilling and dust control
PP-WB-3169	60° 47' 0"	114° 16' 54"	085B/16	-	26,028	1	26,028	2,603	Yes	Drilling and dust control
PP-WB-317	60° 38' 58"	114° 16' 35"	085B/09	-	2,092	1	2,092	209	Yes	Drilling and dust control
PP-WB-3170	60° 47' 42"	114° 52' 25"	085B/15	-	4,529	1	4,529	453	Yes	Drilling and dust control
PP-WB-3171	60° 47' 50"	115° 0' 48"	085B/14	-	2,634	1	2,634	263	Yes	Drilling and dust control
PP-WB-3172	60° 47' 54"	115° 4' 44"	085B/14	-	1,918	1	1,918	192	Yes	Drilling and dust control
PP-WB-3173	60° 47' 52"	115° 2' 14"	085B/14	-	4,171	1	4,171	417	Yes	Drilling and dust control
PP-WB-3174	60° 47' 30"	114° 39' 20"	085B/15	M10555	5,657	1	5,657	566	Yes	Drilling and dust control
PP-WB-3175	60° 47' 45"	114° 52' 22"	085B/15	-	2,089	1	2,089	209	Yes	Drilling and dust control
PP-WB-3176	60° 47' 56"	115° 5' 35"	085B/14	-	2,049	1	2,049	205	Yes	Drilling and dust control
PP-WB-3177	60° 47' 3"	114° 14' 43"	085B/16	-	4,461	1	4,461	446	Yes	Drilling and dust control
PP-WB-3178	60° 47' 53"	115° 1' 48"	085B/14	-	4,901	1	4,901	490	Yes	Drilling and dust control
PP-WB-3179	60° 47' 1"	114° 13' 43"	085B/16	-	13,236	1	13,236	1,324	Yes	Drilling and dust control
PP-WB-3180	60° 47' 52"	115° 0' 32"	085B/14	-	1,853	1	1,853	185	Yes	Drilling and dust control
PP-WB-3181	60° 47' 3"	114° 16' 27"	085B/16	-	11,696	1	11,696	1,170	Yes	Drilling and dust control
PP-WB-3182	60° 47' 53"	115° 2' 38"	085B/14	-	11,199	1	11,199	1,120	Yes	Drilling and dust control
PP-WB-3183	60° 47' 53"	115° 0' 59"	085B/14	-	6,730	1	6,730	673	Yes	Drilling and dust control
PP-WB-3184	60° 47' 44"	114° 52' 8"	085B/15	-	10,044	1	10,044	1,004	Yes	Drilling and dust control
PP-WB-3186	60° 47' 3"	114° 13' 51"	085B/16	-	7,844	1	7,844	784	Yes	Drilling and dust control
PP-WB-3187	60° 47' 3"	114° 15' 12"	085B/16	-	25,326	1	25,326	2,533	Yes	Drilling and dust control
PP-WB-3188	60° 47' 34"	114° 38' 27"	085B/15	M10555	1,117	1	1,117	112	Yes	Drilling and dust control
PP-WB-3189	60° 47' 6"	114° 16' 41"	085B/16	-	25,001	1	25,001	2,500	Yes	Drilling and dust control
PP-WB-319	60° 38' 55"	114° 14' 11"	085B/09	-	2,490	1	2,490	249	Yes	Drilling and dust control
PP-WB-3190	60° 47' 57"	115° 3' 48"	085B/14	-	7,047	1	7,047	705	Yes	Drilling and dust control
PP-WB-3191	60° 47' 7"	114° 15' 23"	085B/16	-	2,732	1	2,732	273	Yes	Drilling and dust control
PP-WB-3192	60° 47' 56"	115° 1' 40"	085B/14	-	4,604	1	4,604	460	Yes	Drilling and dust control
PP-WB-3193	60° 47' 59"	115° 5' 10"	085B/14	-	1,246	1	1,246	125	Yes	Drilling and dust control
PP-WB-3194	60° 47' 56"	115° 1' 53"	085B/14	-	3,716	1	3,716	372	Yes	Drilling and dust control
PP-WB-3195	60° 47' 58"	115° 3' 55"	085B/14	-	4,752	1	4,752	475	Yes	Drilling and dust control
PP-WB-3196	60° 47' 48"	114° 52' 15"	085B/15	-	1,818	1	1,818	182	Yes	Drilling and dust control
PP-WB-3197	60° 47' 56"									

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-3246	60° 47' 52"	114° 39' 5"	085B/15	NT-5255	8,086	1	8,086	809	Yes	Drilling and dust control
PP-WB-3247	60° 48' 12"	115° 2' 30"	085B/14	-	19,721	1	19,721	1,972	Yes	Drilling and dust control
PP-WB-3248	60° 48' 17"	115° 4' 27"	085B/14	-	4,410	1	4,410	441	Yes	Drilling and dust control
PP-WB-3249	60° 48' 16"	115° 4' 37"	085B/14	-	6,376	1	6,376	638	Yes	Drilling and dust control
PP-WB-325	60° 38' 39"	114° 0' 13"	085B/09	-	1,635	1	1,635	164	Yes	Drilling and dust control
PP-WB-3250	60° 48' 19"	115° 3' 59"	085B/14	-	2,563	1	2,563	256	Yes	Drilling and dust control
PP-WB-3251	60° 48' 18"	115° 3' 37"	085B/14	-	6,509	1	6,509	651	Yes	Drilling and dust control
				M10863 / M10862 / M10866 / M10862 / M10866						
PP-WB-3252	60° 47' 47"	114° 36' 42"	085B/15	M10866	55,818	1	55,818	5,582	Yes	Drilling and dust control
PP-WB-3253	60° 48' 17"	115° 2' 14"	085B/14	-	6,917	1	6,917	692	Yes	Drilling and dust control
PP-WB-3254	60° 48' 16"	115° 0' 12"	085B/14	-	7,003	1	7,003	700	Yes	Drilling and dust control
PP-WB-3255	60° 48' 17"	115° 0' 46"	085B/14	-	3,034	1	3,034	303	Yes	Drilling and dust control
PP-WB-3256	60° 48' 15"	115° 0' 37"	085B/14, 085B/15	-	13,871	1	13,871	1,387	Yes	Drilling and dust control
PP-WB-3257	60° 48' 18"	115° 2' 21"	085B/14	-	9,914	1	9,914	991	Yes	Drilling and dust control
PP-WB-3258	60° 48' 21"	115° 4' 32"	085B/14	-	5,778	1	5,778	578	Yes	Drilling and dust control
PP-WB-3259	60° 47' 25"	114° 11' 38"	085B/16	-	13,666	1	13,666	1,367	Yes	Drilling and dust control
PP-WB-326	60° 38' 57"	114° 14' 33"	085B/09	-	3,273	1	3,273	327	Yes	Drilling and dust control
PP-WB-3260	60° 47' 26"	114° 12' 17"	085B/16	-	6,230	1	6,230	623	Yes	Drilling and dust control
PP-WB-3261	60° 48' 22"	115° 4' 20"	085B/14	-	2,331	1	2,331	233	Yes	Drilling and dust control
PP-WB-3262	60° 48' 22"	115° 3' 57"	085B/14	-	4,722	1	4,722	472	Yes	Drilling and dust control
PP-WB-3263	60° 48' 19"	115° 0' 11"	085B/14	-	2,275	1	2,275	227	Yes	Drilling and dust control
PP-WB-3264	60° 48' 21"	115° 2' 53"	085B/14	-	8,215	1	8,215	822	Yes	Drilling and dust control
PP-WB-3265	60° 48' 21"	115° 2' 11"	085B/14	-	7,299	1	7,299	730	Yes	Drilling and dust control
PP-WB-3266	60° 48' 22"	115° 3' 38"	085B/14	-	18,761	1	18,761	1,876	Yes	Drilling and dust control
PP-WB-3267	60° 48' 24"	115° 3' 51"	085B/14	-	4,206	1	4,206	421	Yes	Drilling and dust control
PP-WB-3268	60° 47' 52"	114° 35' 0"	085B/15	M10866	33,744	1	33,744	3,374	Yes	Drilling and dust control
PP-WB-3269	60° 47' 28"	114° 11' 33"	085B/16	-	5,578	1	5,578	558	Yes	Drilling and dust control
PP-WB-327	60° 38' 57"	114° 14' 7"	085B/09	-	2,553	1	2,553	255	Yes	Drilling and dust control
PP-WB-3270	60° 48' 20"	115° 0' 36"	085B/14	-	9,150	1	9,150	915	Yes	Drilling and dust control
PP-WB-3271	60° 48' 23"	115° 2' 46"	085B/14	-	2,967	1	2,967	297	Yes	Drilling and dust control
PP-WB-3273	60° 48' 22"	115° 0' 54"	085B/14	-	5,019	1	5,019	502	Yes	Drilling and dust control
PP-WB-3274	60° 47' 29"	114° 11' 45"	085B/16	-	12,464	1	12,464	1,246	Yes	Drilling and dust control
PP-WB-3275	60° 47' 31"	114° 11' 57"	085B/16	-	2,523	1	2,523	252	Yes	Drilling and dust control
PP-WB-3276	60° 47' 30"	114° 12' 6"	085B/16	-	11,770	1	11,770	1,177	Yes	Drilling and dust control
PP-WB-3277	60° 48' 28"	115° 4' 45"	085B/14	-	4,074	1	4,074	407	Yes	Drilling and dust control
PP-WB-3278	60° 48' 26"	115° 2' 14"	085B/14	-	8,294	1	8,294	829	Yes	Drilling and dust control
PP-WB-3279	60° 48' 26"	115° 3' 26"	085B/14	-	10,805	1	10,805	1,080	Yes	Drilling and dust control
PP-WB-328	60° 38' 48"	114° 7' 23"	085B/09	-	11,740	1	11,740	1,174	Yes	Drilling and dust control
PP-WB-3280	60° 48' 26"	115° 2' 24"	085B/14	-	5,491	1	5,491	549	Yes	Drilling and dust control
PP-WB-3281	60° 47' 42"	114° 18' 20"	085B/16	-	1,084	1	1,084	108	Yes	Drilling and dust control
PP-WB-3282	60° 48' 26"	115° 1' 20"	085B/14	-	11,933	1	11,933	1,193	Yes	Drilling and dust control
PP-WB-3283	60° 48' 26"	115° 2' 38"	085B/14	-	18,130	1	18,130	1,813	Yes	Drilling and dust control
PP-WB-3284	60° 48' 28"	115° 2' 31"	085B/14	-	3,874	1	3,874	387	Yes	Drilling and dust control
PP-WB-3285	60° 48' 27"	115° 0' 27"	085B/14	-	3,380	1	3,380	338	Yes	Drilling and dust control
PP-WB-3286	60° 48' 29"	115° 2' 26"	085B/14	-	4,608	1	4,608	461	Yes	Drilling and dust control
PP-WB-3287	60° 48' 29"	115° 3' 27"	085B/14	-	8,387	1	8,387	839	Yes	Drilling and dust control
PP-WB-3288	60° 48' 28"	115° 2' 38"	085B/14	-	12,101	1	12,101	1,210	Yes	Drilling and dust control
PP-WB-3289	60° 48' 27"	115° 2' 57"	085B/14	-	28,641	1	28,641	2,864	Yes	Drilling and dust control
PP-WB-3290	60° 48' 30"	115° 2' 12"	085B/14	-	4,233	1	4,233	423	Yes	Drilling and dust control
PP-WB-3291	60° 47' 34"	114° 11' 28"	085B/16	-	14,715	1	14,715	1,472	Yes	Drilling and dust control
PP-WB-3292	60° 48' 30"	115° 1' 17"	085B/14	-	4,787	1	4,787	479	Yes	Drilling and dust control
PP-WB-3293	60° 48' 32"	115° 3' 16"	085B/14	-	1,581	1	1,581	158	Yes	Drilling and dust control
PP-WB-3294	60° 47' 35"	114° 11' 36"	085B/16	-	7,107	1	7,107	711	Yes	Drilling and dust control
PP-WB-3295	60° 48' 29"	115° 2' 45"	085B/14	-	17,776	1	17,776	1,778	Yes	Drilling and dust control
PP-WB-3296	60° 48' 33"	115° 4' 57"	085B/14	-	9,639	1	9,639	964	Yes	Drilling and dust control
				M10835 / M10838 / M10844 / M10844 / M10835						
PP-WB-3297	60° 48' 16"	114° 47' 40"	085B/15	M10835	22,144	1	22,144	2,214	Yes	Drilling and dust control
PP-WB-3298	60° 48' 31"	115° 2' 27"	085B/14	M10838	6,567	1	6,567	657	Yes	Drilling and dust control
PP-WB-3299	60° 48' 34"	115° 4' 18"	085B/14	M10844	2,784	1	2,784	278	Yes	Drilling and dust control
PP-WB-3300	60° 47' 37"	114° 11' 17"	085B/16	M10844	7,217	1	7,217	722	Yes	Drilling and dust control
PP-WB-3301	60° 48' 31"	115° 0' 21"	085B/14	M10844	2,323	1	2,323	232	Yes	Drilling and dust control
PP-WB-3302	60° 48' 37"	115° 7' 36"	085B/14	M10844	1,788	1	1,788	179	Yes	Drilling and dust control</td

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-3350	60° 48' 34"	114° 52' 39"	085B/15	M10844	14,188	1	14,188	1,419	Yes	Drilling and dust control
PP-WB-3351	60° 48' 50"	115° 7' 58"	085B/14	-	1,445	1	1,445	145	Yes	Drilling and dust control
PP-WB-3352	60° 48' 42"	115° 0' 35"	085B/14	-	20,129	1	20,129	2,013	Yes	Drilling and dust control
PP-WB-3353	60° 48' 42"	114° 59' 57"	085B/15	-	4,140	1	4,140	414	Yes	Drilling and dust control
PP-WB-3354	60° 48' 42"	115° 0' 23"	085B/14	-	9,115	1	9,115	911	Yes	Drilling and dust control
PP-WB-3355	60° 48' 0"	114° 18' 50"	085B/16	-	2,500	1	2,500	250	Yes	Drilling and dust control
PP-WB-3356	60° 47' 57"	114° 16' 18"	085B/16	-	1,326	1	1,326	133	Yes	Drilling and dust control
PP-WB-3357	60° 48' 50"	115° 8' 26"	085B/14	-	1,196	1	1,196	120	Yes	Drilling and dust control
PP-WB-3358	60° 48' 50"	115° 7' 26"	085B/14	-	2,246	1	2,246	225	Yes	Drilling and dust control
PP-WB-3359	60° 48' 44"	115° 1' 41"	085B/14	-	3,377	1	3,377	338	Yes	Drilling and dust control
PP-WB-336	60° 38' 44"	114° 2' 25"	085B/09	-	2,903	1	2,903	290	Yes	Drilling and dust control
PP-WB-3360	60° 48' 51"	115° 8' 12"	085B/14	-	1,126	1	1,126	113	Yes	Drilling and dust control
PP-WB-3361	60° 48' 46"	115° 2' 57"	085B/14	-	4,958	1	4,958	496	Yes	Drilling and dust control
PP-WB-3363	60° 48' 1"	114° 18' 45"	085B/16	-	1,609	1	1,609	161	Yes	Drilling and dust control
PP-WB-3364	60° 47' 59"	114° 16' 56"	085B/16	-	1,249	1	1,249	125	Yes	Drilling and dust control
PP-WB-3365	60° 47' 56"	114° 14' 54"	085B/16	-	5,885	1	5,885	588	Yes	Drilling and dust control
PP-WB-3366	60° 47' 57"	114° 15' 18"	085B/16	-	2,134	1	2,134	213	Yes	Drilling and dust control
PP-WB-3367	60° 47' 59"	114° 16' 49"	085B/16	-	1,807	1	1,807	181	Yes	Drilling and dust control
PP-WB-3368	60° 47' 58"	114° 16' 34"	085B/16	-	1,943	1	1,943	194	Yes	Drilling and dust control
PP-WB-3369	60° 48' 0"	114° 17' 3"	085B/16	-	1,017	1	1,017	102	Yes	Drilling and dust control
PP-WB-3370	60° 47' 54"	114° 14' 47"	085B/16	-	16,762	1	16,762	1,676	Yes	Drilling and dust control
PP-WB-3371	60° 48' 2"	114° 19' 0"	085B/16	-	1,134	1	1,134	113	Yes	Drilling and dust control
PP-WB-3372	60° 48' 2"	114° 18' 37"	085B/16	-	1,191	1	1,191	119	Yes	Drilling and dust control
PP-WB-3373	60° 48' 0"	114° 17' 12"	085B/16	-	1,710	1	1,710	171	Yes	Drilling and dust control
PP-WB-3374	60° 48' 45"	115° 0' 48"	085B/14	-	8,334	1	8,334	833	Yes	Drilling and dust control
PP-WB-3375	60° 48' 48"	115° 4' 33"	085B/14	-	9,168	1	9,168	917	Yes	Drilling and dust control
PP-WB-3376	60° 48' 44"	115° 0' 26"	085B/14, 085B/15	-	11,819	1	11,819	1,182	Yes	Drilling and dust control
PP-WB-3377	60° 48' 46"	115° 1' 19"	085B/14	-	3,523	1	3,523	352	Yes	Drilling and dust control
PP-WB-3378	60° 48' 46"	115° 3' 21"	085B/14	-	13,073	1	13,073	1,307	Yes	Drilling and dust control
PP-WB-3379	60° 47' 58"	114° 15' 10"	085B/16	-	3,453	1	3,453	345	Yes	Drilling and dust control
PP-WB-3380	60° 48' 46"	115° 0' 35"	085B/14	-	3,665	1	3,665	367	Yes	Drilling and dust control
PP-WB-3381	60° 48' 47"	115° 1' 19"	085B/14	-	3,789	1	3,789	379	Yes	Drilling and dust control
PP-WB-3382	60° 48' 0"	114° 16' 46"	085B/16	-	2,174	1	2,174	217	Yes	Drilling and dust control
PP-WB-3384	60° 48' 46"	115° 0' 13"	085B/14	-	6,729	1	6,729	673	Yes	Drilling and dust control
PP-WB-3386	60° 48' 4"	114° 18' 56"	085B/16	-	2,511	1	2,511	251	Yes	Drilling and dust control
PP-WB-3387	60° 48' 4"	114° 18' 39"	085B/16	-	1,354	1	1,354	135	Yes	Drilling and dust control
PP-WB-3389	60° 48' 54"	115° 7' 50"	085B/14	-	5,817	1	5,817	582	Yes	Drilling and dust control
PP-WB-339	60° 38' 58"	114° 13' 19"	085B/09	-	42,629	1	42,629	4,263	Yes	Drilling and dust control
PP-WB-3390	60° 48' 4"	114° 18' 50"	085B/16	-	1,334	1	1,334	133	Yes	Drilling and dust control
PP-WB-3391	60° 48' 2"	114° 16' 49"	085B/16	-	2,194	1	2,194	219	Yes	Drilling and dust control
PP-WB-3392	60° 48' 48"	115° 6' 39"	085B/14	-	96,780	1	96,780	9,678	Yes	Drilling and dust control
PP-WB-3393	60° 48' 5"	114° 18' 28"	085B/16	-	1,356	1	1,356	136	Yes	Drilling and dust control
PP-WB-3394	60° 48' 5"	114° 18' 23"	085B/16	-	1,410	1	1,410	141	Yes	Drilling and dust control
PP-WB-3395	60° 48' 53"	115° 6' 27"	085B/14	-	12,960	1	12,960	1,296	Yes	Drilling and dust control
PP-WB-3396	60° 48' 49"	115° 0' 53"	085B/14	-	5,864	1	5,864	586	Yes	Drilling and dust control
PP-WB-3397	60° 48' 53"	115° 4' 37"	085B/14	-	1,800	1	1,800	180	Yes	Drilling and dust control
PP-WB-3398	60° 48' 49"	115° 0' 25"	085B/14	-	12,264	1	12,264	1,226	Yes	Drilling and dust control
PP-WB-3399	60° 48' 3"	114° 16' 33"	085B/16	-	1,586	1	1,586	159	Yes	Drilling and dust control
PP-WB-34	60° 37' 56"	114° 10' 29"	085B/09	-	1,489	1	1,489	149	Yes	Drilling and dust control
PP-WB-340	60° 39' 0"	114° 13' 59"	085B/09	-	13,258	1	13,258	1,326	Yes	Drilling and dust control
PP-WB-3400	60° 47' 59"	114° 12' 14"	085B/16	-	1,087	1	1,087	109	Yes	Drilling and dust control
PP-WB-3401	60° 48' 53"	115° 4' 17"	085B/14	-	4,656	1	4,656	466	Yes	Drilling and dust control
PP-WB-3402	60° 47' 58"	114° 12' 4"	085B/16	-	2,802	1	2,802	280	Yes	Drilling and dust control
PP-WB-3403	60° 48' 54"	115° 4' 59"	085B/14	-	1,245	1	1,245	124	Yes	Drilling and dust control
PP-WB-3404	60° 48' 51"	115° 3' 36"	085B/14	-	14,469	1	14,469	1,447	Yes	Drilling and dust control
PP-WB-3405	60° 48' 0"	114° 14' 40"	085B/16	-	11,317	1	11,317	1,132	Yes	Drilling and dust control
PP-WB-3406	60° 48' 0"	114° 14' 56"	085B/16	-	11,507	1	11,507	1,151	Yes	Drilling and dust control
PP-WB-3407	60° 48' 8"	114° 18' 58"	085B/16	-	2,338	1	2,338	234	Yes	Drilling and dust control
PP-WB-3408	60° 48' 39"	114° 47' 42"	085B/15	M10844 / M10838	7,069	1	7,069	707	Yes	Drilling and dust control
PP-WB-3409	60° 48' 41"	114° 52' 9"	085B/15	M10844	28,631	1	28,631	2,863	Yes	Drilling and dust control
PP-WB-341	60° 39' 0"	114° 14' 17"	085B/09	-	6,253	1	6,253	625	Yes	Drilling and dust control
PP-WB-3410	60° 48' 53"	115° 4' 47"	085B/14	-	20,302	1	20,3			

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m²)	Mean Depth (m)	Estimated Water Volume (m³)	Annual Withdrawal Limit (m³)	Considered for Water Use?	Usage Activities
PP-WB-3467	60° 49' 8"	115° 7' 17"	085B/14	-	2,709	1	2,709	271	Yes	Drilling and dust control
PP-WB-3468	60° 48' 8"	114° 11' 52"	085B/16	-	12,163	1	12,163	1,216	Yes	Drilling and dust control
PP-WB-3469	60° 48' 16"	114° 16' 32"	085B/16	-	2,309	1	2,309	231	Yes	Drilling and dust control
PP-WB-3470	60° 48' 17"	114° 16' 49"	085B/16	-	1,221	1	1,221	122	Yes	Drilling and dust control
PP-WB-3473	60° 48' 11"	114° 11' 23"	085B/16	-	1,521	1	1,521	152	Yes	Drilling and dust control
PP-WB-3474	60° 48' 33"	114° 30' 47"	085B/15	M10870	4,016	1	4,016	402	Yes	Drilling and dust control
PP-WB-3475	60° 48' 16"	114° 15' 42"	085B/16	-	2,300	1	2,300	230	Yes	Drilling and dust control
PP-WB-3476	60° 48' 12"	114° 12' 57"	085B/16	-	4,479	1	4,479	448	Yes	Drilling and dust control
PP-WB-3478	60° 48' 20"	114° 17' 53"	085B/16	-	1,186	1	1,186	119	Yes	Drilling and dust control
PP-WB-3479	60° 49' 7"	115° 3' 51"	085B/14	-	1,414	1	1,414	141	Yes	Drilling and dust control
PP-WB-348	60° 38' 52"	114° 5' 33"	085B/09	-	1,628	1	1,628	163	Yes	Drilling and dust control
PP-WB-3480	60° 49' 7"	115° 4' 47"	085B/14	-	4,110	1	4,110	411	Yes	Drilling and dust control
PP-WB-3481	60° 48' 18"	114° 16' 36"	085B/16	-	1,975	1	1,975	197	Yes	Drilling and dust control
PP-WB-3482	60° 49' 3"	115° 0' 53"	085B/14, 085B/15	-	15,699	1	15,699	1,570	Yes	Drilling and dust control
PP-WB-3483	60° 49' 18"	115° 15' 59"	085B/14	-	5,384	1	5,384	538	Yes	Drilling and dust control
PP-WB-3484	60° 48' 20"	114° 17' 21"	085B/16	-	2,887	1	2,887	289	Yes	Drilling and dust control
PP-WB-3485	60° 49' 13"	115° 9' 33"	085B/14	-	1,473	1	1,473	147	Yes	Drilling and dust control
PP-WB-3488	60° 48' 55"	114° 50' 8"	085B/15	M10844	8,348	1	8,348	835	Yes	Drilling and dust control
PP-WB-3489	60° 49' 8"	115° 3' 43"	085B/14	-	14,274	1	14,274	1,427	Yes	Drilling and dust control
PP-WB-349	60° 39' 57"	115° 6' 29"	085B/11	-	6,897	1	6,897	690	Yes	Drilling and dust control
PP-WB-3490	60° 48' 21"	114° 17' 16"	085B/16	-	1,898	1	1,898	190	Yes	Drilling and dust control
PP-WB-3491	60° 48' 21"	114° 17' 40"	085B/16	-	2,604	1	2,604	260	Yes	Drilling and dust control
PP-WB-3492	60° 49' 14"	115° 9' 11"	085B/14	-	2,600	1	2,600	260	Yes	Drilling and dust control
PP-WB-3493	60° 49' 15"	115° 9' 25"	085B/14	-	1,405	1	1,405	141	Yes	Drilling and dust control
PP-WB-3494	60° 49' 6"	114° 59' 53"	085B/15	-	4,115	1	4,115	412	Yes	Drilling and dust control
PP-WB-3495	60° 49' 7"	115° 1' 14"	085B/14	-	14,258	1	14,258	1,426	Yes	Drilling and dust control
PP-WB-3496	60° 49' 8"	115° 4' 36"	085B/14	-	21,026	1	21,026	2,103	Yes	Drilling and dust control
PP-WB-3497	60° 48' 22"	114° 17' 24"	085B/16	-	1,690	1	1,690	169	Yes	Drilling and dust control
PP-WB-3498	60° 49' 11"	115° 4' 47"	085B/14	-	7,514	1	7,514	751	Yes	Drilling and dust control
PP-WB-35	60° 38' 55"	115° 6' 32"	085B/11	-	4,896	1	4,896	490	Yes	Drilling and dust control
PP-WB-350	60° 39' 5"	114° 14' 56"	085B/09	-	1,256	1	1,256	126	Yes	Drilling and dust control
PP-WB-3500	60° 49' 20"	115° 16' 23"	085B/14	-	12,167	1	12,167	1,217	Yes	Drilling and dust control
PP-WB-3501	60° 48' 22"	114° 16' 26"	085B/16	-	2,834	1	2,834	283	Yes	Drilling and dust control
PP-WB-3502	60° 49' 7"	114° 58' 40"	085B/15	-	3,355	1	3,355	336	Yes	Drilling and dust control
PP-WB-3504	60° 49' 2"	115° 0' 33"	085B/14	-	51,071	1	51,071	5,107	Yes	Drilling and dust control
PP-WB-3505	60° 48' 20"	114° 14' 7"	085B/16	-	2,972	1	2,972	297	Yes	Drilling and dust control
PP-WB-3507	60° 49' 17"	115° 9' 66"	085B/14	-	1,057	1	1,057	106	Yes	Drilling and dust control
PP-WB-3509	60° 49' 12"	115° 3' 53"	085B/14	-	3,479	1	3,479	348	Yes	Drilling and dust control
PP-WB-351	60° 38' 45"	114° 0' 17"	085B/09	-	2,689	1	2,689	269	Yes	Drilling and dust control
PP-WB-3510	60° 48' 22"	114° 15' 12"	085B/16	-	1,932	1	1,932	193	Yes	Drilling and dust control
PP-WB-3512	60° 48' 56"	114° 50' 51"	085B/15	M10844	103,651	1	103,651	10,365	Yes	Drilling and dust control
PP-WB-3513	60° 49' 20"	115° 11' 23"	085B/14	-	1,060	1	1,060	106	Yes	Drilling and dust control
PP-WB-3514	60° 49' 13"	115° 3' 77"	085B/14	-	6,800	1	6,800	680	Yes	Drilling and dust control
PP-WB-3516	60° 49' 15"	115° 4' 48"	085B/14	-	5,402	1	5,402	540	Yes	Drilling and dust control
PP-WB-3517	60° 49' 14"	115° 3' 59"	085B/14	-	3,528	1	3,528	353	Yes	Drilling and dust control
PP-WB-3518	60° 48' 25"	114° 16' 25"	085B/16	-	2,178	1	2,178	218	Yes	Drilling and dust control
PP-WB-352	60° 39' 30"	114° 36' 28"	085B/10	-	1,483	1	1,483	148	Yes	Drilling and dust control
PP-WB-3520	60° 49' 11"	114° 59' 56"	085B/15	-	5,955	1	5,955	596	Yes	Drilling and dust control
PP-WB-3521	60° 48' 20"	114° 11' 17"	085B/16	-	1,345	1	1,345	134	Yes	Drilling and dust control
PP-WB-3522	60° 48' 26"	114° 16' 7"	085B/16	-	3,606	1	3,606	361	Yes	Drilling and dust control
PP-WB-3523	60° 48' 20"	114° 11' 31"	085B/16	-	2,065	1	2,065	206	Yes	Drilling and dust control
PP-WB-3525	60° 49' 6"	114° 52' 50"	085B/15	M10844	2,954	1	2,954	295	Yes	Drilling and dust control
PP-WB-3526	60° 49' 6"	114° 57' 51"	085B/15	-	12,396	1	12,396	1,240	Yes	Drilling and dust control
PP-WB-3527	60° 49' 10"	114° 58' 24"	085B/15	-	7,515	1	7,515	751	Yes	Drilling and dust control
PP-WB-3528	60° 48' 28"	114° 15' 58"	085B/16	-	1,617	1	1,617	162	Yes	Drilling and dust control
PP-WB-3529	60° 49' 20"	115° 7' 75"	085B/14	-	6,020	1	6,020	602	Yes	Drilling and dust control
PP-WB-353	60° 39' 3"	114° 13' 47"	085B/09	-	6,053	1	6,053	605	Yes	Drilling and dust control
PP-WB-3530	60° 49' 27"	115° 16' 53"	085B/14	-	7,669	1	7,669	767	Yes	Drilling and dust control
PP-WB-3531	60° 48' 28"	114° 16' 16"	085B/16	-	1,568	1	1,568	157	Yes	Drilling and dust control
PP-WB-3533	60° 48' 47"	114° 35' 22"	085B/15	M10866	53,854	1	53,854	5,385	Yes	Drilling and dust control
PP-WB-3534	60° 49' 13"	115° 3' 19"	085B/14	-	37,615	1	37,615	3,762	Yes	Drilling and dust control
PP-WB-3535	60° 49' 10"	115° 1' 47"	085B/14	-	151,317	1	151,317	15,132	Yes	Drilling and dust control

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-3603	60° 48' 33"	114° 10' 42"	085B/16	-	4,448	1	4,448	445	Yes	Drilling and dust control
PP-WB-3607	60° 49' 27"	115° 0' 47"	085B/14	-	6,144	1	6,144	614	Yes	Drilling and dust control
PP-WB-3608	60° 49' 25"	115° 1' 17"	085B/14	-	20,634	1	20,634	2,063	Yes	Drilling and dust control
PP-WB-3609	60° 49' 33"	115° 5' 22"	085B/14	-	1,502	1	1,502	150	Yes	Drilling and dust control
PP-WB-3612	60° 49' 34"	115° 6' 23"	085B/14	-	2,244	1	2,244	224	Yes	Drilling and dust control
PP-WB-3613	60° 49' 43"	115° 16' 46"	085B/14	-	1,824	1	1,824	182	Yes	Drilling and dust control
PP-WB-3614	60° 49' 36"	115° 7' 47"	085B/14	-	1,129	1	1,129	113	Yes	Drilling and dust control
PP-WB-3616	60° 48' 55"	114° 29' 51"	085B/16	M10299	41,099	1	41,099	4,110	Yes	Drilling and dust control
PP-WB-3617	60° 48' 36"	114° 10' 8"	085B/16	-	1,369	1	1,369	137	Yes	Drilling and dust control
PP-WB-3618	60° 49' 32"	115° 3' 51"	085B/14	-	9,699	1	9,699	970	Yes	Drilling and dust control
PP-WB-3619	60° 49' 37"	115° 7' 54"	085B/14	-	1,372	1	1,372	137	Yes	Drilling and dust control
PP-WB-3620	60° 49' 37"	115° 7' 39"	085B/14	-	1,162	1	1,162	116	Yes	Drilling and dust control
PP-WB-3621	60° 49' 31"	115° 0' 51"	085B/14	-	5,548	1	5,548	555	Yes	Drilling and dust control
PP-WB-3622	60° 49' 36"	115° 6' 12"	085B/14	-	4,475	1	4,475	448	Yes	Drilling and dust control
PP-WB-3623	60° 49' 30"	115° 0' 24"	085B/14	-	10,906	1	10,906	1,091	Yes	Drilling and dust control
PP-WB-3624	60° 49' 33"	115° 2' 22"	085B/14	-	9,019	1	9,019	902	Yes	Drilling and dust control
PP-WB-3625	60° 49' 41"	115° 10' 48"	085B/14	-	1,197	1	1,197	120	Yes	Drilling and dust control
PP-WB-3626	60° 49' 41"	115° 10' 54"	085B/14	-	1,327	1	1,327	133	Yes	Drilling and dust control
PP-WB-3628	60° 49' 32"	115° 1' 72"	085B/14	-	11,088	1	11,088	1,109	Yes	Drilling and dust control
PP-WB-3630	60° 48' 39"	114° 10' 27"	085B/16	-	3,007	1	3,007	301	Yes	Drilling and dust control
PP-WB-3631	60° 49' 43"	115° 13' 13"	085B/14	-	2,213	1	2,213	221	Yes	Drilling and dust control
PP-WB-3632	60° 49' 39"	115° 7' 41"	085B/14	-	1,033	1	1,033	103	Yes	Drilling and dust control
PP-WB-3633	60° 49' 38"	115° 6' 59"	085B/14	-	6,820	1	6,820	682	Yes	Drilling and dust control
PP-WB-3636	60° 49' 39"	115° 6' 31"	085B/14	-	2,381	1	2,381	238	Yes	Drilling and dust control
PP-WB-3637	60° 49' 36"	115° 3' 42"	085B/14	-	8,430	1	8,430	843	Yes	Drilling and dust control
PP-WB-3639	60° 48' 45"	114° 13' 39"	085B/16	-	1,328	1	1,328	133	Yes	Drilling and dust control
PP-WB-364	60° 38' 47"	113° 59' 23"	085A/12	-	1,093	1	1,093	109	Yes	Drilling and dust control
PP-WB-3640	60° 48' 45"	114° 14' 2"	085B/16	-	1,096	1	1,096	110	Yes	Drilling and dust control
PP-WB-3641	60° 49' 48"	115° 16' 52"	085B/14	-	1,256	1	1,256	126	Yes	Drilling and dust control
PP-WB-3642	60° 48' 41"	114° 10' 4"	085B/16	-	1,814	1	1,814	181	Yes	Drilling and dust control
PP-WB-3643	60° 49' 48"	115° 16' 18"	085B/14	-	1,233	1	1,233	123	Yes	Drilling and dust control
PP-WB-3644	60° 48' 45"	114° 13' 26"	085B/16	-	1,943	1	1,943	194	Yes	Drilling and dust control
PP-WB-3646	60° 49' 39"	115° 4' 26"	085B/14	-	1,832	1	1,832	183	Yes	Drilling and dust control
PP-WB-3647	60° 49' 43"	115° 9' 12"	085B/14	-	1,615	1	1,615	162	Yes	Drilling and dust control
PP-WB-3648	60° 49' 36"	115° 2' 22"	085B/14	-	17,596	1	17,596	1,760	Yes	Drilling and dust control
PP-WB-365	60° 39' 8"	114° 15' 6"	085B/09	-	1,263	1	1,263	126	Yes	Drilling and dust control
PP-WB-3650	60° 49' 36"	115° 0' 11"	085B/14	-	2,912	1	2,912	291	Yes	Drilling and dust control
PP-WB-3654	60° 48' 44"	114° 13' 56"	085B/16	-	9,548	1	9,548	955	Yes	Drilling and dust control
PP-WB-3655	60° 49' 34"	115° 2' 37"	085B/14	-	53,694	1	53,694	5,369	Yes	Drilling and dust control
PP-WB-3656	60° 48' 43"	114° 9' 57"	085B/16	-	1,005	1	1,005	101	Yes	Drilling and dust control
PP-WB-3657	60° 49' 44"	115° 9' 86"	085B/14	-	1,355	1	1,355	135	Yes	Drilling and dust control
PP-WB-3658	60° 49' 42"	115° 6' 34"	085B/14	-	2,052	1	2,052	205	Yes	Drilling and dust control
PP-WB-3659	60° 49' 31"	114° 57' 24"	085B/15	-	4,022	1	4,022	402	Yes	Drilling and dust control
PP-WB-366	60° 39' 4"	114° 12' 33"	085B/09	-	2,967	1	2,967	297	Yes	Drilling and dust control
PP-WB-3660	60° 49' 44"	115° 6' 42"	085B/14	-	1,273	1	1,273	127	Yes	Drilling and dust control
PP-WB-3663	60° 49' 45"	115° 7' 40"	085B/14	-	1,182	1	1,182	118	Yes	Drilling and dust control
PP-WB-3664	60° 49' 47"	115° 9' 25"	085B/14	-	1,036	1	1,036	104	Yes	Drilling and dust control
PP-WB-3665	60° 48' 38"	114° 5' 19"	085B/16	-	2,898	1	2,898	290	Yes	Drilling and dust control
PP-WB-3666	60° 49' 32"	114° 52' 59"	085B/15	M10845	6,096	1	6,096	610	Yes	Drilling and dust control
PP-WB-3667	60° 49' 47"	115° 9' 20"	085B/14	-	1,457	1	1,457	146	Yes	Drilling and dust control
PP-WB-3669	60° 49' 38"	114° 57' 22"	085B/15	-	1,334	1	1,334	133	Yes	Drilling and dust control
PP-WB-367	60° 40' 1"	115° 6' 14"	085B/11	-	2,123	1	2,123	212	Yes	Drilling and dust control
PP-WB-3670	60° 49' 48"	115° 8' 57"	085B/14	-	1,209	1	1,209	121	Yes	Drilling and dust control
PP-WB-3671	60° 49' 42"	115° 1' 58"	085B/14	-	4,994	1	4,994	499	Yes	Drilling and dust control
PP-WB-3672	60° 49' 49"	115° 9' 38"	085B/14	-	1,004	1	1,004	100	Yes	Drilling and dust control
PP-WB-3674	60° 49' 49"	115° 9' 17"	085B/14	-	1,651	1	1,651	165	Yes	Drilling and dust control
PP-WB-3675	60° 48' 40"	114° 4' 26"	085B/16	-	1,524	1	1,524	152	Yes	Drilling and dust control
PP-WB-3676	60° 49' 54"	115° 14' 55"	085B/14	-	1,403	1	1,403	140	Yes	Drilling and dust control
PP-WB-3677	60° 49' 29"	114° 47' 12"	085B/15	NT-4871	3,874	1	3,874	387	Yes	Drilling and dust control
PP-WB-3678	60° 49' 27"	114° 45' 9"	085B/15	M10837	4,647	1	4,647	465	Yes	Drilling and dust control
PP-WB-3679	60° 49' 51"	115° 10' 18"	085B/14	-	1,254	1	1,254	125	Yes	Drilling and dust control
PP-WB-3681	60° 49' 45"	115° 3' 46"	085B/14	-	8,436	1	8,436	844	Yes	Drilling and dust control
PP-W										

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m²)	Mean Depth (m)	Estimated Water Volume (m³)	Annual Withdrawal Limit (m³)	Considered for Water Use?	Usage Activities
PP-WB-3744	60° 49' 59"	115° 1' 16"	085B/14	-	1,504	1	1,504	150	Yes	Drilling and dust control
PP-WB-3745	60° 50' 8"	115° 11' 21"	085B/14	-	1,249	1	1,249	125	Yes	Drilling and dust control
PP-WB-3746	60° 50' 7"	115° 10' 36"	085B/14	-	2,670	1	2,670	267	Yes	Drilling and dust control
PP-WB-3748	60° 49' 27"	114° 29' 29"	085B/16	M10861 / M10299	6,190	1	6,190	619	Yes	Drilling and dust control
PP-WB-3750	60° 50' 0"	115° 1' 27"	085B/14	-	1,758	1	1,758	176	Yes	Drilling and dust control
PP-WB-3751	60° 50' 0"	115° 3' 50"	085B/14	-	6,893	1	6,893	689	Yes	Drilling and dust control
PP-WB-3754	60° 50' 6"	115° 9' 17"	085B/14	-	5,261	1	5,261	526	Yes	Drilling and dust control
PP-WB-3755	60° 50' 10"	115° 13' 14"	085B/14	-	1,498	1	1,498	150	Yes	Drilling and dust control
PP-WB-3757	60° 49' 29"	114° 29' 19"	085B/16	M10299	1,021	1	1,021	102	Yes	Drilling and dust control
PP-WB-3759	60° 50' 3"	115° 4' 21"	085B/14	-	3,867	1	3,867	387	Yes	Drilling and dust control
PP-WB-376	60° 39' 1"	114° 13' 39"	085B/09	-	44,592	1	44,592	4,459	Yes	Drilling and dust control
PP-WB-3760	60° 50' 10"	115° 11' 7"	085B/14	-	1,797	1	1,797	180	Yes	Drilling and dust control
PP-WB-3761	60° 50' 2"	115° 2' 53"	085B/14	-	4,858	1	4,858	486	Yes	Drilling and dust control
PP-WB-3762	60° 49' 51"	114° 49' 21"	085B/15	NT-4871	1,764	1	1,764	176	Yes	Drilling and dust control
PP-WB-3763	60° 50' 12"	115° 13' 35"	085B/14	-	1,587	1	1,587	159	Yes	Drilling and dust control
PP-WB-3764	60° 49' 28"	114° 27' 55"	085B/16	M10298	2,531	1	2,531	253	Yes	Drilling and dust control
PP-WB-3765	60° 50' 5"	115° 4' 18"	085B/14	-	1,443	1	1,443	144	Yes	Drilling and dust control
PP-WB-3766	60° 50' 4"	115° 3' 56"	085B/14	-	5,306	1	5,306	531	Yes	Drilling and dust control
PP-WB-3767	60° 50' 12"	115° 13' 17"	085B/14	-	4,003	1	4,003	400	Yes	Drilling and dust control
PP-WB-3768	60° 50' 6"	115° 3' 54"	085B/14	-	2,449	1	2,449	245	Yes	Drilling and dust control
PP-WB-3769	60° 50' 9"	115° 8' 46"	085B/14	-	8,852	1	8,852	885	Yes	Drilling and dust control
PP-WB-377	60° 39' 46"	114° 49' 4"	085B/10	-	1,447	1	1,447	145	Yes	Drilling and dust control
PP-WB-3770	60° 49' 11"	114° 12' 8"	085B/16	-	1,944	1	1,944	194	Yes	Drilling and dust control
PP-WB-3775	60° 49' 24"	114° 21' 52"	085B/16	M10301 / M10300	3,783	1	3,783	378	Yes	Drilling and dust control
PP-WB-3776	60° 50' 11"	115° 8' 22"	085B/14	-	1,889	1	1,889	189	Yes	Drilling and dust control
PP-WB-3777	60° 50' 2"	114° 59' 11"	085B/15	-	3,758	1	3,758	376	Yes	Drilling and dust control
PP-WB-3778	60° 50' 1"	114° 57' 23"	085B/15	-	3,574	1	3,574	357	Yes	Drilling and dust control
PP-WB-3779	60° 50' 4"	115° 3' 13"	085B/14	-	13,941	1	13,941	1,394	Yes	Drilling and dust control
PP-WB-3780	60° 50' 18"	115° 15' 49"	085B/14	-	2,349	1	2,349	235	Yes	Drilling and dust control
PP-WB-3781	60° 49' 49"	114° 49' 27"	085B/15	NT-4871	35,743	1	35,743	3,574	Yes	Drilling and dust control
PP-WB-3782	60° 50' 12"	115° 8' 44"	085B/14	-	5,576	1	5,576	558	Yes	Drilling and dust control
PP-WB-3783	60° 49' 27"	114° 21' 28"	085B/16	M10301	2,897	1	2,897	290	Yes	Drilling and dust control
PP-WB-3784	60° 49' 29"	114° 23' 29"	085B/16	M10300	5,031	1	5,031	503	Yes	Drilling and dust control
PP-WB-3787	60° 50' 6"	115° 4' 33"	085B/14	-	66,801	1	66,801	6,680	Yes	Drilling and dust control
PP-WB-3788	60° 50' 16"	115° 8' 50"	085B/14	-	1,073	1	1,073	107	Yes	Drilling and dust control
PP-WB-3789	60° 49' 16"	114° 11' 42"	085B/16	-	1,400	1	1,400	140	Yes	Drilling and dust control
PP-WB-379	60° 38' 49"	114° 0' 39"	085A/12	-	7,036	1	7,036	704	Yes	Drilling and dust control
PP-WB-3790	60° 50' 20"	115° 13' 32"	085B/14	-	1,478	1	1,478	148	Yes	Drilling and dust control
PP-WB-3791	60° 50' 9"	115° 1' 64"	085B/14	-	4,221	1	4,221	422	Yes	Drilling and dust control
PP-WB-3792	60° 50' 3"	114° 56' 41"	085B/15	-	8,841	1	8,841	884	Yes	Drilling and dust control
PP-WB-3793	60° 50' 8"	114° 58' 50"	085B/15	-	1,273	1	1,273	127	Yes	Drilling and dust control
PP-WB-3795	60° 49' 17"	114° 11' 49"	085B/16	-	2,355	1	2,355	236	Yes	Drilling and dust control
PP-WB-3796	60° 50' 16"	115° 8' 89"	085B/14	-	5,892	1	5,892	589	Yes	Drilling and dust control
PP-WB-3797	60° 50' 14"	115° 5' 12"	085B/14	-	1,677	1	1,677	168	Yes	Drilling and dust control
PP-WB-38	60° 38' 54"	115° 5' 36"	085B/11	-	1,736	1	1,736	174	Yes	Drilling and dust control
PP-WB-3800	60° 50' 19"	115° 7' 59"	085B/14	-	2,503	1	2,503	250	Yes	Drilling and dust control
PP-WB-3801	60° 50' 8"	114° 56' 31"	085B/15	-	6,917	1	6,917	692	Yes	Drilling and dust control
PP-WB-3802	60° 50' 14"	115° 4' 17"	085B/14	-	11,152	1	11,152	1,115	Yes	Drilling and dust control
PP-WB-3803	60° 50' 16"	115° 3' 54"	085B/14	-	1,096	1	1,096	110	Yes	Drilling and dust control
PP-WB-3804	60° 49' 9"	114° 2' 42"	085B/16	-	2,578	1	2,578	258	Yes	Drilling and dust control
PP-WB-3805	60° 50' 14"	115° 2' 69"	085B/14	-	5,521	1	5,521	552	Yes	Drilling and dust control
PP-WB-3806	60° 50' 20"	115° 7' 48"	085B/14	-	2,162	1	2,162	216	Yes	Drilling and dust control
PP-WB-3807	60° 49' 21"	114° 11' 5"	085B/16	-	1,638	1	1,638	164	Yes	Drilling and dust control
PP-WB-381	60° 39' 2"	114° 9' 11"	085B/09	-	3,214	1	3,214	321	Yes	Drilling and dust control
PP-WB-3810	60° 49' 53"	114° 39' 1"	085B/15	M10815	4,140	1	4,140	414	Yes	Drilling and dust control
PP-WB-3811	60° 50' 21"	115° 7' 42"	085B/14	-	1,178	1	1,178	118	Yes	Drilling and dust control
PP-WB-3812	60° 50' 13"	115° 3' 58"	085B/14	-	109,982	1	109,982	10,998	Yes	Drilling and dust control
PP-WB-3813	60° 50' 13"	114° 59' 48"	085B/15	-	5,295	1	5,295	529	Yes	Drilling and dust control
PP-WB-3815	60° 50' 16"	115° 4' 41"	085B/14	-	45,087	1	45,087	4,509	Yes	Drilling and dust control
PP-WB-3817	60° 50' 24"	115° 7' 56"	085B/14	-	2,499	1	2,499	250	Yes	Drilling and dust control
PP-WB-3818	60° 49' 46"	114° 29' 32"	085B/16	M10861 / M10653	2,535	1	2,535	253	Yes	Drilling and dust control
PP-WB-3819	60° 49' 13"	114° 2' 29"	085B/16	-	1,785	1	1,785	179	Yes	Drilling and dust control

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-3885	60° 50' 39"	115° 6' 12"	085B/14	-	2,530	1	2,530	253	Yes	Drilling and dust control
PP-WB-3886	60° 50' 36"	115° 6' 32"	085B/14	-	18,147	1	18,147	1,815	Yes	Drilling and dust control
PP-WB-3887	60° 49' 41"	114° 11' 11"	085B/16	-	3,927	1	3,927	393	Yes	Drilling and dust control
PP-WB-3888	60° 50' 37"	115° 6' 44"	085B/14	-	20,291	1	20,291	2,029	Yes	Drilling and dust control
PP-WB-3889	60° 50' 35"	115° 3' 21"	085B/14	-	21,403	1	21,403	2,140	Yes	Drilling and dust control
PP-WB-3890	60° 49' 37"	114° 9' 34"	085B/16	-	15,236	1	15,236	1,524	Yes	Drilling and dust control
PP-WB-3894	60° 50' 41"	115° 6' 48"	085B/14	-	1,701	1	1,701	170	Yes	Drilling and dust control
PP-WB-3895	60° 50' 30"	114° 5' 45"	085B/15	-	5,355	1	5,355	535	Yes	Drilling and dust control
PP-WB-3896	60° 50' 41"	115° 6' 16"	085B/14	-	6,474	1	6,474	647	Yes	Drilling and dust control
PP-WB-3897	60° 49' 39"	114° 7' 39"	085B/16	-	1,233	1	1,233	123	Yes	Drilling and dust control
PP-WB-3898	60° 50' 39"	115° 3' 94"	085B/14	-	1,604	1	1,604	160	Yes	Drilling and dust control
PP-WB-3899	60° 50' 42"	115° 6' 40"	085B/14	-	1,697	1	1,697	170	Yes	Drilling and dust control
PP-WB-39	60° 38' 53"	115° 2' 55"	085B/11	-	1,607	1	1,607	161	Yes	Drilling and dust control
PP-WB-3900	60° 50' 39"	115° 3' 30"	085B/14	-	6,635	1	6,635	663	Yes	Drilling and dust control
PP-WB-3901	60° 50' 42"	115° 6' 03"	085B/14	-	1,672	1	1,672	167	Yes	Drilling and dust control
PP-WB-3904	60° 50' 40"	115° 4' 55"	085B/14	-	9,767	1	9,767	977	Yes	Drilling and dust control
PP-WB-3905	60° 50' 42"	115° 6' 26"	085B/14	-	10,878	1	10,878	1,088	Yes	Drilling and dust control
PP-WB-3906	60° 50' 47"	115° 11' 43"	085B/14	-	2,425	1	2,425	243	Yes	Drilling and dust control
PP-WB-3909	60° 50' 34"	114° 56' 23"	085B/15	-	10,782	1	10,782	1,078	Yes	Drilling and dust control
PP-WB-391	60° 39' 13"	114° 13' 18"	085B/09	-	1,907	1	1,907	191	Yes	Drilling and dust control
PP-WB-3912	60° 50' 33"	114° 54' 34"	085B/15	-	16,326	1	16,326	1,633	Yes	Drilling and dust control
PP-WB-3913	60° 49' 29"	113° 59' 21"	085A/13	-	25,949	1	25,949	2,595	Yes	Drilling and dust control
PP-WB-3914	60° 50' 44"	115° 5' 24"	085B/14	-	2,869	1	2,869	287	Yes	Drilling and dust control
PP-WB-3915	60° 49' 34"	114° 1' 15"	085B/16	-	2,448	1	2,448	245	Yes	Drilling and dust control
PP-WB-3916	60° 50' 34"	114° 54' 20"	085B/15	-	11,587	1	11,587	1,159	Yes	Drilling and dust control
PP-WB-3917	60° 49' 43"	114° 7' 40"	085B/16	-	2,874	1	2,874	287	Yes	Drilling and dust control
PP-WB-3919	60° 50' 49"	115° 11' 38"	085B/14	-	4,720	1	4,720	472	Yes	Drilling and dust control
PP-WB-392	60° 38' 59"	114° 6' 00"	085B/09	-	45,127	1	45,127	4,513	Yes	Drilling and dust control
PP-WB-3920	60° 50' 46"	115° 5' 34"	085B/14	-	1,273	1	1,273	127	Yes	Drilling and dust control
PP-WB-3921	60° 50' 43"	115° 1' 57"	085B/14	-	1,645	1	1,645	165	Yes	Drilling and dust control
PP-WB-3922	60° 50' 51"	115° 11' 41"	085B/14	-	2,346	1	2,346	235	Yes	Drilling and dust control
PP-WB-3924	60° 50' 37"	114° 55' 19"	085B/15	-	1,338	1	1,338	134	Yes	Drilling and dust control
PP-WB-3925	60° 49' 56"	114° 16' 30"	085B/16	-	1,065	1	1,065	106	Yes	Drilling and dust control
PP-WB-3926	60° 49' 35"	114° 1' 90"	085B/16	-	4,432	1	4,432	443	Yes	Drilling and dust control
PP-WB-3928	60° 50' 38"	114° 55' 15"	085B/15	-	1,630	1	1,630	163	Yes	Drilling and dust control
PP-WB-393	60° 38' 57"	114° 1' 32"	085B/09	-	1,106	1	1,106	111	Yes	Drilling and dust control
PP-WB-3930	60° 50' 43"	115° 1' 45"	085B/14	-	9,417	1	9,417	942	Yes	Drilling and dust control
PP-WB-3931	60° 50' 38"	114° 56' 13"	085B/15	-	10,240	1	10,240	1,024	Yes	Drilling and dust control
PP-WB-3933	60° 50' 39"	114° 55' 25"	085B/15	-	1,696	1	1,696	170	Yes	Drilling and dust control
PP-WB-3935	60° 50' 10"	114° 26' 52"	085B/16	M10298	6,503	1	6,503	650	Yes	Drilling and dust control
PP-WB-3936	60° 49' 48"	114° 7' 59"	085B/16	-	1,561	1	1,561	156	Yes	Drilling and dust control
PP-WB-3937	60° 50' 49"	115° 6' 10"	085B/14	-	15,494	1	15,494	1,549	Yes	Drilling and dust control
PP-WB-394	60° 39' 18"	114° 18' 32"	085B/09	-	13,127	1	13,127	1,313	Yes	Drilling and dust control
				M10811 / M10825 / M10811 / M10825						
PP-WB-3942	60° 50' 16"	114° 33' 30"	085B/15	M10825	35,261	1	35,261	3,526	Yes	Drilling and dust control
PP-WB-3943	60° 49' 38"	113° 59' 47"	085A/13	-	5,560	1	5,560	556	Yes	Drilling and dust control
PP-WB-3944	60° 50' 38"	114° 54' 8"	085B/15	-	25,417	1	25,417	2,542	Yes	Drilling and dust control
PP-WB-3946	60° 50' 48"	115° 1' 37"	085B/14	-	1,643	1	1,643	164	Yes	Drilling and dust control
PP-WB-3947	60° 50' 43"	114° 55' 34"	085B/15	-	1,717	1	1,717	172	Yes	Drilling and dust control
PP-WB-3948	60° 49' 38"	113° 58' 48"	085A/13	-	1,916	1	1,916	192	Yes	Drilling and dust control
PP-WB-3949	60° 49' 41"	114° 0' 59"	085B/16	-	1,735	1	1,735	173	Yes	Drilling and dust control
PP-WB-395	60° 39' 13"	114° 13' 15"	085B/09	-	1,541	1	1,541	154	Yes	Drilling and dust control
PP-WB-3950	60° 50' 52"	115° 5' 53"	085B/14	-	12,535	1	12,535	1,253	Yes	Drilling and dust control
PP-WB-3952	60° 50' 1"	114° 16' 22"	085B/16	-	2,814	1	2,814	281	Yes	Drilling and dust control
PP-WB-3955	60° 50' 44"	114° 53' 48"	085B/15	-	6,516	1	6,516	652	Yes	Drilling and dust control
PP-WB-3957	60° 50' 54"	115° 4' 40"	085B/14	-	1,171	1	1,171	117	Yes	Drilling and dust control
PP-WB-3960	60° 50' 45"	114° 53' 17"	085B/15	-	4,531	1	4,531	453	Yes	Drilling and dust control
PP-WB-3962	60° 49' 45"	114° 0' 41"	085B/16	-	15,096	1	15,096	1,510	Yes	Drilling and dust control
PP-WB-3964	60° 50' 57"	115° 6' 01"	085B/14	-	5,939	1	5,939	594	Yes	Drilling and dust control
PP-WB-3965	60° 50' 54"	115° 1' 49"	085B/14	-	3,670	1	3,670	367	Yes	Drilling and dust control
PP-WB-3966	60° 50' 56"	115° 6' 11"	085B/14	-	15,378	1	15,378	1,538	Yes	Drilling and dust control
PP-WB-3967	60° 50' 58"	115° 5' 54"	085B/14	-	2,036	1	2,036	204	Yes	Drilling and dust control
PP										

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m²)	Mean Depth (m)	Estimated Water Volume (m³)	Annual Withdrawal Limit (m³)	Considered for Water Use?	Usage Activities
PP-WB-4035	60° 50' 26"	114° 25' 38"	085B/16	M10298 / M10300 / K15916	33,849	1	33,849	3,385	Yes	Drilling and dust control
PP-WB-4037	60° 51' 6"	114° 2' 19"	085B/14	-	3,019	1	3,019	302	Yes	Drilling and dust control
PP-WB-4038	60° 50' 3"	114° 3' 52"	085B/16	-	1,103	1	1,103	110	Yes	Drilling and dust control
PP-WB-4039	60° 50' 19"	114° 17' 24"	085B/16	-	4,728	1	4,728	473	Yes	Drilling and dust control
PP-WB-404	60° 39' 3"	114° 4' 20"	085B/09	-	1,517	1	1,517	152	Yes	Drilling and dust control
PP-WB-4041	60° 50' 52"	114° 46' 23"	085B/15	-	2,118	1	2,118	212	Yes	Drilling and dust control
PP-WB-4043	60° 50' 50"	114° 44' 1"	085B/15	NT-4869	2,971	1	2,971	297	Yes	Drilling and dust control
PP-WB-4045	60° 50' 54"	114° 46' 23"	085B/15	-	2,079	1	2,079	208	Yes	Drilling and dust control
PP-WB-4046	60° 50' 3"	114° 2' 54"	085B/16	-	1,832	1	1,832	183	Yes	Drilling and dust control
PP-WB-4047	60° 50' 54"	114° 46' 14"	085B/15	-	5,261	1	5,261	526	Yes	Drilling and dust control
PP-WB-4048	60° 51' 1"	114° 54' 35"	085B/15	-	4,305	1	4,305	431	Yes	Drilling and dust control
PP-WB-4049	60° 51' 1"	114° 56' 44"	085B/15	-	29,586	1	29,586	2,959	Yes	Drilling and dust control
PP-WB-405	60° 39' 22"	114° 18' 28"	085B/09	-	2,512	1	2,512	251	Yes	Drilling and dust control
PP-WB-4050	60° 51' 1"	114° 52' 25"	085B/15	-	1,112	1	1,112	111	Yes	Drilling and dust control
PP-WB-4052	60° 51' 18"	115° 11' 34"	085B/14	-	1,686	1	1,686	169	Yes	Drilling and dust control
PP-WB-4054	60° 51' 18"	115° 12' 44"	085B/14	-	4,201	1	4,201	420	Yes	Drilling and dust control
PP-WB-4058	60° 51' 9"	115° 1' 56"	085B/14	-	5,166	1	5,166	517	Yes	Drilling and dust control
PP-WB-4059	60° 50' 55"	114° 46' 41"	085B/15	-	12,753	1	12,753	1,275	Yes	Drilling and dust control
PP-WB-406	60° 40' 19"	115° 15' 38"	085B/11	-	1,017	1	1,017	102	Yes	Drilling and dust control
PP-WB-4060	60° 50' 56"	114° 46' 25"	085B/15	-	6,002	1	6,002	600	Yes	Drilling and dust control
PP-WB-4065	60° 50' 14"	114° 8' 26"	085B/16	-	1,783	1	1,783	178	Yes	Drilling and dust control
PP-WB-4067	60° 51' 2"	114° 54' 26"	085B/15	-	18,502	1	18,502	1,850	Yes	Drilling and dust control
PP-WB-4068	60° 51' 20"	115° 10' 44"	085B/14	-	1,384	1	1,384	138	Yes	Drilling and dust control
PP-WB-407	60° 39' 1"	114° 1' 55"	085B/09	-	1,294	1	1,294	129	Yes	Drilling and dust control
PP-WB-4070	60° 50' 3"	113° 59' 46"	085A/13	-	1,052	1	1,052	105	Yes	Drilling and dust control
PP-WB-4072	60° 50' 51"	114° 43' 35"	085B/15	NT-4869	30,599	1	30,599	3,060	Yes	Drilling and dust control
PP-WB-4074	60° 50' 54"	114° 44' 1"	085B/15	NT-4869	8,089	1	8,089	809	Yes	Drilling and dust control
PP-WB-4075	60° 51' 3"	114° 52' 37"	085B/15	-	3,985	1	3,985	399	Yes	Drilling and dust control
PP-WB-4078	60° 51' 7"	114° 57' 19"	085B/15	-	31,581	1	31,581	3,158	Yes	Drilling and dust control
PP-WB-408	60° 39' 8"	114° 7' 45"	085B/09	-	5,236	1	5,236	524	Yes	Drilling and dust control
PP-WB-4080	60° 51' 20"	115° 10' 38"	085B/14	-	18,616	1	18,616	1,862	Yes	Drilling and dust control
PP-WB-4082	60° 51' 14"	115° 2' 23"	085B/14	-	2,365	1	2,365	237	Yes	Drilling and dust control
PP-WB-4083	60° 51' 5"	114° 52' 23"	085B/15	-	4,076	1	4,076	408	Yes	Drilling and dust control
PP-WB-4084	60° 50' 3"	113° 58' 8"	085A/13	-	1,083	1	1,083	108	Yes	Drilling and dust control
PP-WB-4086	60° 50' 6"	113° 59' 35"	085A/13	-	1,098	1	1,098	110	Yes	Drilling and dust control
PP-WB-409	60° 39' 29"	114° 23' 56"	085B/09	-	1,049	1	1,049	105	Yes	Drilling and dust control
PP-WB-4090	60° 50' 5"	113° 58' 56"	085A/13	-	1,569	1	1,569	157	Yes	Drilling and dust control
PP-WB-4092	60° 50' 4"	113° 58' 18"	085A/13	-	3,143	1	3,143	314	Yes	Drilling and dust control
PP-WB-4097	60° 50' 8"	114° 0' 36"	085B/16	-	1,215	1	1,215	122	Yes	Drilling and dust control
PP-WB-41	60° 38' 56"	115° 6' 48"	085B/11	-	10,404	1	10,404	1,040	Yes	Drilling and dust control
PP-WB-410	60° 40' 20"	115° 16' 5"	085B/11	-	1,981	1	1,981	198	Yes	Drilling and dust control
PP-WB-4102	60° 51' 24"	115° 10' 50"	085B/14	-	7,720	1	7,720	772	Yes	Drilling and dust control
PP-WB-4103	60° 50' 20"	114° 8' 30"	085B/16	-	2,008	1	2,008	201	Yes	Drilling and dust control
PP-WB-4104	60° 50' 11"	114° 4' 42"	085B/16	-	21,118	1	21,118	2,112	Yes	Drilling and dust control
PP-WB-4105	60° 50' 13"	114° 2' 57"	085B/16	-	1,098	1	1,098	110	Yes	Drilling and dust control
PP-WB-4106	60° 50' 10"	114° 0' 53"	085B/16	-	1,227	1	1,227	123	Yes	Drilling and dust control
PP-WB-4108	60° 51' 10"	114° 53' 38"	085B/15	-	1,057	1	1,057	106	Yes	Drilling and dust control
PP-WB-411	60° 39' 13"	114° 10' 40"	085B/09	-	1,834	1	1,834	183	Yes	Drilling and dust control
PP-WB-4110	60° 50' 20"	114° 8' 35"	085B/16	-	2,201	1	2,201	220	Yes	Drilling and dust control
PP-WB-4113	60° 51' 27"	115° 11' 31"	085B/14	-	1,129	1	1,129	113	Yes	Drilling and dust control
PP-WB-4117	60° 51' 14"	114° 55' 45"	085B/15	-	4,042	1	4,042	404	Yes	Drilling and dust control
PP-WB-4121	60° 50' 12"	114° 0' 14"	085B/16	-	1,629	1	1,629	163	Yes	Drilling and dust control
PP-WB-4124	60° 50' 16"	114° 3' 78"	085B/16	-	2,512	1	2,512	251	Yes	Drilling and dust control
PP-WB-4126	60° 51' 11"	114° 51' 11"	085B/15	-	2,572	1	2,572	257	Yes	Drilling and dust control
PP-WB-4127	60° 51' 27"	115° 11' 14"	085B/14	-	8,698	1	8,698	870	Yes	Drilling and dust control
PP-WB-4128	60° 50' 11"	113° 58' 41"	085A/13	-	1,279	1	1,279	128	Yes	Drilling and dust control
PP-WB-4129	60° 50' 10"	113° 58' 1"	085A/13	-	1,329	1	1,329	133	Yes	Drilling and dust control
PP-WB-413	60° 39' 16"	114° 14' 2"	085B/09	-	9,668	1	9,668	967	Yes	Drilling and dust control
PP-WB-4131	60° 50' 12"	113° 59' 27"	085A/13	-	3,302	1	3,302	330	Yes	Drilling and dust control
PP-WB-4132	60° 50' 19"	114° 4' 35"	085B/16	-	2,383	1	2,383	238	Yes	Drilling and dust control
PP-WB-4133	60° 50' 13"	113° 59' 11"	085A/13	-	1,101	1	1,101	110	Yes	Drilling and dust control
PP-WB-4137	60° 50' 12"	113° 58' 29"	085A/13	-	1,451	1	1,451	145	Yes	Drilling and dust control
PP-WB-4138	60°									

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-4211	60° 51' 16"	114° 42' 38"	085B/15	NT-4868	3,543	1	3,543	354	Yes	Drilling and dust control
PP-WB-4212	60° 51' 19"	114° 46' 21"	085B/15	-	4,023	1	4,023	402	Yes	Drilling and dust control
PP-WB-4214	60° 51' 31"	115° 2' 29"	085B/14	-	66,228	1	66,228	6,623	Yes	Drilling and dust control
PP-WB-4218	60° 50' 26"	113° 59' 36"	085A/13	-	1,287	1	1,287	129	Yes	Drilling and dust control
PP-WB-4219	60° 50' 32"	114° 4' 12"	085B/16	-	3,309	1	3,309	331	Yes	Drilling and dust control
PP-WB-422	60° 39' 44"	114° 33' 58"	085B/10	-	2,795	1	2,795	280	Yes	Drilling and dust control
PP-WB-4221	60° 51' 41"	115° 9' 51"	085B/14	-	4,133	1	4,133	413	Yes	Drilling and dust control
PP-WB-4222	60° 51' 40"	115° 8' 52"	085B/14	-	14,064	1	14,064	1,406	Yes	Drilling and dust control
PP-WB-4223	60° 50' 27"	114° 0' 35"	085B/16	-	2,867	1	2,867	287	Yes	Drilling and dust control
PP-WB-4224	60° 51' 19"	114° 44' 39"	085B/15	-	5,393	1	5,393	539	Yes	Drilling and dust control
PP-WB-4225	60° 51' 15"	114° 42' 12"	085B/15	NT-4868	11,740	1	11,740	1,174	Yes	Drilling and dust control
PP-WB-4226	60° 50' 26"	113° 59' 7"	085A/13	-	1,533	1	1,533	153	Yes	Drilling and dust control
PP-WB-4227	60° 51' 16"	114° 41' 50"	085B/15	NT-4868	6,690	1	6,690	669	Yes	Drilling and dust control
PP-WB-4228	60° 50' 39"	114° 8' 37"	085B/16	-	1,063	1	1,063	106	Yes	Drilling and dust control
PP-WB-4229	60° 51' 25"	114° 50' 40"	085B/15	-	7,013	1	7,013	701	Yes	Drilling and dust control
PP-WB-423	60° 40' 22"	115° 13' 42"	085B/11	-	1,033	1	1,033	103	Yes	Drilling and dust control
PP-WB-4230	60° 51' 30"	114° 55' 53"	085B/15	-	4,620	1	4,620	462	Yes	Drilling and dust control
PP-WB-4231	60° 51' 18"	114° 44' 29"	085B/15	-	10,048	1	10,048	1,005	Yes	Drilling and dust control
PP-WB-4232	60° 51' 42"	115° 10' 1"	085B/14	-	6,305	1	6,305	630	Yes	Drilling and dust control
PP-WB-4233	60° 51' 41"	115° 8' 35"	085B/14	-	6,565	1	6,565	657	Yes	Drilling and dust control
PP-WB-4235	60° 50' 26"	113° 58' 38"	085A/13	-	2,961	1	2,961	296	Yes	Drilling and dust control
PP-WB-4236	60° 51' 43"	115° 10' 9"	085B/14	-	5,046	1	5,046	505	Yes	Drilling and dust control
PP-WB-4239	60° 50' 27"	113° 58' 28"	085A/13	-	1,940	1	1,940	194	Yes	Drilling and dust control
PP-WB-424	60° 40' 18"	115° 8' 24"	085B/11	-	1,293	1	1,293	129	Yes	Drilling and dust control
PP-WB-4241	60° 51' 31"	114° 56' 1"	085B/15	-	10,703	1	10,703	1,070	Yes	Drilling and dust control
PP-WB-4242	60° 51' 22"	114° 46' 28"	085B/15	-	12,060	1	12,060	1,206	Yes	Drilling and dust control
PP-WB-4243	60° 51' 45"	115° 9' 56"	085B/14	-	1,352	1	1,352	135	Yes	Drilling and dust control
PP-WB-4244	60° 51' 23"	114° 46' 44"	085B/15	-	4,932	1	4,932	493	Yes	Drilling and dust control
PP-WB-4245	60° 50' 35"	114° 4' 81"	085B/16	-	1,679	1	1,679	168	Yes	Drilling and dust control
PP-WB-4246	60° 50' 28"	113° 58' 55"	085A/13	-	1,360	1	1,360	136	Yes	Drilling and dust control
PP-WB-4247	60° 50' 29"	113° 59' 33"	085A/13	-	2,575	1	2,575	258	Yes	Drilling and dust control
PP-WB-4248	60° 50' 36"	114° 4' 20"	085B/16	-	1,670	1	1,670	167	Yes	Drilling and dust control
PP-WB-4249	60° 50' 32"	114° 1' 23"	085B/16	-	3,347	1	3,347	335	Yes	Drilling and dust control
PP-WB-425	60° 39' 27"	114° 18' 34"	085B/09	-	4,330	1	4,330	433	Yes	Drilling and dust control
PP-WB-4251	60° 50' 29"	113° 59' 14"	085A/13	-	1,191	1	1,191	119	Yes	Drilling and dust control
PP-WB-4252	60° 50' 29"	113° 58' 46"	085A/13	-	1,073	1	1,073	107	Yes	Drilling and dust control
PP-WB-4253	60° 51' 44"	115° 8' 43"	085B/14	-	7,412	1	7,412	741	Yes	Drilling and dust control
PP-WB-4254	60° 51' 19"	114° 42' 11"	085B/15	NT-4868	7,852	1	7,852	785	Yes	Drilling and dust control
PP-WB-4255	60° 50' 36"	114° 4' 22"	085B/16	-	1,423	1	1,423	142	Yes	Drilling and dust control
PP-WB-4256	60° 50' 29"	113° 59' 3"	085A/13	-	4,246	1	4,246	425	Yes	Drilling and dust control
PP-WB-4257	60° 50' 30"	113° 59' 23"	085A/13	-	1,526	1	1,526	153	Yes	Drilling and dust control
PP-WB-4258	60° 51' 20"	114° 41' 44"	085B/15	NT-4868	5,667	1	5,667	567	Yes	Drilling and dust control
PP-WB-4259	60° 51' 23"	114° 44' 2"	085B/15	-	3,655	1	3,655	366	Yes	Drilling and dust control
PP-WB-426	60° 39' 5"	114° 1' 28"	085B/09	-	1,260	1	1,260	126	Yes	Drilling and dust control
PP-WB-4262	60° 50' 30"	113° 58' 54"	085A/13	-	1,174	1	1,174	117	Yes	Drilling and dust control
PP-WB-4263	60° 51' 23"	114° 44' 43"	085B/15	-	8,395	1	8,395	839	Yes	Drilling and dust control
PP-WB-4264	60° 51' 23"	114° 44' 17"	085B/15	-	3,419	1	3,419	342	Yes	Drilling and dust control
PP-WB-4265	60° 50' 31"	113° 59' 16"	085A/13	-	1,171	1	1,171	117	Yes	Drilling and dust control
PP-WB-4266	60° 51' 20"	114° 41' 34"	085B/15	NT-4868	9,503	1	9,503	950	Yes	Drilling and dust control
PP-WB-4267	60° 51' 23"	114° 4' 37"	085B/15	-	7,145	1	7,145	714	Yes	Drilling and dust control
PP-WB-4268	60° 51' 40"	115° 1' 25"	085B/14	-	1,459	1	1,459	146	Yes	Drilling and dust control
PP-WB-427	60° 39' 27"	114° 18' 56"	085B/09	-	9,935	1	9,935	993	Yes	Drilling and dust control
PP-WB-4270	60° 50' 33"	114° 0' 20"	085B/16	-	1,656	1	1,656	166	Yes	Drilling and dust control
PP-WB-4271	60° 50' 37"	114° 3' 21"	085B/16	-	1,124	1	1,124	112	Yes	Drilling and dust control
PP-WB-4274	60° 51' 39"	115° 1' 24"	085B/14	-	17,017	1	17,017	1,702	Yes	Drilling and dust control
PP-WB-4276	60° 51' 20"	114° 41' 59"	085B/15	NT-4868	16,008	1	16,008	1,601	Yes	Drilling and dust control
PP-WB-4277	60° 51' 25"	114° 44' 53"	085B/15	-	11,074	1	11,074	1,107	Yes	Drilling and dust control
PP-WB-4278	60° 51' 28"	114° 47' 2"	085B/15	-	5,457	1	5,457	546	Yes	Drilling and dust control
PP-WB-4279	60° 51' 22"	114° 41' 48"	085B/15	NT-4868	6,117	1	6,117	612	Yes	Drilling and dust control
PP-WB-4281	60° 51' 23"	114° 42' 16"	085B/15	NT-4868	5,907	1	5,907	591	Yes	Drilling and dust control
PP-WB-4284	60° 51' 23"	114° 42' 32"	085B/15	NT-4868	23,957	1	23,957	2,396	Yes	Drilling and dust control
PP-WB-4286	60° 51' 29"	114° 46' 40"	085							

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-4352	60° 51' 37"	114° 47' 2"	085B/15	-	8,808	1	8,808	881	Yes	Drilling and dust control
PP-WB-4353	60° 51' 26"	114° 37' 16"	085B/15	M10821 / NT-5241	9,262	1	9,262	926	Yes	Drilling and dust control
PP-WB-4354	60° 50' 46"	114° 2' 12"	085B/16	-	1,575	1	1,575	157	Yes	Drilling and dust control
PP-WB-4355	60° 51' 55"	115° 10' 38"	085B/14	-	39,889	1	39,889	3,989	Yes	Drilling and dust control
PP-WB-4356	60° 51' 47"	114° 58' 57"	085B/15	-	29,876	1	29,876	2,988	Yes	Drilling and dust control
PP-WB-4357	60° 51' 30"	114° 39' 12"	085B/15	NT-5243	3,144	1	3,144	314	Yes	Drilling and dust control
PP-WB-4359	60° 51' 42"	114° 50' 40"	085B/15	-	4,055	1	4,055	405	Yes	Drilling and dust control
PP-WB-436	60° 39' 22"	114° 13' 36"	085B/09	-	9,948	1	9,948	995	Yes	Drilling and dust control
PP-WB-4360	60° 50' 45"	114° 0' 65"	085B/16	-	2,113	1	2,113	211	Yes	Drilling and dust control
PP-WB-4361	60° 51' 59"	115° 10' 23"	085B/14	-	6,567	1	6,567	657	Yes	Drilling and dust control
PP-WB-4362	60° 51' 47"	114° 55' 20"	085B/15	-	2,952	1	2,952	295	Yes	Drilling and dust control
PP-WB-4363	60° 51' 36"	114° 43' 0"	085B/15	-	3,257	1	3,257	326	Yes	Drilling and dust control
PP-WB-4364	60° 51' 46"	114° 58' 10"	085B/15	-	32,148	1	32,148	3,215	Yes	Drilling and dust control
PP-WB-4365	60° 50' 49"	114° 4' 12"	085B/16	-	7,138	1	7,138	714	Yes	Drilling and dust control
PP-WB-4366	60° 51' 43"	114° 50' 51"	085B/15	-	7,978	1	7,978	798	Yes	Drilling and dust control
PP-WB-4367	60° 51' 42"	114° 49' 20"	085B/15	-	3,149	1	3,149	315	Yes	Drilling and dust control
PP-WB-4369	60° 50' 45"	113° 59' 38"	085A/13	-	1,657	1	1,657	166	Yes	Drilling and dust control
PP-WB-437	60° 39' 7"	114° 1' 24"	085B/09	-	5,747	1	5,747	575	Yes	Drilling and dust control
PP-WB-4370	60° 51' 40"	114° 46' 34"	085B/15	-	3,769	1	3,769	377	Yes	Drilling and dust control
PP-WB-4371	60° 51' 33"	114° 39' 35"	085B/15	NT-5243	3,464	1	3,464	346	Yes	Drilling and dust control
PP-WB-4372	60° 51' 51"	114° 58' 14"	085B/15	-	4,654	1	4,654	465	Yes	Drilling and dust control
PP-WB-4373	60° 51' 43"	114° 50' 0"	085B/15	-	3,416	1	3,416	342	Yes	Drilling and dust control
PP-WB-4374	60° 50' 48"	114° 1' 25"	085B/16	-	3,931	1	3,931	393	Yes	Drilling and dust control
PP-WB-4376	60° 51' 47"	114° 54' 52"	085B/15	-	23,218	1	23,218	2,322	Yes	Drilling and dust control
PP-WB-4377	60° 51' 36"	114° 41' 38"	085B/15	M10833	3,939	1	3,939	394	Yes	Drilling and dust control
PP-WB-4378	60° 51' 37"	114° 42' 52"	085B/15	-	8,425	1	8,425	842	Yes	Drilling and dust control
PP-WB-438	60° 40' 21"	115° 8' 23"	085B/11	-	4,479	1	4,479	448	Yes	Drilling and dust control
PP-WB-4380	60° 51' 37"	114° 44' 19"	085B/15	-	33,261	1	33,261	3,326	Yes	Drilling and dust control
PP-WB-4382	60° 51' 40"	114° 44' 48"	085B/15	-	6,180	1	6,180	618	Yes	Drilling and dust control
PP-WB-4385	60° 51' 40"	114° 44' 37"	085B/15	-	4,049	1	4,049	405	Yes	Drilling and dust control
PP-WB-4386	60° 51' 37"	114° 42' 13"	085B/15	M10833	5,115	1	5,115	511	Yes	Drilling and dust control
PP-WB-4387	60° 51' 46"	114° 52' 44"	085B/15	-	26,935	1	26,935	2,694	Yes	Drilling and dust control
PP-WB-4388	60° 51' 46"	114° 50' 22"	085B/15	-	2,564	1	2,564	256	Yes	Drilling and dust control
PP-WB-4389	60° 51' 37"	114° 42' 4"	085B/15	M10833	5,278	1	5,278	528	Yes	Drilling and dust control
PP-WB-4390	60° 51' 48"	114° 51' 29"	085B/15	-	2,506	1	2,506	251	Yes	Drilling and dust control
PP-WB-4392	60° 51' 38"	114° 43' 4"	085B/15	-	7,844	1	7,844	784	Yes	Drilling and dust control
PP-WB-4395	60° 51' 36"	114° 39' 25"	085B/15	NT-5243	2,972	1	2,972	297	Yes	Drilling and dust control
PP-WB-4399	60° 51' 35"	114° 38' 51"	085B/15	NT-5242	4,120	1	4,120	412	Yes	Drilling and dust control
PP-WB-44	60° 38' 56"	115° 5' 30"	085B/11	-	1,808	1	1,808	181	Yes	Drilling and dust control
PP-WB-440	60° 39' 12"	114° 4' 35"	085B/09	-	7,061	1	7,061	706	Yes	Drilling and dust control
PP-WB-4400	60° 51' 38"	114° 41' 55"	085B/15	M10833	7,386	1	7,386	739	Yes	Drilling and dust control
PP-WB-4401	60° 51' 1"	114° 8' 16"	085B/16	-	1,409	1	1,409	141	Yes	Drilling and dust control
PP-WB-4403	60° 51' 35"	114° 42' 42"	085B/15	-	23,250	1	23,250	2,325	Yes	Drilling and dust control
PP-WB-4404	60° 51' 0"	114° 8' 12"	085B/16	-	1,206	1	1,206	121	Yes	Drilling and dust control
PP-WB-4406	60° 51' 36"	114° 40' 2"	085B/15	NT-5243	8,525	1	8,525	852	Yes	Drilling and dust control
PP-WB-4407	60° 51' 48"	114° 50' 29"	085B/15	-	3,540	1	3,540	354	Yes	Drilling and dust control
PP-WB-4409	60° 51' 48"	114° 50' 47"	085B/15	-	2,209	1	2,209	221	Yes	Drilling and dust control
PP-WB-441	60° 40' 27"	115° 15' 18"	085B/11	-	1,514	1	1,514	151	Yes	Drilling and dust control
PP-WB-4410	60° 51' 31"	114° 34' 39"	085B/15	M10811	5,020	1	5,020	502	Yes	Drilling and dust control
PP-WB-4411	60° 51' 47"	114° 49' 49"	085B/15	-	2,030	1	2,030	203	Yes	Drilling and dust control
PP-WB-4413	60° 51' 45"	114° 49' 41"	085B/15	-	18,468	1	18,468	1,847	Yes	Drilling and dust control
PP-WB-4414	60° 51' 47"	114° 49' 9"	085B/15	-	10,478	1	10,478	1,048	Yes	Drilling and dust control
PP-WB-4415	60° 51' 37"	114° 39' 8"	085B/15	NT-5243 / NT-5242	3,399	1	3,399	340	Yes	Drilling and dust control
PP-WB-4416	60° 50' 50"	113° 59' 25"	085A/13	-	1,187	1	1,187	119	Yes	Drilling and dust control
PP-WB-4419	60° 51' 49"	114° 49' 20"	085B/15	-	2,668	1	2,668	267	Yes	Drilling and dust control
PP-WB-442	60° 39' 15"	114° 7' 47"	085B/09	-	17,347	1	17,347	1,735	Yes	Drilling and dust control
PP-WB-4420	60° 51' 49"	114° 49' 57"	085B/15	-	2,009	1	2,009	201	Yes	Drilling and dust control
PP-WB-4422	60° 51' 50"	114° 51' 8"	085B/15	-	3,056	1	3,056	306	Yes	Drilling and dust control
PP-WB-4423	60° 51' 41"	114° 42' 1"	085B/15	M10833	3,893	1	3,893	389	Yes	Drilling and dust control
PP-WB-4424	60° 51' 46"	114° 46' 38"	085B/15	-	5,001	1	5,001	500	Yes	Drilling and dust control
PP-WB-4427	60° 51' 53"	114° 55' 55"	085B/15	-	23,260	1	23,260	2,326	Yes	Drilling and dust control
PP-WB-4429	60°									

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-4494	60° 51' 47"	114° 39' 41"	085B/15	M10834	5,357	1	5,357	536	Yes	Drilling and dust control
PP-WB-4495	60° 51' 58"	114° 49' 30"	085B/15	-	1,961	1	1,961	196	Yes	Drilling and dust control
PP-WB-4496	60° 51' 54"	114° 53' 11"	085B/15	-	97,202	1	97,202	9,720	Yes	Drilling and dust control
PP-WB-4497	60° 50' 59"	113° 58' 53"	085A/13	-	1,228	1	1,228	123	Yes	Drilling and dust control
PP-WB-450	60° 39' 29"	114° 18' 26"	085B/09	-	50,037	1	50,037	5,004	Yes	Drilling and dust control
PP-WB-4500	60° 51' 58"	114° 51' 0"	085B/15	-	6,390	1	6,390	639	Yes	Drilling and dust control
PP-WB-4502	60° 52' 0"	114° 52' 38"	085B/15	-	7,913	1	7,913	791	Yes	Drilling and dust control
PP-WB-4503	60° 51' 50"	114° 42' 43"	085B/15	-	9,230	1	9,230	923	Yes	Drilling and dust control
PP-WB-4504	60° 51' 48"	114° 38' 31"	085B/15	NT-5242	2,891	1	2,891	289	Yes	Drilling and dust control
PP-WB-4506	60° 51' 48"	114° 38' 54"	085B/15	NT-5242	4,713	1	4,713	471	Yes	Drilling and dust control
PP-WB-4507	60° 51' 4"	114° 2' 25"	085B/16	-	8,585	1	8,585	858	Yes	Drilling and dust control
PP-WB-4509	60° 51' 15"	114° 9' 98"	085B/16	-	1,944	1	1,944	194	Yes	Drilling and dust control
PP-WB-451	60° 39' 15"	114° 4' 41"	085B/09	-	3,528	1	3,528	353	Yes	Drilling and dust control
PP-WB-4510	60° 51' 5"	114° 2' 71"	085B/16	-	4,694	1	4,694	469	Yes	Drilling and dust control
PP-WB-4511	60° 51' 6"	114° 3' 78"	085B/16	-	5,264	1	5,264	526	Yes	Drilling and dust control
PP-WB-4512	60° 51' 59"	114° 49' 42"	085B/15	-	4,096	1	4,096	410	Yes	Drilling and dust control
PP-WB-4514	60° 51' 11"	114° 6' 10"	085B/16	-	1,784	1	1,784	178	Yes	Drilling and dust control
PP-WB-4517	60° 51' 53"	114° 42' 30"	085B/15	-	7,042	1	7,042	704	Yes	Drilling and dust control
PP-WB-4518	60° 52' 0"	114° 47' 54"	085B/15	-	3,269	1	3,269	327	Yes	Drilling and dust control
PP-WB-452	60° 39' 31"	114° 16' 41"	085B/09	-	3,504	1	3,504	350	Yes	Drilling and dust control
PP-WB-4520	60° 51' 2"	113° 58' 57"	085A/13	-	2,017	1	2,017	202	Yes	Drilling and dust control
PP-WB-4521	60° 51' 8"	114° 3' 13"	085B/16	-	2,779	1	2,779	278	Yes	Drilling and dust control
PP-WB-4524	60° 51' 6"	114° 0' 30"	085B/16	-	2,172	1	2,172	217	Yes	Drilling and dust control
PP-WB-4525	60° 51' 53"	114° 40' 17"	085B/15	M10834	5,002	1	5,002	500	Yes	Drilling and dust control
PP-WB-4526	60° 52' 7"	114° 54' 50"	085B/15	-	5,675	1	5,675	567	Yes	Drilling and dust control
PP-WB-4527	60° 51' 52"	114° 39' 10"	085B/15	NT-5242	8,745	1	8,745	875	Yes	Drilling and dust control
PP-WB-4528	60° 51' 47"	114° 51' 54"	085B/15	-	210,738	1	210,738	21,074	Yes	Drilling and dust control
PP-WB-453	60° 39' 9"	114° 1' 36"	085B/09	-	17,734	1	17,734	1,773	Yes	Drilling and dust control
PP-WB-4533	60° 51' 11"	114° 3' 28"	085B/16	-	1,729	1	1,729	173	Yes	Drilling and dust control
PP-WB-4534	60° 51' 52"	114° 38' 56"	085B/15	NT-5242	10,068	1	10,068	1,007	Yes	Drilling and dust control
PP-WB-4536	60° 51' 18"	114° 9' 12"	085B/16	-	3,256	1	3,256	326	Yes	Drilling and dust control
PP-WB-4537	60° 52' 7"	114° 51' 11"	085B/15	-	1,232	1	1,232	123	Yes	Drilling and dust control
PP-WB-4539	60° 51' 13"	114° 3' 30"	085B/16	-	1,206	1	1,206	121	Yes	Drilling and dust control
PP-WB-454	60° 39' 6"	114° 0' 46"	085B/09	-	38,873	1	38,873	3,887	Yes	Drilling and dust control
PP-WB-4540	60° 51' 54"	114° 39' 26"	085B/15	M10834	10,847	1	10,847	1,085	Yes	Drilling and dust control
PP-WB-4541	60° 51' 55"	114° 39' 37"	085B/15	M10834	4,269	1	4,269	427	Yes	Drilling and dust control
PP-WB-4543	60° 52' 6"	114° 50' 25"	085B/15	-	3,100	1	3,100	310	Yes	Drilling and dust control
PP-WB-4545	60° 51' 13"	114° 3' 15"	085B/16	-	1,600	1	1,600	160	Yes	Drilling and dust control
PP-WB-4546	60° 51' 12"	114° 2' 29"	085B/16	-	1,013	1	1,013	101	Yes	Drilling and dust control
PP-WB-4547	60° 51' 11"	114° 2' 34"	085B/16	-	9,089	1	9,089	909	Yes	Drilling and dust control
PP-WB-4548	60° 52' 13"	114° 57' 46"	085B/15	-	5,625	1	5,625	562	Yes	Drilling and dust control
PP-WB-455	60° 39' 20"	114° 8' 17"	085B/09	-	3,590	1	3,590	359	Yes	Drilling and dust control
PP-WB-4550	60° 51' 11"	114° 2' 35"	085B/16	-	4,311	1	4,311	431	Yes	Drilling and dust control
PP-WB-4551	60° 52' 8"	114° 51' 15"	085B/15	-	1,253	1	1,253	125	Yes	Drilling and dust control
PP-WB-4555	60° 52' 5"	114° 49' 23"	085B/15	-	9,498	1	9,498	950	Yes	Drilling and dust control
PP-WB-4556	60° 51' 12"	114° 2' 40"	085B/16	-	2,799	1	2,799	280	Yes	Drilling and dust control
PP-WB-4558	60° 52' 8"	114° 50' 20"	085B/15	-	1,266	1	1,266	127	Yes	Drilling and dust control
PP-WB-456	60° 39' 12"	114° 1' 15"	085B/09	-	1,160	1	1,160	116	Yes	Drilling and dust control
PP-WB-4560	60° 52' 6"	114° 49' 33"	085B/15	-	5,943	1	5,943	594	Yes	Drilling and dust control
PP-WB-4561	60° 51' 30"	114° 15' 17"	085B/16	-	2,594	1	2,594	259	Yes	Drilling and dust control
PP-WB-4566	60° 51' 22"	114° 9' 31"	085B/16	-	3,329	1	3,329	333	Yes	Drilling and dust control
PP-WB-4569	60° 51' 57"	114° 39' 7"	085B/15	NT-5242	8,662	1	8,662	866	Yes	Drilling and dust control
PP-WB-4570	60° 52' 0"	114° 40' 10"	085B/15	M10834	2,321	1	2,321	232	Yes	Drilling and dust control
PP-WB-4571	60° 52' 8"	114° 49' 3"	085B/15	-	4,863	1	4,863	486	Yes	Drilling and dust control
PP-WB-4572	60° 52' 10"	114° 49' 51"	085B/15	-	1,789	1	1,789	179	Yes	Drilling and dust control
PP-WB-4573	60° 51' 16"	114° 2' 33"	085B/16	-	1,466	1	1,466	147	Yes	Drilling and dust control
PP-WB-4576	60° 51' 12"	113° 59' 36"	085A/13	-	1,591	1	1,591	159	Yes	Drilling and dust control
PP-WB-4577	60° 51' 25"	114° 9' 29"	085B/16	-	1,100	1	1,100	110	Yes	Drilling and dust control
PP-WB-4579	60° 51' 16"	114° 2' 20"	085B/16	-	2,117	1	2,117	212	Yes	Drilling and dust control
PP-WB-458	60° 39' 32"	114° 17' 54"	085B/09	-	6,293	1	6,293	629	Yes	Drilling and dust control
PP-WB-4581	60° 52' 0"	114° 39' 48"	085B/15	M10834	5,624	1	5,624	562	Yes	Drilling and dust control
PP-WB-4583	60° 51' 13"	114° 0' 69"	085B/16	-	1,832	1	1			

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-4671	60° 52' 28"	114° 48' 54"	085B/15	-	3,959	1	3,959	396	Yes	Drilling and dust control
PP-WB-4672	60° 51' 36"	114° 2' 36"	085B/16	-	1,573	1	1,573	157	Yes	Drilling and dust control
PP-WB-4675	60° 51' 35"	114° 1' 39"	085B/16	-	3,208	1	3,208	321	Yes	Drilling and dust control
PP-WB-468	60° 39' 31"	114° 15' 41"	085B/09	-	7,073	1	7,073	707	Yes	Drilling and dust control
PP-WB-4680	60° 51' 37"	114° 2' 42"	085B/16	-	2,734	1	2,734	273	Yes	Drilling and dust control
PP-WB-4681	60° 52' 34"	114° 51' 33"	085B/15	-	1,070	1	1,070	107	Yes	Drilling and dust control
PP-WB-4683	60° 51' 38"	114° 2' 51"	085B/16	-	1,307	1	1,307	131	Yes	Drilling and dust control
PP-WB-4685	60° 51' 44"	114° 7' 11"	085B/16	-	1,994	1	1,994	199	Yes	Drilling and dust control
PP-WB-4686	60° 52' 31"	114° 48' 45"	085B/15	-	3,287	1	3,287	329	Yes	Drilling and dust control
PP-WB-4688	60° 52' 34"	114° 51' 28"	085B/15	-	2,708	1	2,708	271	Yes	Drilling and dust control
PP-WB-469	60° 39' 27"	114° 13' 7"	085B/09	-	10,939	1	10,939	1,094	Yes	Drilling and dust control
PP-WB-4692	60° 52' 35"	114° 51' 46"	085B/15	-	1,022	1	1,022	102	Yes	Drilling and dust control
PP-WB-4695	60° 52' 34"	114° 49' 0"	085B/15	-	1,220	1	1,220	122	Yes	Drilling and dust control
PP-WB-47	60° 38' 3"	114° 14' 30"	085B/09	-	9,542	1	9,542	954	Yes	Drilling and dust control
PP-WB-470	60° 39' 20"	114° 7' 41"	085B/09	-	12,930	1	12,930	1,293	Yes	Drilling and dust control
PP-WB-4701	60° 52' 37"	114° 51' 22"	085B/15	-	2,935	1	2,935	293	Yes	Drilling and dust control
PP-WB-4703	60° 52' 37"	114° 51' 44"	085B/15	-	1,830	1	1,830	183	Yes	Drilling and dust control
PP-WB-4704	60° 51' 40"	114° 1' 48"	085B/16	-	3,921	1	3,921	392	Yes	Drilling and dust control
PP-WB-4705	60° 52' 35"	114° 48' 48"	085B/15	-	2,370	1	2,370	237	Yes	Drilling and dust control
PP-WB-4707	60° 52' 36"	114° 48' 18"	085B/15	-	1,520	1	1,520	152	Yes	Drilling and dust control
PP-WB-4708	60° 52' 37"	114° 48' 55"	085B/15	-	1,212	1	1,212	121	Yes	Drilling and dust control
PP-WB-471	60° 40' 29"	115° 11' 42"	085B/11	-	1,307	1	1,307	131	Yes	Drilling and dust control
PP-WB-4710	60° 51' 48"	114° 5' 32"	085B/16	-	1,200	1	1,200	120	Yes	Drilling and dust control
PP-WB-4711	60° 51' 43"	114° 2' 43"	085B/16	-	4,426	1	4,426	443	Yes	Drilling and dust control
PP-WB-4712	60° 51' 45"	114° 2' 57"	085B/16	-	1,183	1	1,183	118	Yes	Drilling and dust control
PP-WB-4713	60° 51' 41"	113° 59' 46"	085A/13	-	1,103	1	1,103	110	Yes	Drilling and dust control
PP-WB-4714	60° 52' 41"	114° 51' 42"	085B/15	-	1,793	1	1,793	179	Yes	Drilling and dust control
PP-WB-4716	60° 51' 48"	114° 4' 31"	085B/16	-	1,942	1	1,942	194	Yes	Drilling and dust control
PP-WB-4718	60° 51' 43"	114° 0' 48"	085B/16	-	2,222	1	2,222	222	Yes	Drilling and dust control
PP-WB-472	60° 39' 26"	114° 13' 40"	085B/09	-	43,327	1	43,327	4,333	Yes	Drilling and dust control
PP-WB-4720	60° 51' 43"	114° 0' 02"	085A/13	-	1,623	1	1,623	162	Yes	Drilling and dust control
PP-WB-4726	60° 51' 44"	113° 59' 39"	085A/13	-	1,410	1	1,410	141	Yes	Drilling and dust control
PP-WB-4729	60° 51' 48"	114° 2' 35"	085B/16	-	1,443	1	1,443	144	Yes	Drilling and dust control
PP-WB-473	60° 39' 33"	114° 17' 12"	085B/09	-	15,785	1	15,785	1,579	Yes	Drilling and dust control
PP-WB-4730	60° 51' 43"	113° 59' 21"	085A/13	-	16,893	1	16,893	1,689	Yes	Drilling and dust control
PP-WB-4733	60° 51' 50"	114° 2' 26"	085B/16	-	1,615	1	1,615	161	Yes	Drilling and dust control
PP-WB-4734	60° 51' 47"	114° 0' 14"	085B/16	-	2,494	1	2,494	249	Yes	Drilling and dust control
PP-WB-4736	60° 52' 51"	115° 0' 21"	085B/14	-	48,924	1	48,924	4,892	Yes	Drilling and dust control
PP-WB-4738	60° 51' 49"	114° 2' 21"	085B/16	-	3,447	1	3,447	345	Yes	Drilling and dust control
PP-WB-4739	60° 51' 47"	113° 59' 26"	085A/13	-	1,358	1	1,358	136	Yes	Drilling and dust control
PP-WB-474	60° 39' 18"	114° 4' 29"	085B/09	-	2,585	1	2,585	259	Yes	Drilling and dust control
PP-WB-4740	60° 52' 32"	114° 36' 26"	085B/15	M10813	2,922	1	2,922	292	Yes	Drilling and dust control
PP-WB-4744	60° 51' 49"	113° 59' 41"	085A/13	-	1,633	1	1,633	163	Yes	Drilling and dust control
PP-WB-4747	60° 52' 46"	114° 48' 14"	085B/15	-	1,029	1	1,029	103	Yes	Drilling and dust control
PP-WB-475	60° 39' 12"	113° 59' 45"	085A/12	-	1,407	1	1,407	141	Yes	Drilling and dust control
PP-WB-4758	60° 52' 42"	114° 44' 23"	085B/15	-	9,019	1	9,019	902	Yes	Drilling and dust control
PP-WB-4759	60° 52' 43"	114° 44' 34"	085B/15	-	8,192	1	8,192	819	Yes	Drilling and dust control
PP-WB-476	60° 40' 33"	115° 15' 30"	085B/11	-	1,354	1	1,354	135	Yes	Drilling and dust control
PP-WB-4761	60° 52' 48"	114° 48' 27"	085B/15	-	1,800	1	1,800	180	Yes	Drilling and dust control
PP-WB-4764	60° 51' 53"	114° 0' 11"	085B/16	-	1,195	1	1,195	120	Yes	Drilling and dust control
PP-WB-4766	60° 51' 56"	114° 2' 32"	085B/16	-	1,147	1	1,147	115	Yes	Drilling and dust control
PP-WB-4768	60° 52' 36"	114° 36' 19"	085B/15	M10813	3,470	1	3,470	347	Yes	Drilling and dust control
PP-WB-477	60° 39' 19"	114° 5' 16"	085B/09	-	8,755	1	8,755	876	Yes	Drilling and dust control
PP-WB-4770	60° 52' 45"	114° 44' 41"	085B/15	-	4,225	1	4,225	422	Yes	Drilling and dust control
PP-WB-4772	60° 51' 54"	114° 0' 55"	085B/16	-	1,850	1	1,850	185	Yes	Drilling and dust control
PP-WB-4776	60° 52' 48"	114° 48' 7"	085B/15	-	5,475	1	5,475	547	Yes	Drilling and dust control
PP-WB-478	60° 39' 19"	114° 4' 39"	085B/09	-	1,094	1	1,094	109	Yes	Drilling and dust control
PP-WB-4780	60° 51' 55"	114° 0' 22"	085B/16	-	2,297	1	2,297	230	Yes	Drilling and dust control
PP-WB-4782	60° 51' 55"	113° 59' 52"	085A/13	-	1,148	1	1,148	115	Yes	Drilling and dust control
PP-WB-4783	60° 51' 53"	113° 59' 47"	085A/13	-	2,975	1	2,975	297	Yes	Drilling and dust control
PP-WB-4784	60° 51' 55"	114° 0' 31"	085A/13	-	4,488	1	4,488	449	Yes	Drilling and dust control
PP-WB-4785	60° 52' 39"	114° 36' 15"	085B/15	M10813 / NT-5240	3,349	1	3,349	335	Yes	Drilling and dust control

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m²)	Mean Depth (m)	Estimated Water Volume (m³)	Annual Withdrawal Limit (m³)	Considered for Water Use?	Usage Activities
PP-WB-4864	60° 52' 57"	114° 39' 29"	085B/15	-	4,630	1	4,630	463	Yes	Drilling and dust control
PP-WB-4868	60° 52' 15"	114° 1' 28"	085B/16	-	1,773	1	1,773	177	Yes	Drilling and dust control
PP-WB-4869	60° 52' 56"	114° 35' 31"	085B/15	M10831	2,364	1	2,364	236	Yes	Drilling and dust control
PP-WB-487	60° 39' 15"	114° 0' 56"	085B/09	-	4,082	1	4,082	408	Yes	Drilling and dust control
PP-WB-4870	60° 52' 20"	114° 5' 23"	085B/16	-	2,495	1	2,495	250	Yes	Drilling and dust control
PP-WB-4871	60° 52' 23"	114° 7' 52"	085B/16	-	2,421	1	2,421	242	Yes	Drilling and dust control
PP-WB-4872	60° 52' 56"	114° 34' 57"	085B/15	M10831	3,463	1	3,463	346	Yes	Drilling and dust control
PP-WB-4873	60° 52' 59"	114° 39' 22"	085B/15	-	9,359	1	9,359	936	Yes	Drilling and dust control
PP-WB-4874	60° 52' 14"	114° 0' 52"	085B/16	-	3,562	1	3,562	356	Yes	Drilling and dust control
PP-WB-4877	60° 53' 10"	114° 48' 20"	085B/15	-	1,101	1	1,101	110	Yes	Drilling and dust control
PP-WB-4878	60° 53' 12"	114° 50' 33"	085B/15	-	2,761	1	2,761	276	Yes	Drilling and dust control
PP-WB-4879	60° 52' 16"	114° 1' 56"	085B/16	-	4,300	1	4,300	430	Yes	Drilling and dust control
PP-WB-488	60° 39' 34"	114° 15' 10"	085B/09	-	1,888	1	1,888	189	Yes	Drilling and dust control
PP-WB-4880	60° 52' 24"	114° 7' 35"	085B/16	-	1,594	1	1,594	159	Yes	Drilling and dust control
PP-WB-4882	60° 52' 56"	114° 35' 13"	085B/15	M10831 / NT-5240	12,513	1	12,513	1,251	Yes	Drilling and dust control
PP-WB-4883	60° 52' 22"	114° 5' 60"	085B/16	-	1,550	1	1,550	155	Yes	Drilling and dust control
PP-WB-4884	60° 53' 13"	114° 50' 40"	085B/15	-	4,480	1	4,480	448	Yes	Drilling and dust control
PP-WB-4887	60° 53' 14"	114° 50' 28"	085B/15	-	1,102	1	1,102	110	Yes	Drilling and dust control
PP-WB-4888	60° 53' 2"	114° 39' 14"	085B/15	-	6,567	1	6,567	657	Yes	Drilling and dust control
PP-WB-4889	60° 53' 12"	114° 48' 10"	085B/15	-	1,583	1	1,583	158	Yes	Drilling and dust control
PP-WB-4890	60° 52' 17"	114° 0' 30"	085B/16	-	1,033	1	1,033	103	Yes	Drilling and dust control
PP-WB-4892	60° 53' 0"	114° 38' 58"	085B/15	-	23,982	1	23,982	2,398	Yes	Drilling and dust control
PP-WB-4895	60° 52' 18"	114° 1' 30"	085B/16	-	1,970	1	1,970	197	Yes	Drilling and dust control
PP-WB-4897	60° 53' 15"	114° 50' 50"	085B/15	-	2,741	1	2,741	274	Yes	Drilling and dust control
PP-WB-4898	60° 53' 3"	114° 39' 0"	085B/15	-	6,747	1	6,747	675	Yes	Drilling and dust control
PP-WB-4899	60° 52' 18"	114° 0' 39"	085B/16	-	1,114	1	1,114	111	Yes	Drilling and dust control
PP-WB-49	60° 38' 2"	114° 13' 37"	085B/09	-	12,504	1	12,504	1,250	Yes	Drilling and dust control
PP-WB-490	60° 39' 29"	114° 12' 41"	085B/09	-	26,893	1	26,893	2,689	Yes	Drilling and dust control
PP-WB-4901	60° 53' 0"	114° 35' 8"	085B/15	M10831	2,539	1	2,539	254	Yes	Drilling and dust control
PP-WB-4902	60° 53' 0"	114° 35' 15"	085B/15	M10831	3,476	1	3,476	348	Yes	Drilling and dust control
PP-WB-4904	60° 53' 4"	114° 39' 29"	085B/15	-	2,629	1	2,629	263	Yes	Drilling and dust control
PP-WB-491	60° 39' 31"	114° 13' 20"	085B/09	-	7,587	1	7,587	759	Yes	Drilling and dust control
PP-WB-4911	60° 53' 16"	114° 50' 6"	085B/15	-	2,550	1	2,550	255	Yes	Drilling and dust control
PP-WB-4912	60° 52' 29"	114° 8' 22"	085B/16	-	4,898	1	4,898	490	Yes	Drilling and dust control
PP-WB-4913	60° 53' 17"	114° 50' 38"	085B/15	-	1,357	1	1,357	136	Yes	Drilling and dust control
PP-WB-4915	60° 52' 24"	114° 3' 42"	085B/16	-	2,457	1	2,457	246	Yes	Drilling and dust control
PP-WB-4918	60° 53' 6"	114° 39' 38"	085B/15	-	7,869	1	7,869	787	Yes	Drilling and dust control
PP-WB-4919	60° 52' 31"	114° 8' 26"	085B/16	-	2,155	1	2,155	215	Yes	Drilling and dust control
PP-WB-4922	60° 53' 9"	114° 42' 8"	085B/15	-	11,788	1	11,788	1,179	Yes	Drilling and dust control
PP-WB-4923	60° 53' 17"	114° 50' 31"	085B/15	-	5,540	1	5,540	554	Yes	Drilling and dust control
PP-WB-4928	60° 53' 8"	114° 40' 2"	085B/15	-	7,051	1	7,051	705	Yes	Drilling and dust control
PP-WB-493	60° 39' 25"	114° 7' 50"	085B/09	-	3,920	1	3,920	392	Yes	Drilling and dust control
PP-WB-4930	60° 53' 7"	114° 39' 4"	085B/15	-	4,849	1	4,849	485	Yes	Drilling and dust control
PP-WB-4933	60° 52' 31"	114° 8' 18"	085B/16	-	3,855	1	3,855	386	Yes	Drilling and dust control
PP-WB-4936	60° 53' 20"	114° 50' 13"	085B/15	-	1,566	1	1,566	157	Yes	Drilling and dust control
PP-WB-4939	60° 53' 3"	114° 34' 22"	085B/15	NT-5239	1,129	1	1,129	113	Yes	Drilling and dust control
PP-WB-494	60° 39' 37"	114° 18' 58"	085B/09	-	15,436	1	15,436	1,544	Yes	Drilling and dust control
PP-WB-4940	60° 52' 32"	114° 7' 29"	085B/16	-	1,352	1	1,352	135	Yes	Drilling and dust control
PP-WB-4941	60° 52' 33"	114° 8' 35"	085B/16	-	1,412	1	1,412	141	Yes	Drilling and dust control
PP-WB-4942	60° 53' 12"	114° 41' 52"	085B/15	-	5,408	1	5,408	541	Yes	Drilling and dust control
PP-WB-4945	60° 53' 21"	114° 50' 2"	085B/15	-	1,647	1	1,647	165	Yes	Drilling and dust control
PP-WB-495	60° 39' 16"	114° 1' 38"	085B/09	-	2,440	1	2,440	244	Yes	Drilling and dust control
PP-WB-4952	60° 53' 12"	114° 41' 40"	085B/15	-	17,360	1	17,360	1,736	Yes	Drilling and dust control
PP-WB-4953	60° 53' 25"	114° 53' 38"	085B/15	-	8,804	1	8,804	880	Yes	Drilling and dust control
PP-WB-4955	60° 52' 32"	114° 4' 37"	085B/16	-	1,069	1	1,069	107	Yes	Drilling and dust control
PP-WB-4956	60° 52' 36"	114° 7' 40"	085B/16	-	2,448	1	2,448	245	Yes	Drilling and dust control
PP-WB-4958	60° 53' 14"	114° 40' 25"	085B/15	-	7,054	1	7,054	705	Yes	Drilling and dust control
PP-WB-496	60° 39' 20"	114° 4' 16"	085B/09	-	5,044	1	5,044	504	Yes	Drilling and dust control
PP-WB-4960	60° 53' 16"	114° 40' 37"	085B/15	-	4,669	1	4,669	467	Yes	Drilling and dust control
PP-WB-4961	60° 53' 15"	114° 39' 41"	085B/15	-	3,013	1	3,013	301	Yes	Drilling and dust control
PP-WB-4964	60° 52' 27"	113° 59' 42"	085A/13	-	3,041	1	3,041	304	Yes	Drilling and dust control
PP-WB-4965	60° 52' 44"	114° 12' 9"	085B/16	M10853	2,572	1	2,572	257	Yes	Drilling and dust control
PP-WB-497	60°									

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-5062	60° 52' 58"	114° 1' 22"	0858/16	-	2,626	1	2,626	263	Yes	Drilling and dust control
PP-WB-5064	60° 53' 8"	114° 8' 43"	0858/16	-	1,434	1	1,434	143	Yes	Drilling and dust control
PP-WB-5066	60° 53' 43"	114° 39' 25"	0858/15	-	6,153	1	6,153	615	Yes	Drilling and dust control
PP-WB-5068	60° 53' 53"	114° 49' 34"	0858/15	-	6,520	1	6,520	652	Yes	Drilling and dust control
PP-WB-5069	60° 53' 7"	114° 7' 46"	0858/16	-	1,031	1	1,031	103	Yes	Drilling and dust control
PP-WB-507	60° 40' 36"	115° 14' 37"	0858/11	-	2,970	1	2,970	297	Yes	Drilling and dust control
PP-WB-5070	60° 53' 40"	114° 37' 37"	0858/15	-	13,093	1	13,093	1,309	Yes	Drilling and dust control
PP-WB-5071	60° 53' 37"	114° 32' 51"	0858/15	M10810	5,189	1	5,189	519	Yes	Drilling and dust control
PP-WB-5074	60° 53' 44"	114° 39' 37"	0858/15	-	12,929	1	12,929	1,293	Yes	Drilling and dust control
PP-WB-508	60° 39' 22"	114° 4' 13"	0858/09	-	5,123	1	5,123	512	Yes	Drilling and dust control
PP-WB-5081	60° 53' 42"	114° 36' 0"	0858/15	-	7,760	1	7,760	776	Yes	Drilling and dust control
PP-WB-5083	60° 53' 41"	114° 36' 58"	0858/15	-	14,786	1	14,786	1,479	Yes	Drilling and dust control
PP-WB-5084	60° 53' 40"	114° 37' 21"	0858/15	-	34,511	1	34,511	3,451	Yes	Drilling and dust control
PP-WB-5087	60° 53' 6"	114° 4' 18"	0858/16	-	1,227	1	1,227	123	Yes	Drilling and dust control
PP-WB-5089	60° 53' 45"	114° 37' 25"	0858/15	-	4,007	1	4,007	401	Yes	Drilling and dust control
PP-WB-509	60° 39' 25"	114° 7' 32"	0858/09	-	13,337	1	13,337	1,334	Yes	Drilling and dust control
PP-WB-5091	60° 53' 13"	114° 8' 49"	0858/16	-	1,421	1	1,421	142	Yes	Drilling and dust control
PP-WB-5093	60° 53' 45"	114° 38' 3"	0858/15	-	18,467	1	18,467	1,847	Yes	Drilling and dust control
PP-WB-5094	60° 53' 50"	114° 41' 53"	0858/15	-	13,277	1	13,277	1,328	Yes	Drilling and dust control
PP-WB-5096	60° 53' 8"	114° 4' 13"	0858/16	-	2,406	1	2,406	241	Yes	Drilling and dust control
PP-WB-5097	60° 53' 46"	114° 36' 17"	0858/15	-	6,522	1	6,522	652	Yes	Drilling and dust control
PP-WB-5098	60° 53' 52"	114° 42' 23"	0858/15	-	10,133	1	10,133	1,013	Yes	Drilling and dust control
PP-WB-5099	60° 53' 45"	114° 36' 7"	0858/15	-	6,164	1	6,164	616	Yes	Drilling and dust control
PP-WB-51	60° 38' 59"	115° 6' 23"	0858/11	-	3,854	1	3,854	385	Yes	Drilling and dust control
PP-WB-510	60° 39' 37"	114° 16' 26"	0858/09	-	3,508	1	3,508	351	Yes	Drilling and dust control
PP-WB-5101	60° 53' 15"	114° 8' 54"	0858/16	-	1,305	1	1,305	130	Yes	Drilling and dust control
PP-WB-5103	60° 53' 47"	114° 36' 26"	0858/15	-	5,001	1	5,001	500	Yes	Drilling and dust control
PP-WB-5104	60° 54' 1"	114° 53' 17"	0858/15	-	92,220	1	92,220	9,222	Yes	Drilling and dust control
PP-WB-5106	60° 54' 4"	114° 52' 14"	0858/15	-	2,493	1	2,493	249	Yes	Drilling and dust control
PP-WB-5107	60° 53' 46"	114° 36' 38"	0858/15	-	15,470	1	15,470	1,547	Yes	Drilling and dust control
PP-WB-5108	60° 53' 50"	114° 37' 28"	0858/15	-	5,661	1	5,661	566	Yes	Drilling and dust control
PP-WB-511	60° 39' 37"	114° 17' 4"	0858/09	-	13,618	1	13,618	1,362	Yes	Drilling and dust control
PP-WB-5110	60° 53' 49"	114° 36' 11"	0858/15	-	2,482	1	2,482	248	Yes	Drilling and dust control
PP-WB-5111	60° 53' 13"	114° 4' 55"	0858/16	-	1,312	1	1,312	131	Yes	Drilling and dust control
PP-WB-5113	60° 53' 19"	114° 9' 42"	0858/16	-	1,765	1	1,765	176	Yes	Drilling and dust control
PP-WB-5114	60° 54' 3"	114° 48' 24"	0858/15	-	1,971	1	1,971	197	Yes	Drilling and dust control
PP-WB-5116	60° 54' 7"	114° 52' 19"	0858/15	-	1,193	1	1,193	119	Yes	Drilling and dust control
PP-WB-5118	60° 53' 14"	114° 4' 22"	0858/16	-	1,744	1	1,744	174	Yes	Drilling and dust control
PP-WB-5120	60° 53' 56"	114° 39' 35"	0858/15	-	2,194	1	2,194	219	Yes	Drilling and dust control
PP-WB-5122	60° 53' 15"	114° 4' 32"	0858/16	-	1,831	1	1,831	183	Yes	Drilling and dust control
PP-WB-5123	60° 54' 9"	114° 52' 20"	0858/15	-	1,994	1	1,994	199	Yes	Drilling and dust control
PP-WB-5124	60° 54' 12"	114° 54' 59"	0858/15	-	2,735	1	2,735	274	Yes	Drilling and dust control
PP-WB-5125	60° 53' 59"	114° 42' 57"	0858/15	-	6,092	1	6,092	609	Yes	Drilling and dust control
PP-WB-5126	60° 53' 49"	114° 31' 54"	0858/15	M10810	2,205	1	2,205	220	Yes	Drilling and dust control
PP-WB-5127	60° 53' 16"	114° 4' 37"	0858/16	-	1,694	1	1,694	169	Yes	Drilling and dust control
PP-WB-5128	60° 54' 4"	114° 45' 51"	0858/15	-	1,208	1	1,208	121	Yes	Drilling and dust control
PP-WB-513	60° 39' 20"	114° 1' 47"	0858/09	-	3,091	1	3,091	309	Yes	Drilling and dust control
PP-WB-5133	60° 53' 55"	114° 37' 22"	0858/15	-	21,791	1	21,791	2,179	Yes	Drilling and dust control
PP-WB-5137	60° 53' 51"	114° 31' 48"	0858/15	M10810	3,288	1	3,288	329	Yes	Drilling and dust control
PP-WB-5139	60° 53' 54"	114° 37' 2"	0858/15	-	21,409	1	21,409	2,141	Yes	Drilling and dust control
PP-WB-514	60° 39' 40"	114° 17' 50"	0858/09	-	5,367	1	5,367	537	Yes	Drilling and dust control
PP-WB-5141	60° 53' 51"	114° 31' 31"	0858/15	M10810 / M10809	9,074	1	9,074	907	Yes	Drilling and dust control
PP-WB-5142	60° 53' 17"	114° 2' 13"	0858/16	-	1,392	1	1,392	139	Yes	Drilling and dust control
PP-WB-5143	60° 53' 55"	114° 36' 25"	0858/15	-	28,760	1	28,760	2,876	Yes	Drilling and dust control
PP-WB-5146	60° 54' 3"	114° 39' 32"	0858/15	-	2,484	1	2,484	248	Yes	Drilling and dust control
PP-WB-5147	60° 53' 17"	114° 1' 17"	0858/16	-	1,207	1	1,207	121	Yes	Drilling and dust control
PP-WB-515	60° 39' 39"	114° 17' 22"	0858/09	-	4,347	1	4,347	435	Yes	Drilling and dust control
PP-WB-5153	60° 53' 29"	114° 9' 34"	0858/16	-	1,519	1	1,519	152	Yes	Drilling and dust control
PP-WB-5154	60° 54' 3"	114° 39' 8"	0858/15	-	1,478	1	1,478	148	Yes	Drilling and dust control
PP-WB-5158	60° 53' 56"	114° 31' 49"	0858/15	M10810	3,582	1	3,582	358	Yes	Drilling and dust control
PP-WB-5159	60° 54' 13"	114° 46' 55"	0858/15	-	1,483	1	1,483	148	Yes	Drilling and dust control
PP-WB-516	60° 39' 43"	114° 19' 47"	0858/09	-	4,496	1</				

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-5219	60° 54' 16"	114° 36' 10"	085B/15	-	63,060	1	63,060	6,306	Yes	Drilling and dust control
PP-WB-522	60° 39' 21"	114° 2' 47"	085B/09	-	12,687	1	12,687	1,269	Yes	Drilling and dust control
PP-WB-5220	60° 54' 13"	114° 27' 25"	085B/16	-	1,413	1	1,413	141	Yes	Drilling and dust control
PP-WB-5221	60° 53' 52"	114° 10' 57"	085B/16	M10854	7,550	1	7,550	755	Yes	Drilling and dust control
PP-WB-5222	60° 54' 13"	114° 28' 6"	085B/16	M10826	2,488	1	2,488	249	Yes	Drilling and dust control
PP-WB-5223	60° 54' 13"	114° 27' 55"	085B/16	-	2,711	1	2,711	271	Yes	Drilling and dust control
PP-WB-5224	60° 54' 14"	114° 28' 0"	085B/16	-	1,444	1	1,444	144	Yes	Drilling and dust control
PP-WB-5225	60° 54' 17"	114° 34' 29"	085B/15	-	21,310	1	21,310	2,131	Yes	Drilling and dust control
PP-WB-5226	60° 54' 14"	114° 27' 37"	085B/16	-	1,342	1	1,342	134	Yes	Drilling and dust control
PP-WB-5227	60° 54' 19"	114° 33' 59"	085B/15	-	23,556	1	23,556	2,356	Yes	Drilling and dust control
PP-WB-5228	60° 53' 47"	114° 4' 52"	085B/16	-	2,085	1	2,085	208	Yes	Drilling and dust control
PP-WB-5229	60° 54' 13"	114° 27' 17"	085B/16	-	9,587	1	9,587	959	Yes	Drilling and dust control
PP-WB-523	60° 39' 24"	114° 4' 29"	085B/09	-	6,995	1	6,995	700	Yes	Drilling and dust control
PP-WB-5230	60° 54' 21"	114° 34' 7"	085B/15	-	3,991	1	3,991	399	Yes	Drilling and dust control
PP-WB-5231	60° 54' 26"	114° 37' 49"	085B/15	-	1,370	1	1,370	137	Yes	Drilling and dust control
PP-WB-5233	60° 54' 15"	114° 27' 48"	085B/16	-	1,984	1	1,984	198	Yes	Drilling and dust control
PP-WB-5234	60° 54' 15"	114° 27' 29"	085B/16	-	1,496	1	1,496	150	Yes	Drilling and dust control
PP-WB-5235	60° 54' 16"	114° 29' 5"	085B/16	M10826	9,136	1	9,136	914	Yes	Drilling and dust control
PP-WB-5236	60° 53' 48"	114° 5' 15"	085B/16	-	4,762	1	4,762	476	Yes	Drilling and dust control
PP-WB-5237	60° 54' 16"	114° 27' 41"	085B/16	-	1,664	1	1,664	166	Yes	Drilling and dust control
PP-WB-5238	60° 54' 26"	114° 36' 4"	085B/15	-	1,083	1	1,083	108	Yes	Drilling and dust control
PP-WB-5239	60° 54' 27"	114° 37' 55"	085B/15	-	4,904	1	4,904	490	Yes	Drilling and dust control
PP-WB-524	60° 39' 41"	114° 17' 7"	085B/09	-	2,714	1	2,714	271	Yes	Drilling and dust control
PP-WB-5240	60° 54' 17"	114° 27' 26"	085B/16	-	2,322	1	2,322	232	Yes	Drilling and dust control
PP-WB-5241	60° 54' 28"	114° 37' 38"	085B/15	-	1,027	1	1,027	103	Yes	Drilling and dust control
PP-WB-5242	60° 54' 19"	114° 29' 8"	085B/16	M10826	2,375	1	2,375	237	Yes	Drilling and dust control
PP-WB-5243	60° 54' 29"	114° 38' 3"	085B/15	-	1,035	1	1,035	103	Yes	Drilling and dust control
PP-WB-5244	60° 54' 19"	114° 28' 54"	085B/16	M10826	3,147	1	3,147	315	Yes	Drilling and dust control
PP-WB-5245	60° 54' 22"	114° 33' 48"	085B/15	-	17,206	1	17,206	1,721	Yes	Drilling and dust control
PP-WB-5247	60° 53' 50"	114° 5' 53"	085B/16	-	4,290	1	4,290	429	Yes	Drilling and dust control
PP-WB-5248	60° 54' 34"	114° 42' 2"	085B/15	-	1,094	1	1,094	109	Yes	Drilling and dust control
PP-WB-525	60° 39' 35"	114° 13' 1"	085B/09	-	10,583	1	10,583	1,058	Yes	Drilling and dust control
PP-WB-5254	60° 54' 28"	114° 35' 49"	085B/15	-	1,999	1	1,999	200	Yes	Drilling and dust control
PP-WB-5255	60° 54' 29"	114° 37' 12"	085B/15	-	2,696	1	2,696	270	Yes	Drilling and dust control
PP-WB-5256	60° 54' 27"	114° 34' 20"	085B/15	-	1,316	1	1,316	132	Yes	Drilling and dust control
PP-WB-5257	60° 54' 30"	114° 37' 44"	085B/15	-	4,603	1	4,603	460	Yes	Drilling and dust control
PP-WB-5259	60° 54' 26"	114° 33' 58"	085B/15	-	8,509	1	8,509	851	Yes	Drilling and dust control
PP-WB-526	60° 39' 32"	114° 9' 77"	085B/09	-	4,252	1	4,252	425	Yes	Drilling and dust control
PP-WB-5262	60° 53' 47"	114° 0' 38"	085B/16	-	2,052	1	2,052	205	Yes	Drilling and dust control
PP-WB-5263	60° 54' 20"	114° 27' 23"	085B/16	-	2,519	1	2,519	252	Yes	Drilling and dust control
PP-WB-5264	60° 54' 28"	114° 34' 26"	085B/15	-	4,781	1	4,781	478	Yes	Drilling and dust control
PP-WB-5266	60° 54' 19"	114° 27' 10"	085B/16	-	13,133	1	13,133	1,313	Yes	Drilling and dust control
PP-WB-5267	60° 54' 31"	114° 36' 23"	085B/15	-	3,468	1	3,468	347	Yes	Drilling and dust control
PP-WB-527	60° 39' 43"	114° 20' 11"	085B/09	-	19,142	1	19,142	1,914	Yes	Drilling and dust control
PP-WB-5272	60° 54' 26"	114° 35' 32"	085B/15	-	47,552	1	47,552	4,755	Yes	Drilling and dust control
PP-WB-5273	60° 54' 24"	114° 28' 42"	085B/16	M10826	1,467	1	1,467	147	Yes	Drilling and dust control
PP-WB-5274	60° 54' 22"	114° 27' 14"	085B/16	-	7,299	1	7,299	730	Yes	Drilling and dust control
PP-WB-5275	60° 54' 29"	114° 33' 48"	085B/15	-	5,655	1	5,655	566	Yes	Drilling and dust control
PP-WB-5276	60° 54' 33"	114° 37' 14"	085B/15	-	4,509	1	4,509	451	Yes	Drilling and dust control
PP-WB-5278	60° 54' 23"	114° 26' 56"	085B/16	-	2,621	1	2,621	262	Yes	Drilling and dust control
PP-WB-528	60° 39' 21"	114° 0' 54"	085B/09	-	1,393	1	1,393	139	Yes	Drilling and dust control
PP-WB-5280	60° 54' 24"	114° 26' 46"	085B/16	-	1,014	1	1,014	101	Yes	Drilling and dust control
PP-WB-5281	60° 54' 31"	114° 33' 37"	085B/15	-	2,277	1	2,277	228	Yes	Drilling and dust control
PP-WB-5283	60° 54' 31"	114° 34' 22"	085B/15	-	8,691	1	8,691	869	Yes	Drilling and dust control
PP-WB-5284	60° 54' 26"	114° 28' 38"	085B/16	M10826	2,212	1	2,212	221	Yes	Drilling and dust control
PP-WB-5285	60° 54' 34"	114° 36' 3"	085B/15	-	8,776	1	8,776	878	Yes	Drilling and dust control
PP-WB-5286	60° 54' 25"	114° 27' 3"	085B/16	-	2,008	1	2,008	201	Yes	Drilling and dust control
PP-WB-5287	60° 54' 25"	114° 26' 51"	085B/16	-	1,888	1	1,888	189	Yes	Drilling and dust control
PP-WB-5288	60° 54' 33"	114° 35' 20"	085B/15	-	6,445	1	6,445	645	Yes	Drilling and dust control
PP-WB-529	60° 39' 30"	114° 7' 38"	085B/09	-	1,977	1	1,977	198	Yes	Drilling and dust control
PP-WB-5290	60° 54' 26"	114° 28' 4"	085B/16	M10826	6,393	1	6,393	639	Yes	Drilling and dust control
PP-WB-5291	60° 54' 26"	114° 26' 58"	085B/16	-	2,523</					

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-5342	60° 54' 44"	114° 32' 40"	085B/15	-	2,744	1	2,744	274	Yes	Drilling and dust control
PP-WB-5343	60° 54' 38"	114° 27' 46"	085B/16	-	13,529	1	13,529	1,353	Yes	Drilling and dust control
PP-WB-5344	60° 54' 49"	114° 35' 35"	085B/15	-	1,112	1	1,112	111	Yes	Drilling and dust control
PP-WB-5346	60° 54' 39"	114° 25' 48"	085B/16	-	1,209	1	1,209	121	Yes	Drilling and dust control
PP-WB-5347	60° 54' 47"	114° 35' 2"	085B/15	-	22,909	1	22,909	2,291	Yes	Drilling and dust control
PP-WB-5348	60° 54' 41"	114° 27' 33"	085B/16	-	3,689	1	3,689	369	Yes	Drilling and dust control
PP-WB-5349	60° 54' 43"	114° 27' 45"	085B/16	-	2,337	1	2,337	234	Yes	Drilling and dust control
PP-WB-535	60° 39' 44"	114° 17' 53"	085B/09	-	3,867	1	3,867	387	Yes	Drilling and dust control
PP-WB-5350	60° 55' 1"	114° 50' 43"	085B/15	-	102,720	1	102,720	10,272	Yes	Drilling and dust control
PP-WB-5351	60° 54' 43"	114° 27' 57"	085B/16	-	1,248	1	1,248	125	Yes	Drilling and dust control
PP-WB-5352	60° 54' 52"	114° 35' 37"	085B/15	-	1,347	1	1,347	135	Yes	Drilling and dust control
PP-WB-5353	60° 54' 41"	114° 25' 55"	085B/16	-	4,076	1	4,076	408	Yes	Drilling and dust control
PP-WB-5354	60° 54' 42"	114° 28' 10"	085B/16	-	15,076	1	15,076	1,508	Yes	Drilling and dust control
PP-WB-5355	60° 54' 49"	114° 34' 7"	085B/15	-	26,898	1	26,898	2,690	Yes	Drilling and dust control
PP-WB-5356	60° 54' 49"	114° 32' 40"	085B/15	-	9,772	1	9,772	977	Yes	Drilling and dust control
PP-WB-5357	60° 54' 44"	114° 27' 5"	085B/16	-	2,801	1	2,801	280	Yes	Drilling and dust control
PP-WB-5358	60° 54' 45"	114° 28' 20"	085B/16	-	6,508	1	6,508	651	Yes	Drilling and dust control
PP-WB-5359	60° 54' 42"	114° 26' 4"	085B/16	-	16,434	1	16,434	1,643	Yes	Drilling and dust control
PP-WB-536	60° 39' 32"	114° 9' 14"	085B/09	-	6,387	1	6,387	639	Yes	Drilling and dust control
PP-WB-5360	60° 54' 54"	114° 35' 30"	085B/15	-	3,168	1	3,168	317	Yes	Drilling and dust control
PP-WB-5361	60° 54' 46"	114° 28' 31"	085B/16	-	4,082	1	4,082	408	Yes	Drilling and dust control
PP-WB-5362	60° 54' 45"	114° 27' 2"	085B/16	-	1,589	1	1,589	159	Yes	Drilling and dust control
PP-WB-5363	60° 54' 50"	114° 32' 49"	085B/15	-	13,027	1	13,027	1,303	Yes	Drilling and dust control
PP-WB-5364	60° 54' 46"	114° 26' 55"	085B/16	-	1,829	1	1,829	183	Yes	Drilling and dust control
PP-WB-5365	60° 54' 48"	114° 33' 5"	085B/15	-	80,765	1	80,765	8,076	Yes	Drilling and dust control
PP-WB-5366	60° 54' 56"	114° 35' 40"	085B/15	-	4,987	1	4,987	499	Yes	Drilling and dust control
PP-WB-5367	60° 54' 52"	114° 32' 34"	085B/15	-	6,198	1	6,198	620	Yes	Drilling and dust control
PP-WB-5368	60° 54' 57"	114° 36' 31"	085B/15	-	7,856	1	7,856	786	Yes	Drilling and dust control
PP-WB-5369	60° 54' 54"	114° 32' 28"	085B/15	-	3,041	1	3,041	304	Yes	Drilling and dust control
PP-WB-537	60° 39' 20"	113° 59' 28"	085A/12	-	9,063	1	9,063	906	Yes	Drilling and dust control
PP-WB-5370	60° 54' 46"	114° 25' 53"	085B/16	-	3,557	1	3,557	356	Yes	Drilling and dust control
PP-WB-5371	60° 54' 49"	114° 28' 52"	085B/16	-	18,795	1	18,795	1,879	Yes	Drilling and dust control
PP-WB-5372	60° 54' 47"	114° 25' 17"	085B/16	-	2,205	1	2,205	220	Yes	Drilling and dust control
PP-WB-5373	60° 54' 48"	114° 25' 29"	085B/16	-	2,759	1	2,759	276	Yes	Drilling and dust control
PP-WB-5375	60° 54' 50"	114° 27' 34"	085B/16	-	3,485	1	3,485	349	Yes	Drilling and dust control
PP-WB-5376	60° 54' 57"	114° 34' 29"	085B/15	-	5,588	1	5,588	559	Yes	Drilling and dust control
PP-WB-5377	60° 54' 58"	114° 35' 32"	085B/15	-	11,505	1	11,505	1,151	Yes	Drilling and dust control
PP-WB-5379	60° 55' 12"	114° 49' 51"	085B/15	-	47,291	1	47,291	4,729	Yes	Drilling and dust control
PP-WB-538	60° 39' 32"	114° 7' 53"	085B/09	-	3,294	1	3,294	329	Yes	Drilling and dust control
PP-WB-5380	60° 54' 52"	114° 28' 23"	085B/16	-	5,386	1	5,386	539	Yes	Drilling and dust control
PP-WB-5381	60° 54' 52"	114° 28' 39"	085B/16	-	14,316	1	14,316	1,432	Yes	Drilling and dust control
PP-WB-5382	60° 55' 1"	114° 36' 35"	085B/15	-	12,684	1	12,684	1,268	Yes	Drilling and dust control
PP-WB-5383	60° 54' 51"	114° 26' 33"	085B/16	-	5,660	1	5,660	566	Yes	Drilling and dust control
PP-WB-5384	60° 54' 51"	114° 25' 52"	085B/16	-	2,191	1	2,191	219	Yes	Drilling and dust control
PP-WB-5385	60° 55' 1"	114° 35' 23"	085B/15	-	7,391	1	7,391	739	Yes	Drilling and dust control
PP-WB-5387	60° 54' 45"	114° 26' 24"	085B/16	-	121,630	1	121,630	12,163	Yes	Drilling and dust control
PP-WB-5388	60° 54' 59"	114° 34' 49"	085B/15	-	39,574	1	39,574	3,957	Yes	Drilling and dust control
PP-WB-5389	60° 54' 59"	114° 32' 18"	085B/15	-	1,408	1	1,408	141	Yes	Drilling and dust control
PP-WB-539	60° 39' 23"	114° 1' 28"	085B/09	-	3,917	1	3,917	392	Yes	Drilling and dust control
PP-WB-5390	60° 54' 51"	114° 28' 4"	085B/16	-	20,681	1	20,681	2,068	Yes	Drilling and dust control
PP-WB-5391	60° 55' 2"	114° 34' 37"	085B/15	-	1,772	1	1,772	177	Yes	Drilling and dust control
PP-WB-5392	60° 54' 51"	114° 25' 31"	085B/16	-	7,606	1	7,606	761	Yes	Drilling and dust control
PP-WB-5394	60° 54' 17"	113° 58' 25"	085A/13	-	2,776	1	2,776	278	Yes	Drilling and dust control
PP-WB-5397	60° 54' 57"	114° 29' 14"	085B/16	-	1,856	1	1,856	186	Yes	Drilling and dust control
PP-WB-5398	60° 54' 55"	114° 28' 14"	085B/16	-	10,020	1	10,020	1,002	Yes	Drilling and dust control
PP-WB-5399	60° 55' 1"	114° 32' 57"	085B/15	-	5,152	1	5,152	515	Yes	Drilling and dust control
PP-WB-540	60° 39' 41"	114° 16' 46"	085B/09	-	13,689	1	13,689	1,369	Yes	Drilling and dust control
PP-WB-5400	60° 54' 54"	114° 26' 18"	085B/16	-	8,314	1	8,314	831	Yes	Drilling and dust control
PP-WB-5401	60° 54' 57"	114° 28' 20"	085B/16	-	2,526	1	2,526	253	Yes	Drilling and dust control
PP-WB-5402	60° 54' 54"	114° 26' 50"	085B/16	-	18,455	1	18,455	1,845	Yes	Drilling and dust control
PP-WB-5403	60° 54' 56"	114° 26' 37"	085B/16	-	2,656	1	2,656	266	Yes	Drilling and dust control
PP-WB-5404	60° 54' 56"	114° 28' 43"	085B/16</							

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-5461	60° 55' 8"	114° 29' 28"	085B/16	-	3,782	1	3,782	378	Yes	Drilling and dust control
PP-WB-5462	60° 55' 2"	114° 24' 25"	085B/16	M10518	3,776	1	3,776	378	Yes	Drilling and dust control
PP-WB-5463	60° 55' 5"	114° 27' 35"	085B/16	-	15,548	1	15,548	1,555	Yes	Drilling and dust control
PP-WB-5464	60° 55' 7"	114° 29' 10"	085B/16	-	11,649	1	11,649	1,165	Yes	Drilling and dust control
PP-WB-5465	60° 55' 14"	114° 34' 47"	085B/15	-	5,031	1	5,031	503	Yes	Drilling and dust control
PP-WB-5466	60° 54' 29"	113° 57' 41"	085A/13	-	3,191	1	3,191	319	Yes	Drilling and dust control
PP-WB-5468	60° 55' 8"	114° 28' 6"	085B/16	-	1,809	1	1,809	181	Yes	Drilling and dust control
PP-WB-5469	60° 55' 6"	114° 27' 25"	085B/16	-	4,358	1	4,358	436	Yes	Drilling and dust control
PP-WB-547	60° 39' 38"	114° 12' 11"	085B/09	-	8,249	1	8,249	825	Yes	Drilling and dust control
PP-WB-5470	60° 55' 12"	114° 32' 5"	085B/15	-	1,353	1	1,353	135	Yes	Drilling and dust control
PP-WB-5471	60° 55' 5"	114° 26' 57"	085B/16	-	9,193	1	9,193	919	Yes	Drilling and dust control
PP-WB-5472	60° 55' 4"	114° 24' 52"	085B/16	M10518	4,756	1	4,756	476	Yes	Drilling and dust control
PP-WB-5475	60° 55' 9"	114° 32' 50"	085B/15	-	29,888	1	29,888	2,989	Yes	Drilling and dust control
PP-WB-5476	60° 55' 5"	114° 24' 33"	085B/16	M10518	2,502	1	2,502	250	Yes	Drilling and dust control
PP-WB-5477	60° 55' 32"	114° 50' 18"	085B/15	-	2,897	1	2,897	290	Yes	Drilling and dust control
PP-WB-5478	60° 55' 9"	114° 27' 27"	085B/16	-	1,337	1	1,337	134	Yes	Drilling and dust control
PP-WB-5479	60° 55' 9"	114° 27' 46"	085B/16	-	1,032	1	1,032	103	Yes	Drilling and dust control
PP-WB-548	60° 39' 25"	114° 1' 46"	085B/09	-	1,202	1	1,202	120	Yes	Drilling and dust control
PP-WB-5480	60° 55' 12"	114° 30' 34"	085B/15	-	4,771	1	4,771	477	Yes	Drilling and dust control
PP-WB-5481	60° 55' 9"	114° 28' 12"	085B/16	-	12,265	1	12,265	1,226	Yes	Drilling and dust control
PP-WB-5482	60° 55' 14"	114° 31' 55"	085B/15	-	2,003	1	2,003	200	Yes	Drilling and dust control
PP-WB-5483	60° 55' 10"	114° 28' 38"	085B/16	-	3,269	1	3,269	327	Yes	Drilling and dust control
PP-WB-5484	60° 55' 11"	114° 29' 28"	085B/16	-	4,187	1	4,187	419	Yes	Drilling and dust control
PP-WB-5485	60° 55' 7"	114° 25' 11"	085B/16	-	2,475	1	2,475	247	Yes	Drilling and dust control
PP-WB-5486	60° 54' 34"	113° 59' 27"	085A/13	-	10,613	1	10,613	1,061	Yes	Drilling and dust control
PP-WB-5487	60° 55' 12"	114° 29' 35"	085B/16	-	1,773	1	1,773	177	Yes	Drilling and dust control
PP-WB-5488	60° 55' 15"	114° 32' 6"	085B/15	-	5,116	1	5,116	512	Yes	Drilling and dust control
PP-WB-5489	60° 55' 10"	114° 28' 33"	085B/16	-	3,353	1	3,353	335	Yes	Drilling and dust control
PP-WB-549	60° 39' 49"	114° 19' 39"	085B/09	-	1,067	1	1,067	107	Yes	Drilling and dust control
PP-WB-5490	60° 54' 35"	113° 58' 58"	085A/13	-	1,344	1	1,344	134	Yes	Drilling and dust control
PP-WB-5491	60° 55' 34"	114° 50' 10"	085B/15	-	4,604	1	4,604	460	Yes	Drilling and dust control
PP-WB-5492	60° 55' 11"	114° 28' 55"	085B/16	-	36,053	1	36,053	3,605	Yes	Drilling and dust control
PP-WB-5493	60° 55' 8"	114° 24' 34"	085B/16	M10518	3,646	1	3,646	365	Yes	Drilling and dust control
PP-WB-5495	60° 55' 13"	114° 28' 39"	085B/16	-	2,989	1	2,989	299	Yes	Drilling and dust control
PP-WB-5496	60° 55' 14"	114° 29' 29"	085B/16	-	1,659	1	1,659	166	Yes	Drilling and dust control
PP-WB-5497	60° 55' 8"	114° 24' 58"	085B/16	M10518	8,024	1	8,024	802	Yes	Drilling and dust control
PP-WB-5498	60° 55' 12"	114° 26' 59"	085B/16	-	3,530	1	3,530	353	Yes	Drilling and dust control
PP-WB-5499	60° 55' 18"	114° 33' 22"	085B/15	-	7,260	1	7,260	726	Yes	Drilling and dust control
PP-WB-55	60° 38' 7"	114° 16' 6"	085B/09	-	4,813	1	4,813	481	Yes	Drilling and dust control
PP-WB-550	60° 39' 40"	114° 12' 49"	085B/09	-	8,327	1	8,327	833	Yes	Drilling and dust control
PP-WB-5500	60° 55' 14"	114° 32' 23"	085B/15	-	83,746	1	83,746	8,375	Yes	Drilling and dust control
PP-WB-5501	60° 55' 12"	114° 29' 13"	085B/16	-	37,467	1	37,467	3,747	Yes	Drilling and dust control
PP-WB-5502	60° 54' 38"	113° 58' 44"	085A/13	-	1,937	1	1,937	194	Yes	Drilling and dust control
PP-WB-5503	60° 55' 20"	114° 34' 40"	085B/15	-	9,353	1	9,353	935	Yes	Drilling and dust control
PP-WB-5505	60° 55' 12"	114° 27' 16"	085B/16	-	6,384	1	6,384	638	Yes	Drilling and dust control
PP-WB-5506	60° 54' 39"	113° 59' 12"	085A/13	-	1,147	1	1,147	115	Yes	Drilling and dust control
PP-WB-5507	60° 55' 16"	114° 28' 58"	085B/16	-	1,260	1	1,260	126	Yes	Drilling and dust control
PP-WB-5508	60° 55' 18"	114° 31' 7"	085B/15	-	1,621	1	1,621	162	Yes	Drilling and dust control
PP-WB-5509	60° 54' 39"	113° 59' 18"	085A/13	-	4,201	1	4,201	420	Yes	Drilling and dust control
PP-WB-551	60° 39' 25"	114° 1' 10"	085B/09	-	7,484	1	7,484	748	Yes	Drilling and dust control
PP-WB-5511	60° 54' 52"	114° 9' 87"	085B/16	-	2,007	1	2,007	201	Yes	Drilling and dust control
PP-WB-5512	60° 55' 19"	114° 35' 16"	085B/15	-	18,146	1	18,146	1,815	Yes	Drilling and dust control
PP-WB-5513	60° 55' 16"	114° 28' 52"	085B/16	-	1,153	1	1,153	115	Yes	Drilling and dust control
PP-WB-5514	60° 54' 40"	113° 59' 47"	085A/13	-	4,495	1	4,495	449	Yes	Drilling and dust control
PP-WB-5515	60° 54' 42"	114° 0' 18"	085B/16	-	1,758	1	1,758	176	Yes	Drilling and dust control
PP-WB-5518	60° 55' 24"	114° 34' 49"	085B/15	-	4,709	1	4,709	471	Yes	Drilling and dust control
PP-WB-5519	60° 55' 13"	114° 27' 5"	085B/16	-	11,964	1	11,964	1,196	Yes	Drilling and dust control
PP-WB-552	60° 39' 32"	114° 7' 26"	085B/09	-	11,939	1	11,939	1,194	Yes	Drilling and dust control
PP-WB-5520	60° 55' 16"	114° 27' 33"	085B/16	-	13,789	1	13,789	1,379	Yes	Drilling and dust control
PP-WB-5521	60° 55' 16"	114° 26' 41"	085B/16	-	1,157	1	1,157	116	Yes	Drilling and dust control
PP-WB-5523	60° 54' 43"	113° 59' 53"	085A/13	-	2,612	1	2,612	261	Yes	Drilling and dust control
PP-WB-5524	60° 55' 20"	114° 31' 59"	085B/15	-	10,944	1				

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-5582	60° 55' 29"	114° 26' 1"	085B/16	-	1,672	1	1,672	167	Yes	Drilling and dust control
PP-WB-5584	60° 55' 34"	114° 31' 13"	085B/15	-	5,274	1	5,274	527	Yes	Drilling and dust control
PP-WB-5585	60° 55' 35"	114° 31' 27"	085B/15	-	2,598	1	2,598	260	Yes	Drilling and dust control
PP-WB-5586	60° 55' 27"	114° 34' 18"	085B/15	-	67,692	1	67,692	6,769	Yes	Drilling and dust control
PP-WB-5587	60° 55' 33"	114° 30' 22"	085B/15	-	7,772	1	7,772	777	Yes	Drilling and dust control
PP-WB-5588	60° 54' 54"	113° 57' 56"	085A/13	-	2,251	1	2,251	225	Yes	Drilling and dust control
PP-WB-559	60° 39' 50"	114° 20' 4"	085B/09	-	14,927	1	14,927	1,493	Yes	Drilling and dust control
PP-WB-5594	60° 55' 32"	114° 27' 5"	085B/16	-	1,185	1	1,185	119	Yes	Drilling and dust control
PP-WB-5595	60° 55' 33"	114° 28' 8"	085B/16	-	2,669	1	2,669	267	Yes	Drilling and dust control
PP-WB-5597	60° 55' 39"	114° 34' 19"	085B/15	-	6,959	1	6,959	696	Yes	Drilling and dust control
PP-WB-5599	60° 55' 33"	114° 27' 29"	085B/16	-	3,859	1	3,859	386	Yes	Drilling and dust control
PP-WB-560	60° 39' 53"	114° 22' 3"	085B/09	-	9,447	1	9,447	945	Yes	Drilling and dust control
PP-WB-5600	60° 55' 40"	114° 33' 24"	085B/15	-	4,835	1	4,835	483	Yes	Drilling and dust control
PP-WB-5601	60° 55' 37"	114° 30' 22"	085B/15	-	1,150	1	1,150	115	Yes	Drilling and dust control
PP-WB-5602	60° 55' 31"	114° 25' 3"	085B/16	M10519	4,346	1	4,346	435	Yes	Drilling and dust control
PP-WB-5603	60° 55' 42"	114° 34' 34"	085B/15	-	3,316	1	3,316	332	Yes	Drilling and dust control
PP-WB-5604	60° 55' 35"	114° 27' 44"	085B/16	-	1,517	1	1,517	152	Yes	Drilling and dust control
PP-WB-5605	60° 55' 35"	114° 27' 58"	085B/16	-	2,407	1	2,407	241	Yes	Drilling and dust control
PP-WB-5606	60° 55' 37"	114° 29' 28"	085B/16	-	2,026	1	2,026	203	Yes	Drilling and dust control
PP-WB-5607	60° 55' 32"	114° 27' 14"	085B/16	-	19,483	1	19,483	1,948	Yes	Drilling and dust control
PP-WB-5608	60° 55' 31"	114° 24' 54"	085B/16	M10519	1,942	1	1,942	194	Yes	Drilling and dust control
PP-WB-561	60° 39' 32"	114° 5' 37"	085B/09	-	5,643	1	5,643	564	Yes	Drilling and dust control
PP-WB-5610	60° 55' 36"	114° 28' 13"	085B/16	-	2,805	1	2,805	281	Yes	Drilling and dust control
PP-WB-5611	60° 55' 35"	114° 27' 24"	085B/16	-	1,112	1	1,112	111	Yes	Drilling and dust control
PP-WB-5612	60° 55' 37"	114° 30' 17"	085B/15	-	4,704	1	4,704	470	Yes	Drilling and dust control
PP-WB-5613	60° 55' 35"	114° 26' 53"	085B/16	-	3,402	1	3,402	340	Yes	Drilling and dust control
PP-WB-5614	60° 55' 41"	114° 33' 29"	085B/15	-	4,213	1	4,213	421	Yes	Drilling and dust control
PP-WB-5615	60° 55' 39"	114° 31' 6"	085B/15	-	2,753	1	2,753	275	Yes	Drilling and dust control
PP-WB-5616	60° 55' 37"	114° 30' 31"	085B/15	-	9,343	1	9,343	934	Yes	Drilling and dust control
PP-WB-5617	60° 55' 37"	114° 28' 30"	085B/16	-	3,596	1	3,596	360	Yes	Drilling and dust control
PP-WB-5618	60° 55' 33"	114° 25' 39"	085B/16	-	8,509	1	8,509	851	Yes	Drilling and dust control
PP-WB-5619	60° 55' 2"	114° 0' 24"	085B/16	-	3,619	1	3,619	362	Yes	Drilling and dust control
PP-WB-562	60° 39' 36"	114° 7' 42"	085B/09	-	2,762	1	2,762	276	Yes	Drilling and dust control
PP-WB-5620	60° 55' 39"	114° 31' 15"	085B/15	-	12,053	1	12,053	1,205	Yes	Drilling and dust control
PP-WB-5621	60° 55' 39"	114° 29' 34"	085B/16	-	1,685	1	1,685	169	Yes	Drilling and dust control
PP-WB-5622	60° 55' 3"	114° 0' 31"	085B/16	-	1,728	1	1,728	173	Yes	Drilling and dust control
PP-WB-5623	60° 55' 36"	114° 27' 5"	085B/16	-	11,221	1	11,221	1,122	Yes	Drilling and dust control
PP-WB-5624	60° 55' 1"	113° 58' 13"	085A/13	-	1,174	1	1,174	117	Yes	Drilling and dust control
PP-WB-5625	60° 55' 37"	114° 27' 20"	085B/16	-	4,090	1	4,090	409	Yes	Drilling and dust control
PP-WB-5626	60° 55' 38"	114° 27' 39"	085B/16	-	2,493	1	2,493	249	Yes	Drilling and dust control
PP-WB-5628	60° 55' 39"	114° 29' 12"	085B/16	-	3,315	1	3,315	332	Yes	Drilling and dust control
PP-WB-5629	60° 55' 38"	114° 28' 6"	085B/16	-	5,697	1	5,697	570	Yes	Drilling and dust control
PP-WB-563	60° 39' 49"	114° 19' 19"	085B/09	-	13,098	1	13,098	1,310	Yes	Drilling and dust control
PP-WB-5630	60° 55' 37"	114° 26' 49"	085B/16	-	5,467	1	5,467	547	Yes	Drilling and dust control
PP-WB-5631	60° 55' 34"	114° 25' 26"	085B/16	-	19,092	1	19,092	1,909	Yes	Drilling and dust control
PP-WB-5632	60° 55' 44"	114° 33' 8"	085B/15	-	3,083	1	3,083	308	Yes	Drilling and dust control
PP-WB-5633	60° 55' 40"	114° 29' 54"	085B/16	-	3,526	1	3,526	353	Yes	Drilling and dust control
PP-WB-5635	60° 55' 42"	114° 31' 10"	085B/15	-	7,926	1	7,926	793	Yes	Drilling and dust control
PP-WB-5636	60° 55' 46"	114° 34' 27"	085B/15	-	4,836	1	4,836	484	Yes	Drilling and dust control
PP-WB-5638	60° 55' 40"	114° 29' 0"	085B/16	-	15,416	1	15,416	1,542	Yes	Drilling and dust control
PP-WB-5639	60° 55' 39"	114° 27' 27"	085B/16	-	3,431	1	3,431	343	Yes	Drilling and dust control
PP-WB-5640	60° 55' 40"	114° 28' 14"	085B/16	-	4,560	1	4,560	456	Yes	Drilling and dust control
PP-WB-5643	60° 55' 39"	114° 27' 2"	085B/16	-	2,109	1	2,109	211	Yes	Drilling and dust control
PP-WB-5644	60° 55' 37"	114° 24' 47"	085B/16	M10519	2,455	1	2,455	246	Yes	Drilling and dust control
PP-WB-5645	60° 55' 41"	114° 28' 25"	085B/16	-	1,217	1	1,217	122	Yes	Drilling and dust control
PP-WB-5646	60° 55' 41"	114° 28' 46"	085B/16	-	7,926	1	7,926	793	Yes	Drilling and dust control
PP-WB-5647	60° 55' 41"	114° 28' 21"	085B/16	-	1,754	1	1,754	175	Yes	Drilling and dust control
PP-WB-5648	60° 55' 4"	113° 58' 24"	085A/13	-	2,005	1	2,005	200	Yes	Drilling and dust control
PP-WB-5649	60° 55' 40"	114° 26' 44"	085B/16	-	1,792	1	1,792	179	Yes	Drilling and dust control
PP-WB-565	60° 39' 49"	114° 17' 36"	085B/09	-	2,722	1	2,722	272	Yes	Drilling and dust control
PP-WB-5650	60° 55' 7"	113° 59' 59"	085A/13	-	1,045	1	1,045	104	Yes	Drilling and dust control
PP-WB-5651	60° 55' 36"	114° 25' 5"	085B/16	M10519	15,991	1	15,991			

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-5722	60° 55' 52"	114° 30' 27"	085B/15	-	23,397	1	23,397	2,340	Yes	Drilling and dust control
PP-WB-5725	60° 55' 48"	114° 24' 11"	085B/16	M10519	4,625	1	4,625	463	Yes	Drilling and dust control
PP-WB-5726	60° 55' 15"	113° 57' 50"	085A/13	-	1,548	1	1,548	155	Yes	Drilling and dust control
PP-WB-5727	60° 55' 15"	113° 58' 13"	085A/13	-	2,393	1	2,393	239	Yes	Drilling and dust control
PP-WB-5728	60° 55' 53"	114° 28' 9"	085B/16	-	1,067	1	1,067	107	Yes	Drilling and dust control
PP-WB-5729	60° 55' 55"	114° 29' 50"	085B/16	-	1,895	1	1,895	189	Yes	Drilling and dust control
PP-WB-573	60° 39' 26"	113° 59' 41"	085A/12	-	5,226	1	5,226	523	Yes	Drilling and dust control
PP-WB-5730	60° 55' 53"	114° 28' 14"	085B/16	-	3,018	1	3,018	302	Yes	Drilling and dust control
PP-WB-5732	60° 55' 57"	114° 31' 27"	085B/15	-	3,568	1	3,568	357	Yes	Drilling and dust control
PP-WB-5734	60° 55' 18"	113° 58' 27"	085A/13	-	1,440	1	1,440	144	Yes	Drilling and dust control
PP-WB-5735	60° 55' 59"	114° 32' 41"	085B/15	-	1,572	1	1,572	157	Yes	Drilling and dust control
PP-WB-5738	60° 55' 51"	114° 28' 40"	085B/16	-	74,174	1	74,174	7,417	Yes	Drilling and dust control
PP-WB-5739	60° 55' 59"	114° 31' 5"	085B/15	-	4,438	1	4,438	444	Yes	Drilling and dust control
PP-WB-574	60° 39' 31"	114° 3' 80"	085B/09	-	4,559	1	4,559	456	Yes	Drilling and dust control
PP-WB-5740	60° 55' 54"	114° 27' 10"	085B/16	-	3,973	1	3,973	397	Yes	Drilling and dust control
PP-WB-5741	60° 55' 52"	114° 25' 27"	085B/16	-	11,443	1	11,443	1,144	Yes	Drilling and dust control
PP-WB-5743	60° 55' 59"	114° 31' 12"	085B/15	-	6,707	1	6,707	671	Yes	Drilling and dust control
PP-WB-5744	60° 55' 55"	114° 32' 27"	085B/15	-	92,036	1	92,036	9,204	Yes	Drilling and dust control
PP-WB-5745	60° 55' 53"	114° 25' 35"	085B/16	-	6,072	1	6,072	607	Yes	Drilling and dust control
PP-WB-5747	60° 55' 52"	114° 22' 58"	085B/16	M10519	2,688	1	2,688	269	Yes	Drilling and dust control
PP-WB-5748	60° 55' 59"	114° 28' 46"	085B/16	-	1,272	1	1,272	127	Yes	Drilling and dust control
PP-WB-5749	60° 55' 56"	114° 31' 40"	085B/15	-	64,711	1	64,711	6,471	Yes	Drilling and dust control
PP-WB-575	60° 39' 51"	114° 19' 42"	085B/09	-	10,233	1	10,233	1,023	Yes	Drilling and dust control
PP-WB-5753	60° 55' 21"	113° 57' 57"	085A/13	-	1,549	1	1,549	155	Yes	Drilling and dust control
PP-WB-5755	60° 55' 21"	113° 57' 49"	085A/13	-	1,409	1	1,409	141	Yes	Drilling and dust control
PP-WB-5757	60° 55' 58"	114° 28' 7"	085B/16	-	12,360	1	12,360	1,236	Yes	Drilling and dust control
PP-WB-5758	60° 55' 56"	114° 25' 17"	085B/16	-	12,889	1	12,889	1,289	Yes	Drilling and dust control
PP-WB-5759	60° 55' 57"	114° 25' 27"	085B/16	-	3,201	1	3,201	320	Yes	Drilling and dust control
PP-WB-576	60° 39' 41"	114° 12' 33"	085B/09	-	12,916	1	12,916	1,292	Yes	Drilling and dust control
PP-WB-5760	60° 56' 2"	114° 29' 42"	085B/16	-	1,129	1	1,129	113	Yes	Drilling and dust control
PP-WB-5762	60° 56' 0"	114° 27' 26"	085B/16	-	3,649	1	3,649	365	Yes	Drilling and dust control
PP-WB-5764	60° 56' 0"	114° 27' 6"	085B/16	-	9,603	1	9,603	960	Yes	Drilling and dust control
PP-WB-5765	60° 56' 3"	114° 31' 14"	085B/15	-	19,877	1	19,877	1,988	Yes	Drilling and dust control
PP-WB-5766	60° 55' 59"	114° 25' 19"	085B/16	-	3,415	1	3,415	342	Yes	Drilling and dust control
PP-WB-5768	60° 55' 56"	114° 23' 30"	085B/16	M10519	4,709	1	4,709	471	Yes	Drilling and dust control
PP-WB-5769	60° 55' 57"	114° 22' 25"	085B/16	-	1,064	1	1,064	106	Yes	Drilling and dust control
PP-WB-577	60° 39' 33"	114° 6' 20"	085B/09	-	6,648	1	6,648	665	Yes	Drilling and dust control
PP-WB-5771	60° 55' 26"	113° 57' 52"	085A/13	-	1,447	1	1,447	145	Yes	Drilling and dust control
PP-WB-5772	60° 56' 8"	114° 33' 47"	085B/15	-	14,950	1	14,950	1,495	Yes	Drilling and dust control
PP-WB-5773	60° 56' 6"	114° 30' 48"	085B/15	-	3,675	1	3,675	368	Yes	Drilling and dust control
PP-WB-5774	60° 56' 7"	114° 30' 4"	085B/15	-	2,049	1	2,049	205	Yes	Drilling and dust control
PP-WB-5775	60° 56' 4"	114° 27' 11"	085B/16	-	2,705	1	2,705	270	Yes	Drilling and dust control
PP-WB-5776	60° 56' 5"	114° 29' 57"	085B/15, 085B/16	-	16,658	1	16,658	1,666	Yes	Drilling and dust control
PP-WB-5777	60° 56' 3"	114° 25' 6"	085B/16	-	1,109	1	1,109	111	Yes	Drilling and dust control
PP-WB-5778	60° 56' 3"	114° 28' 3"	085B/16	-	17,259	1	17,259	1,726	Yes	Drilling and dust control
PP-WB-578	60° 39' 34"	114° 5' 27"	085B/09	-	13,863	1	13,863	1,386	Yes	Drilling and dust control
PP-WB-5782	60° 55' 32"	113° 58' 41"	085A/13	-	1,517	1	1,517	152	Yes	Drilling and dust control
PP-WB-5783	60° 56' 8"	114° 29' 42"	085B/16	-	10,646	1	10,646	1,065	Yes	Drilling and dust control
PP-WB-5784	60° 56' 8"	114° 27' 25"	085B/16	-	1,183	1	1,183	118	Yes	Drilling and dust control
PP-WB-5785	60° 56' 6"	114° 27' 3"	085B/16	-	14,523	1	14,523	1,452	Yes	Drilling and dust control
PP-WB-5786	60° 56' 11"	114° 29' 32"	085B/16	-	1,849	1	1,849	185	Yes	Drilling and dust control
PP-WB-5787	60° 56' 9"	114° 26' 23"	085B/16	-	1,058	1	1,058	106	Yes	Drilling and dust control
PP-WB-5789	60° 56' 16"	114° 33' 55"	085B/15	-	16,203	1	16,203	1,620	Yes	Drilling and dust control
PP-WB-579	60° 39' 46"	114° 14' 52"	085B/09	-	4,264	1	4,264	426	Yes	Drilling and dust control
PP-WB-5790	60° 56' 5"	114° 21' 50"	085B/16	-	1,243	1	1,243	124	Yes	Drilling and dust control
PP-WB-5791	60° 56' 10"	114° 27' 15"	085B/16	-	10,869	1	10,869	1,087	Yes	Drilling and dust control
PP-WB-5794	60° 56' 17"	114° 33' 38"	085B/15	-	12,224	1	12,224	1,222	Yes	Drilling and dust control
PP-WB-5795	60° 56' 14"	114° 29' 47"	085B/16	-	8,263	1	8,263	826	Yes	Drilling and dust control
PP-WB-5796	60° 56' 11"	114° 26' 23"	085B/16	-	1,878	1	1,878	188	Yes	Drilling and dust control
PP-WB-5799	60° 55' 37"	113° 57' 43"	085A/13	-	1,468	1	1,468	147	Yes	Drilling and dust control
PP-WB-580	60° 39' 42"	114° 12' 16"	085B/09	-	16,702	1	16,702	1,670	Yes	Drilling and dust control
PP-WB-5800	60° 56' 7"	114° 22' 37"	0							

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-5864	60° 56' 34"	114° 25' 59"	085B/16	-	4,906	1	4,906	491	Yes	Drilling and dust control
PP-WB-5865	60° 56' 32"	114° 24' 5"	085B/16	M10520	2,919	1	2,919	292	Yes	Drilling and dust control
PP-WB-5866	60° 56' 41"	114° 31' 55"	085B/15	-	12,674	1	12,674	1,267	Yes	Drilling and dust control
PP-WB-5868	60° 56' 39"	114° 28' 59"	085B/16	-	3,836	1	3,836	384	Yes	Drilling and dust control
PP-WB-5869	60° 56' 33"	114° 23' 46"	085B/16	M10520	2,775	1	2,775	278	Yes	Drilling and dust control
PP-WB-587	60° 39' 48"	114° 15' 51"	085B/09	-	5,716	1	5,716	572	Yes	Drilling and dust control
PP-WB-5870	60° 56' 40"	114° 28' 44"	085B/16	-	1,997	1	1,997	200	Yes	Drilling and dust control
PP-WB-5871	60° 56' 40"	114° 30' 8"	085B/15	-	8,170	1	8,170	817	Yes	Drilling and dust control
PP-WB-5872	60° 56' 40"	114° 28' 53"	085B/16	-	1,691	1	1,691	169	Yes	Drilling and dust control
PP-WB-5873	60° 56' 37"	114° 25' 44"	085B/16	-	6,572	1	6,572	657	Yes	Drilling and dust control
PP-WB-5874	60° 56' 39"	114° 27' 27"	085B/16	-	2,551	1	2,551	255	Yes	Drilling and dust control
PP-WB-5876	60° 56' 40"	114° 28' 17"	085B/16	-	4,750	1	4,750	475	Yes	Drilling and dust control
PP-WB-5877	60° 56' 44"	114° 30' 34"	085B/15	-	2,055	1	2,055	205	Yes	Drilling and dust control
PP-WB-5878	60° 56' 42"	114° 29' 5"	085B/16	-	3,063	1	3,063	306	Yes	Drilling and dust control
PP-WB-5879	60° 56' 40"	114° 29' 34"	085B/16	-	53,222	1	53,222	5,322	Yes	Drilling and dust control
PP-WB-588	60° 39' 40"	114° 9' 16"	085B/09	-	3,413	1	3,413	341	Yes	Drilling and dust control
PP-WB-5880	60° 56' 41"	114° 27' 3"	085B/16	-	2,733	1	2,733	273	Yes	Drilling and dust control
PP-WB-5881	60° 56' 38"	114° 24' 13"	085B/16	M10520	5,942	1	5,942	594	Yes	Drilling and dust control
PP-WB-5883	60° 56' 43"	114° 26' 56"	085B/16	-	1,424	1	1,424	142	Yes	Drilling and dust control
PP-WB-5884	60° 56' 45"	114° 30' 14"	085B/15	-	7,928	1	7,928	793	Yes	Drilling and dust control
PP-WB-5885	60° 56' 43"	114° 26' 35"	085B/16	-	2,833	1	2,833	283	Yes	Drilling and dust control
PP-WB-5886	60° 56' 46"	114° 30' 24"	085B/15	-	8,957	1	8,957	896	Yes	Drilling and dust control
PP-WB-5887	60° 56' 44"	114° 25' 52"	085B/16	-	4,580	1	4,580	458	Yes	Drilling and dust control
PP-WB-5889	60° 56' 46"	114° 23' 39"	085B/16	M10520	1,413	1	1,413	141	Yes	Drilling and dust control
PP-WB-589	60° 39' 49"	114° 17' 4"	085B/09	-	12,361	1	12,361	1,236	Yes	Drilling and dust control
PP-WB-5890	60° 56' 47"	114° 24' 20"	085B/16	M10520	9,456	1	9,456	946	Yes	Drilling and dust control
PP-WB-5891	60° 56' 48"	114° 24' 7"	085B/16	M10520	4,865	1	4,865	486	Yes	Drilling and dust control
PP-WB-5893	60° 56' 51"	114° 24' 7"	085B/16	M10520	2,602	1	2,602	260	Yes	Drilling and dust control
PP-WB-5894	60° 56' 53"	114° 27' 24"	085B/16	-	47,211	1	47,211	4,721	Yes	Drilling and dust control
PP-WB-5895	60° 56' 54"	114° 24' 50"	085B/16	M10520	9,894	1	9,894	989	Yes	Drilling and dust control
PP-WB-5896	60° 56' 54"	114° 23' 49"	085B/16	M10520	3,172	1	3,172	317	Yes	Drilling and dust control
PP-WB-5898	60° 56' 49"	114° 25' 28"	085B/16	-	170,485	1	170,485	17,048	Yes	Drilling and dust control
PP-WB-5899	60° 56' 58"	114° 26' 40"	085B/16	-	9,982	1	9,982	998	Yes	Drilling and dust control
PP-WB-590	60° 39' 36"	114° 7' 83"	085B/09	-	12,744	1	12,744	1,274	Yes	Drilling and dust control
PP-WB-5900	60° 56' 59"	114° 25' 13"	085B/16	-	6,789	1	6,789	679	Yes	Drilling and dust control
PP-WB-5901	60° 57' 1"	114° 26' 4"	085B/16	-	11,008	1	11,008	1,101	Yes	Drilling and dust control
PP-WB-5902	60° 57' 5"	114° 26' 18"	085B/16	-	1,768	1	1,768	177	Yes	Drilling and dust control
PP-WB-5903	60° 57' 1"	114° 24' 31"	085B/16	M10520	8,019	1	8,019	802	Yes	Drilling and dust control
PP-WB-5904	60° 56' 31"	113° 58' 45"	085A/13	-	2,627	1	2,627	263	Yes	Drilling and dust control
PP-WB-5905	60° 57' 2"	114° 24' 44"	085B/16	M10520	13,472	1	13,472	1,347	Yes	Drilling and dust control
PP-WB-5906	60° 56' 32"	113° 58' 33"	085A/13	-	2,777	1	2,777	278	Yes	Drilling and dust control
PP-WB-5907	60° 56' 35"	113° 59' 1"	085A/13	-	1,428	1	1,428	143	Yes	Drilling and dust control
PP-WB-5908	60° 56' 35"	113° 58' 26"	085A/13	-	2,768	1	2,768	277	Yes	Drilling and dust control
PP-WB-5909	60° 57' 9"	114° 26' 12"	085B/16	-	8,577	1	8,577	858	Yes	Drilling and dust control
PP-WB-591	60° 39' 47"	114° 14' 35"	085B/09	-	5,649	1	5,649	565	Yes	Drilling and dust control
PP-WB-5910	60° 56' 37"	113° 59' 10"	085A/13	-	11,995	1	11,995	1,200	Yes	Drilling and dust control
PP-WB-5912	60° 56' 41"	113° 59' 22"	085A/13	-	1,688	1	1,688	169	Yes	Drilling and dust control
PP-WB-5913	60° 56' 42"	113° 59' 42"	085A/13	-	1,367	1	1,367	137	Yes	Drilling and dust control
PP-WB-5914	60° 56' 40"	113° 58' 39"	085A/13	-	3,119	1	3,119	312	Yes	Drilling and dust control
PP-WB-5916	60° 56' 41"	113° 58' 32"	085A/13	-	2,019	1	2,019	202	Yes	Drilling and dust control
PP-WB-592	60° 39' 38"	114° 7' 25"	085B/09	-	4,454	1	4,454	445	Yes	Drilling and dust control
PP-WB-5920	60° 56' 43"	113° 58' 13"	085A/13	-	1,313	1	1,313	131	Yes	Drilling and dust control
PP-WB-5921	60° 56' 46"	114° 0' 25"	085B/16	-	1,154	1	1,154	115	Yes	Drilling and dust control
PP-WB-5922	60° 57' 16"	114° 24' 40"	085B/16	M10520	1,120	1	1,120	112	Yes	Drilling and dust control
PP-WB-5923	60° 56' 43"	113° 59' 31"	085A/13	-	5,994	1	5,994	599	Yes	Drilling and dust control
PP-WB-5925	60° 56' 45"	113° 59' 13"	085A/13	-	1,445	1	1,445	145	Yes	Drilling and dust control
PP-WB-5927	60° 56' 52"	114° 4' 45"	085B/16	M10801	1,933	1	1,933	193	Yes	Drilling and dust control
PP-WB-5929	60° 57' 19"	114° 24' 34"	085B/16	M10520	5,917	1	5,917	592	Yes	Drilling and dust control
PP-WB-593	60° 39' 39"	114° 7' 42"	085B/09	-	4,249	1	4,249	425	Yes	Drilling and dust control
PP-WB-5933	60° 56' 51"	113° 59' 34"	085A/13	-	2,140	1	2,140	214	Yes	Drilling and dust control
PP-WB-5935	60° 56' 51"	113° 59' 5"	085A/13	-	1,860	1	1,860	186	Yes	Drilling and dust control
PP-WB-5936	60° 56' 53"	113°								

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-6016	60° 58' 25"	114° 7' 48"	085B/16	-	3,001	1	3,001	300	Yes	Drilling and dust control
PP-WB-6017	60° 58' 43"	114° 19' 49"	085B/16	-	1,543	1	1,543	154	Yes	Drilling and dust control
PP-WB-6018	60° 58' 42"	114° 19' 37"	085B/16	-	3,992	1	3,992	399	Yes	Drilling and dust control
PP-WB-6019	60° 58' 42"	114° 20' 0"	085B/16	-	9,600	1	9,600	960	Yes	Drilling and dust control
PP-WB-602	60° 39' 43"	114° 8' 53"	085B/09	-	1,248	1	1,248	125	Yes	Drilling and dust control
PP-WB-6021	60° 58' 29"	114° 5' 22"	085B/16	-	3,212	1	3,212	321	Yes	Drilling and dust control
PP-WB-6022	60° 58' 33"	114° 6' 26"	085B/16	-	9,676	1	9,676	968	Yes	Drilling and dust control
PP-WB-6023	60° 58' 51"	114° 19' 39"	085B/16	-	3,050	1	3,050	305	Yes	Drilling and dust control
PP-WB-6024	60° 58' 51"	114° 20' 5"	085B/16	-	10,118	1	10,118	1,012	Yes	Drilling and dust control
PP-WB-6025	60° 58' 56"	114° 19' 27"	085B/16	-	2,199	1	2,199	220	Yes	Drilling and dust control
PP-WB-6026	60° 58' 42"	114° 8' 10"	085B/16	-	3,955	1	3,955	396	Yes	Drilling and dust control
PP-WB-6027	60° 58' 57"	114° 19' 33"	085B/16	-	3,247	1	3,247	325	Yes	Drilling and dust control
PP-WB-6028	60° 58' 51"	114° 19' 15"	085B/16	-	46,866	1	46,866	4,687	Yes	Drilling and dust control
PP-WB-6029	60° 58' 59"	114° 19' 8"	085B/16	-	1,326	1	1,326	133	Yes	Drilling and dust control
PP-WB-603	60° 40' 32"	115° 1' 88"	085B/11	-	329,980	1	329,980	32,998	Yes	Drilling and dust control
PP-WB-6030	60° 59' 1"	114° 18' 53"	085B/16	-	4,797	1	4,797	480	Yes	Drilling and dust control
PP-WB-6031	60° 59' 4"	114° 19' 0"	085B/16	-	8,091	1	8,091	809	Yes	Drilling and dust control
PP-WB-6032	60° 58' 55"	114° 8' 34"	085B/16	-	17,832	1	17,832	1,783	Yes	Drilling and dust control
PP-WB-6033	60° 59' 0"	114° 11' 14"	085B/16	-	4,165	1	4,165	416	Yes	Drilling and dust control
PP-WB-6034	60° 59' 9"	114° 18' 47"	085B/16	-	7,403	1	7,403	740	Yes	Drilling and dust control
PP-WB-6035	60° 59' 7"	114° 19' 3"	085B/16	-	19,214	1	19,214	1,921	Yes	Drilling and dust control
PP-WB-6036	60° 59' 2"	114° 11' 5"	085B/16	-	8,522	1	8,522	852	Yes	Drilling and dust control
PP-WB-6037	60° 59' 20"	114° 19' 3"	085B/16	-	2,497	1	2,497	250	Yes	Drilling and dust control
PP-WB-6038	60° 59' 9"	114° 9' 20"	085B/16	-	7,258	1	7,258	726	Yes	Drilling and dust control
PP-WB-6039	60° 59' 23"	114° 18' 53"	085B/16	-	1,214	1	1,214	121	Yes	Drilling and dust control
PP-WB-604	60° 39' 42"	114° 9' 12"	085B/09	-	7,197	1	7,197	720	Yes	Drilling and dust control
PP-WB-6040	60° 59' 39"	114° 18' 20"	085B/16	-	6,404	1	6,404	640	Yes	Drilling and dust control
PP-WB-605	60° 40' 51"	115° 14' 39"	085B/11	-	1,649	1	1,649	165	Yes	Drilling and dust control
PP-WB-606	60° 39' 40"	114° 7' 34"	085B/09	-	5,635	1	5,635	564	Yes	Drilling and dust control
PP-WB-607	60° 39' 57"	114° 20' 7"	085B/09	-	9,512	1	9,512	951	Yes	Drilling and dust control
PP-WB-608	60° 39' 58"	114° 21' 34"	085B/09	-	6,665	1	6,665	666	Yes	Drilling and dust control
PP-WB-609	60° 39' 52"	114° 16' 42"	085B/09	-	23,510	1	23,510	2,351	Yes	Drilling and dust control
PP-WB-610	60° 39' 53"	114° 17' 2"	085B/09	-	7,238	1	7,238	724	Yes	Drilling and dust control
PP-WB-611	60° 39' 56"	114° 19' 43"	085B/09	-	13,813	1	13,813	1,381	Yes	Drilling and dust control
PP-WB-612	60° 39' 44"	114° 9' 20"	085B/09	-	2,787	1	2,787	279	Yes	Drilling and dust control
PP-WB-613	60° 39' 37"	114° 3' 14"	085B/09	-	6,572	1	6,572	657	Yes	Drilling and dust control
PP-WB-614	60° 39' 38"	114° 5' 23"	085B/09	-	11,512	1	11,512	1,151	Yes	Drilling and dust control
PP-WB-615	60° 39' 39"	114° 9' 96"	085B/09	-	28,467	1	28,467	2,847	Yes	Drilling and dust control
PP-WB-616	60° 40' 4"	114° 24' 58"	085B/09	-	15,284	1	15,284	1,528	Yes	Drilling and dust control
PP-WB-617	60° 39' 55"	114° 18' 9"	085B/09	-	23,652	1	23,652	2,365	Yes	Drilling and dust control
PP-WB-618	60° 39' 36"	114° 1' 30"	085B/09	-	2,593	1	2,593	259	Yes	Drilling and dust control
PP-WB-619	60° 39' 32"	114° 0' 41"	085A/12	-	18,081	1	18,081	1,808	Yes	Drilling and dust control
PP-WB-620	60° 38' 58"	115° 2' 47"	085B/11	-	2,834	1	2,834	283	Yes	Drilling and dust control
PP-WB-620	60° 39' 38"	114° 3' 13"	085B/09	-	3,792	1	3,792	379	Yes	Drilling and dust control
PP-WB-621	60° 39' 47"	114° 9' 10"	085B/09	-	2,683	1	2,683	268	Yes	Drilling and dust control
PP-WB-622	60° 40' 46"	115° 7' 24"	085B/11	-	22,382	1	22,382	2,238	Yes	Drilling and dust control
PP-WB-623	60° 39' 37"	114° 1' 36"	085B/09	-	1,451	1	1,451	145	Yes	Drilling and dust control
PP-WB-624	60° 40' 50"	115° 8' 49"	085B/11	-	3,043	1	3,043	304	Yes	Drilling and dust control
PP-WB-625	60° 39' 48"	114° 10' 28"	085B/09	-	9,077	1	9,077	908	Yes	Drilling and dust control
PP-WB-626	60° 39' 57"	114° 18' 45"	085B/09	-	26,200	1	26,200	2,620	Yes	Drilling and dust control
PP-WB-627	60° 39' 57"	114° 17' 4"	085B/09	-	8,471	1	8,471	847	Yes	Drilling and dust control
PP-WB-628	60° 39' 40"	114° 3' 20"	085B/09	-	4,844	1	4,844	484	Yes	Drilling and dust control
PP-WB-629	60° 39' 37"	114° 2' 25"	085B/09	-	15,910	1	15,910	1,591	Yes	Drilling and dust control
PP-WB-630	60° 39' 2"	115° 7' 24"	085B/11	-	3,500	1	3,500	350	Yes	Drilling and dust control
PP-WB-630	60° 40' 1"	114° 21' 49"	085B/09	-	24,197	1	24,197	2,420	Yes	Drilling and dust control
PP-WB-633	60° 40' 52"	115° 9' 14"	085B/11	-	10,141	1	10,141	1,014	Yes	Drilling and dust control
PP-WB-634	60° 40' 0"	114° 19' 32"	085B/09	-	42,265	1	42,265	4,227	Yes	Drilling and dust control
PP-WB-635	60° 40' 6"	114° 21' 41"	085B/09	-	3,495	1	3,495	349	Yes	Drilling and dust control
PP-WB-636	60° 40' 0"	114° 17' 7"	085B/09	-	4,518	1	4,518	452	Yes	Drilling and dust control
PP-WB-637	60° 39' 48"	114° 6' 54"	085B/09	-	4,727	1	4,727	473	Yes	Drilling and dust control
PP-WB-638	60° 40' 13"	114° 26' 29"	085B/09	-	1,352	1	1,352	135	Yes	Drilling and dust control
PP-WB-639	60° 39' 57"	114° 13' 26"	085B/09	-	4,940	1	4,940	494	Yes	Drilling and dust control
PP-WB-640	6									

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-689	60° 39' 57"	114° 7' 12"	0858/09	-	7,154	1	7,154	715	Yes	Drilling and dust control
PP-WB-690	60° 40' 12"	114° 19' 5"	0858/09	-	8,389	1	8,389	839	Yes	Drilling and dust control
PP-WB-691	60° 40' 6"	114° 18' 35"	0858/09	-	169,087	1	169,087	16,909	Yes	Drilling and dust control
PP-WB-692	60° 39' 58"	114° 7' 18"	0858/09	-	3,916	1	3,916	392	Yes	Drilling and dust control
PP-WB-693	60° 40' 14"	114° 21' 58"	0858/09	-	28,685	1	28,685	2,869	Yes	Drilling and dust control
PP-WB-694	60° 39' 51"	114° 2' 60"	0858/09	-	5,294	1	5,294	529	Yes	Drilling and dust control
PP-WB-695	60° 40' 14"	114° 19' 41"	0858/09	-	16,035	1	16,035	1,603	Yes	Drilling and dust control
PP-WB-696	60° 40' 9"	114° 16' 29"	0858/09	-	18,497	1	18,497	1,850	Yes	Drilling and dust control
PP-WB-697	60° 39' 50"	114° 0' 22"	0858/09	-	4,770	1	4,770	477	Yes	Drilling and dust control
PP-WB-698	60° 40' 18"	114° 23' 3"	0858/09	-	6,888	1	6,888	689	Yes	Drilling and dust control
PP-WB-699	60° 40' 10"	114° 17' 8"	0858/09	-	7,712	1	7,712	771	Yes	Drilling and dust control
PP-WB-7	60° 38' 24"	114° 40' 0"	0858/10	-	1,482	1	1,482	148	Yes	Drilling and dust control
PP-WB-70	60° 37' 46"	113° 59' 30"	085A/12	-	16,971	1	16,971	1,697	Yes	Drilling and dust control
PP-WB-700	60° 40' 1"	114° 7' 14"	0858/09	-	4,022	1	4,022	402	Yes	Drilling and dust control
PP-WB-701	60° 39' 55"	114° 2' 52"	0858/09	-	4,127	1	4,127	413	Yes	Drilling and dust control
PP-WB-702	60° 39' 50"	113° 59' 15"	085A/12	-	9,395	1	9,395	940	Yes	Drilling and dust control
PP-WB-703	60° 41' 5"	115° 8' 10"	0858/11	-	7,657	1	7,657	766	Yes	Drilling and dust control
PP-WB-704	60° 40' 2"	114° 7' 41"	0858/09	-	2,031	1	2,031	203	Yes	Drilling and dust control
PP-WB-705	60° 40' 16"	114° 18' 17"	0858/09	-	3,209	1	3,209	321	Yes	Drilling and dust control
PP-WB-706	60° 40' 12"	114° 16' 18"	0858/09	-	14,564	1	14,564	1,456	Yes	Drilling and dust control
PP-WB-707	60° 40' 14"	114° 17' 13"	0858/09	-	5,502	1	5,502	550	Yes	Drilling and dust control
PP-WB-708	60° 39' 52"	113° 59' 3"	085A/12	-	4,343	1	4,343	434	Yes	Drilling and dust control
PP-WB-709	60° 40' 14"	114° 22' 10"	0858/09	-	42,589	1	42,589	4,259	Yes	Drilling and dust control
PP-WB-71	60° 38' 9"	114° 16' 11"	0858/09	-	12,948	1	12,948	1,295	Yes	Drilling and dust control
PP-WB-710	60° 39' 58"	114° 3' 14"	0858/09	-	2,479	1	2,479	248	Yes	Drilling and dust control
PP-WB-711	60° 41' 6"	115° 7' 49"	0858/11	M10297	12,180	1	12,180	1,218	Yes	Drilling and dust control
PP-WB-712	60° 39' 53"	114° 0' 98"	0858/09	-	16,560	1	16,560	1,656	Yes	Drilling and dust control
PP-WB-713	60° 40' 19"	114° 20' 26"	0858/09	-	6,150	1	6,150	615	Yes	Drilling and dust control
PP-WB-714	60° 41' 6"	115° 7' 39"	0858/11	M10297	4,863	1	4,863	486	Yes	Drilling and dust control
PP-WB-715	60° 39' 54"	114° 0' 22"	0858/09	-	5,025	1	5,025	503	Yes	Drilling and dust control
PP-WB-716	60° 40' 47"	114° 52' 59"	0858/10	-	159,797	1	159,797	15,980	Yes	Drilling and dust control
PP-WB-717	60° 40' 28"	114° 26' 20"	0858/09	-	2,956	1	2,956	296	Yes	Drilling and dust control
PP-WB-718	60° 40' 12"	114° 17' 51"	0858/09	-	103,135	1	103,135	10,314	Yes	Drilling and dust control
PP-WB-719	60° 41' 7"	115° 7' 43"	0858/11	M10297	7,692	1	7,692	769	Yes	Drilling and dust control
PP-WB-72	60° 38' 59"	115° 2' 44"	0858/11	-	1,331	1	1,331	133	Yes	Drilling and dust control
PP-WB-720	60° 39' 56"	114° 0' 46"	0858/09	-	2,384	1	2,384	238	Yes	Drilling and dust control
PP-WB-721	60° 40' 24"	114° 22' 46"	0858/09	-	5,061	1	5,061	506	Yes	Drilling and dust control
PP-WB-722	60° 41' 9"	115° 7' 36"	0858/11	M10297	3,014	1	3,014	301	Yes	Drilling and dust control
PP-WB-723	60° 40' 20"	114° 22' 18"	0858/09	-	30,001	1	30,001	3,000	Yes	Drilling and dust control
PP-WB-724	60° 40' 16"	114° 15' 51"	0858/09	-	5,702	1	5,702	570	Yes	Drilling and dust control
PP-WB-725	60° 40' 11"	114° 10' 37"	0858/09	-	4,758	1	4,758	476	Yes	Drilling and dust control
PP-WB-726	60° 40' 23"	114° 20' 28"	0858/09	-	11,998	1	11,998	1,200	Yes	Drilling and dust control
PP-WB-727	60° 41' 11"	115° 7' 32"	0858/11	M10297	4,265	1	4,265	427	Yes	Drilling and dust control
PP-WB-728	60° 40' 12"	114° 10' 50"	0858/09	-	2,986	1	2,986	299	Yes	Drilling and dust control
PP-WB-729	60° 40' 17"	114° 15' 56"	0858/09	-	5,268	1	5,268	527	Yes	Drilling and dust control
PP-WB-73	60° 39' 2"	115° 6' 54"	0858/11	-	5,128	1	5,128	513	Yes	Drilling and dust control
PP-WB-730	60° 40' 22"	114° 20' 56"	0858/09	-	24,598	1	24,598	2,460	Yes	Drilling and dust control
PP-WB-731	60° 40' 26"	114° 22' 22"	0858/09	-	7,054	1	7,054	705	Yes	Drilling and dust control
PP-WB-732	60° 40' 27"	114° 22' 15"	0858/09	-	6,150	1	6,150	615	Yes	Drilling and dust control
PP-WB-733	60° 40' 26"	114° 20' 52"	0858/09	-	3,936	1	3,936	394	Yes	Drilling and dust control
PP-WB-734	60° 40' 10"	114° 6' 36"	0858/09	-	2,746	1	2,746	275	Yes	Drilling and dust control
PP-WB-735	60° 41' 9"	115° 1' 49"	0858/11	-	3,527	1	3,527	353	Yes	Drilling and dust control
PP-WB-736	60° 40' 50"	114° 40' 25"	0858/10	-	1,383	1	1,383	138	Yes	Drilling and dust control
PP-WB-737	60° 40' 25"	114° 19' 59"	0858/09	-	12,623	1	12,623	1,262	Yes	Drilling and dust control
PP-WB-738	60° 40' 18"	114° 13' 54"	0858/09	-	14,579	1	14,579	1,458	Yes	Drilling and dust control
PP-WB-739	60° 40' 6"	114° 2' 58"	0858/09	-	2,140	1	2,140	214	Yes	Drilling and dust control
PP-WB-74	60° 38' 2"	114° 8' 58"	0858/09	-	1,454	1	1,454	145	Yes	Drilling and dust control
PP-WB-740	60° 40' 3"	114° 2' 51"	0858/09	-	16,910	1	16,910	1,691	Yes	Drilling and dust control
PP-WB-741	60° 41' 11"	115° 4' 33"	0858/11	M10297	30,492	1	30,492	3,049	Yes	Drilling and dust control
PP-WB-742	60° 40' 27"	114° 22' 53"	0858/09	-	29,383	1	29,383	2,938	Yes	Drilling and dust control
PP-WB-743	60° 40' 2"	114° 0' 33"	0858/09	-	4,861	1	4,861	486	Yes	Drilling and dust control
PP-WB-744	60° 40' 6"	114° 3' 11"	0858/09	-	4,024	1	4,024	402	Yes	Drilling and dust control

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-797	60° 40' 17"	114° 4' 19"	085B/09	-	4,131	1	4,131	413	Yes	Drilling and dust control
PP-WB-798	60° 40' 40"	114° 22' 48"	085B/09	-	5,415	1	5,415	541	Yes	Drilling and dust control
PP-WB-799	60° 40' 26"	114° 10' 27"	085B/09	-	5,262	1	5,262	526	Yes	Drilling and dust control
PP-WB-80	60° 37' 49"	113° 59' 22"	085A/12	-	1,197	1	1,197	120	Yes	Drilling and dust control
PP-WB-800	60° 41' 26"	115° 7' 11"	085B/11	M10297	1,175	1	1,175	117	Yes	Drilling and dust control
PP-WB-801	60° 40' 32"	114° 15' 32"	085B/09	-	5,856	1	5,856	586	Yes	Drilling and dust control
PP-WB-802	60° 40' 47"	114° 27' 10"	085B/09	-	1,740	1	1,740	174	Yes	Drilling and dust control
PP-WB-803	60° 40' 31"	114° 15' 20"	085B/09	-	17,084	1	17,084	1,708	Yes	Drilling and dust control
PP-WB-804	60° 40' 41"	114° 21' 51"	085B/09	-	2,281	1	2,281	228	Yes	Drilling and dust control
PP-WB-805	60° 41' 3"	114° 41' 33"	085B/10	-	1,108	1	1,108	111	Yes	Drilling and dust control
PP-WB-806	60° 40' 36"	114° 21' 36"	085B/09	-	57,194	1	57,194	5,719	Yes	Drilling and dust control
PP-WB-807	60° 40' 27"	114° 16' 40"	085B/09	-	82,111	1	82,111	8,211	Yes	Drilling and dust control
PP-WB-808	60° 40' 41"	114° 22' 52"	085B/09	-	8,371	1	8,371	837	Yes	Drilling and dust control
PP-WB-809	60° 40' 30"	114° 13' 4"	085B/09	-	22,375	1	22,375	2,238	Yes	Drilling and dust control
PP-WB-81	60° 39' 3"	115° 8' 31"	085B/11	-	3,818	1	3,818	382	Yes	Drilling and dust control
PP-WB-810	60° 40' 15"	114° 2' 23"	085B/09	-	22,181	1	22,181	2,218	Yes	Drilling and dust control
PP-WB-811	60° 41' 20"	115° 0' 20"	085B/11	-	6,136	1	6,136	614	Yes	Drilling and dust control
PP-WB-812	60° 40' 21"	114° 5' 29"	085B/09	-	5,999	1	5,999	600	Yes	Drilling and dust control
PP-WB-813	60° 40' 13"	113° 59' 22"	085A/12	-	6,180	1	6,180	618	Yes	Drilling and dust control
PP-WB-814	60° 41' 21"	115° 0' 31"	085B/11	-	10,048	1	10,048	1,005	Yes	Drilling and dust control
PP-WB-815	60° 40' 22"	114° 5' 13"	085B/09	-	1,166	1	1,166	117	Yes	Drilling and dust control
PP-WB-816	60° 41' 22"	115° 1' 13"	085B/11	-	8,098	1	8,098	810	Yes	Drilling and dust control
PP-WB-817	60° 40' 21"	114° 5' 36"	085B/09	-	5,790	1	5,790	579	Yes	Drilling and dust control
PP-WB-818	60° 40' 43"	114° 23' 19"	085B/09	-	24,467	1	24,467	2,447	Yes	Drilling and dust control
PP-WB-819	60° 41' 17"	114° 58' 22"	085B/10	-	31,852	1	31,852	3,185	Yes	Drilling and dust control
PP-WB-820	60° 40' 35"	114° 21' 13"	085B/09	-	88,537	1	88,537	8,854	Yes	Drilling and dust control
PP-WB-821	60° 40' 14"	114° 0' 05"	085A/12	-	6,106	1	6,106	611	Yes	Drilling and dust control
PP-WB-822	60° 40' 37"	114° 20' 50"	085B/09	-	75,168	1	75,168	7,517	Yes	Drilling and dust control
PP-WB-823	60° 40' 37"	114° 18' 42"	085B/09	-	57,882	1	57,882	5,788	Yes	Drilling and dust control
PP-WB-824	60° 40' 15"	113° 59' 33"	085A/12	-	13,527	1	13,527	1,353	Yes	Drilling and dust control
PP-WB-825	60° 40' 49"	114° 26' 17"	085B/09	-	3,073	1	3,073	307	Yes	Drilling and dust control
PP-WB-826	60° 40' 24"	114° 5' 10"	085B/09	-	3,622	1	3,622	362	Yes	Drilling and dust control
PP-WB-827	60° 40' 19"	114° 1' 28"	085B/09	-	4,342	1	4,342	434	Yes	Drilling and dust control
PP-WB-828	60° 41' 14"	115° 0' 21"	085B/11, 085B/10	-	185,995	1	185,995	18,600	Yes	Drilling and dust control
PP-WB-829	60° 40' 44"	114° 22' 27"	085B/09	-	11,567	1	11,567	1,157	Yes	Drilling and dust control
PP-WB-830	60° 37' 52"	114° 2' 48"	085B/09	-	9,101	1	9,101	910	Yes	Drilling and dust control
PP-WB-831	60° 41' 25"	115° 1' 31"	085B/11	-	11,535	1	11,535	1,153	Yes	Drilling and dust control
PP-WB-832	60° 40' 17"	113° 59' 21"	085A/12	-	6,375	1	6,375	638	Yes	Drilling and dust control
PP-WB-833	60° 40' 44"	114° 21' 19"	085B/09	-	6,081	1	6,081	608	Yes	Drilling and dust control
PP-WB-834	60° 41' 28"	115° 2' 11"	085B/11	-	1,168	1	1,168	117	Yes	Drilling and dust control
PP-WB-835	60° 40' 37"	114° 7' 25"	085B/11	M10297	5,839	1	5,839	584	Yes	Drilling and dust control
PP-WB-836	60° 40' 45"	114° 21' 35"	085B/09	-	5,100	1	5,100	510	Yes	Drilling and dust control
PP-WB-837	60° 40' 45"	114° 20' 53"	085B/09	-	5,543	1	5,543	554	Yes	Drilling and dust control
PP-WB-838	60° 40' 45"	114° 24' 4"	085B/09	-	92,809	1	92,809	9,281	Yes	Drilling and dust control
PP-WB-839	60° 40' 18"	113° 59' 48"	085A/12	-	6,244	1	6,244	624	Yes	Drilling and dust control
PP-WB-840	60° 40' 37"	114° 13' 49"	085B/09	-	3,183	1	3,183	318	Yes	Drilling and dust control
PP-WB-841	60° 41' 24"	114° 58' 28"	085B/10	-	5,966	1	5,966	597	Yes	Drilling and dust control
PP-WB-842	60° 41' 26"	114° 58' 23"	085B/10	-	1,870	1	1,870	187	Yes	Drilling and dust control
PP-WB-843	60° 40' 20"	113° 59' 58"	085A/12	-	2,671	1	2,671	267	Yes	Drilling and dust control
PP-WB-845	60° 40' 37"	114° 13' 43"	085B/09	-	4,912	1	4,912	491	Yes	Drilling and dust control
PP-WB-846	60° 40' 14"	113° 58' 58"	085A/12	-	33,292	1	33,292	3,329	Yes	Drilling and dust control
PP-WB-847	60° 40' 28"	114° 5' 30"	085B/09	-	2,226	1	2,226	223	Yes	Drilling and dust control
PP-WB-848	60° 40' 43"	114° 17' 48"	085B/09	-	2,231	1	2,231	223	Yes	Drilling and dust control
PP-WB-849	60° 40' 22"	114° 0' 56"	085B/09	-	4,733	1	4,733	473	Yes	Drilling and dust control
PP-WB-850	60° 38' 2"	114° 8' 27"	085B/09	-	5,182	1	5,182	518	Yes	Drilling and dust control
PP-WB-851	60° 40' 19"	113° 59' 3"	085A/12	-	6,632	1	6,632	663	Yes	Drilling and dust control
PP-WB-852	60° 40' 33"	114° 12' 8"	085B/09	-	17,634	1	17,634	1,763	Yes	Drilling and dust control
PP-WB-853	60° 40' 41"	114° 19' 18"	085B/09	-	43,663	1	43,663	4,366	Yes	Drilling and dust control
PP-WB-854	60° 40' 29"	114° 5' 23"	085B/09	-	2,893	1	2,893	289	Yes	Drilling and dust control
PP-WB-855	60° 40' 49"	114° 21' 13"	085B/09	-	3,558	1	3,558	356	Yes	Drilling and dust control
PP-WB-856	60° 40' 23"	114° 1' 28"	085B/09	-	8,061	1	8,061	806	Yes	Drilling and dust control
PP-WB-858	60° 40' 25"	114° 2' 41"	085B/09	-	10,458	1	10,458	1,046	Yes	Drilling and dust control

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?	Usage Activities
PP-WB-902	60° 40' 36"	114° 3' 29"	0858/09	-	4,149	1	4,149	415	Yes	Drilling and dust control
PP-WB-903	60° 40' 51"	114° 23' 10"	0858/09	-	195,244	1	195,244	19,524	Yes	Drilling and dust control
PP-WB-904	60° 40' 33"	114° 1' 31"	0858/09	-	3,533	1	3,533	353	Yes	Drilling and dust control
PP-WB-905	60° 41' 38"	115° 1' 50"	0858/11	-	100,067	1	100,067	10,007	Yes	Drilling and dust control
PP-WB-907	60° 41' 46"	115° 7' 24"	0858/11	M10297	2,710	1	2,710	271	Yes	Drilling and dust control
PP-WB-908	60° 40' 56"	114° 19' 57"	0858/09	-	22,928	1	22,928	2,293	Yes	Drilling and dust control
PP-WB-909	60° 40' 36"	114° 1' 13"	0858/09	-	1,035	1	1,035	103	Yes	Drilling and dust control
PP-WB-91	60° 39' 2"	115° 3' 10"	0858/11	-	1,173	1	1,173	117	Yes	Drilling and dust control
PP-WB-910	60° 40' 51"	114° 12' 20"	0858/09	-	2,170	1	2,170	217	Yes	Drilling and dust control
PP-WB-911	60° 40' 51"	114° 12' 31"	0858/09	-	5,481	1	5,481	548	Yes	Drilling and dust control
PP-WB-912	60° 40' 33"	113° 59' 7"	085A/12	-	7,696	1	7,696	770	Yes	Drilling and dust control
PP-WB-913	60° 40' 58"	114° 19' 19"	0858/09	-	36,863	1	36,863	3,686	Yes	Drilling and dust control
PP-WB-914	60° 40' 51"	114° 13' 23"	0858/09	-	17,340	1	17,340	1,734	Yes	Drilling and dust control
PP-WB-915	60° 41' 48"	115° 7' 59"	0858/11	M10297	16,573	1	16,573	1,657	Yes	Drilling and dust control
PP-WB-916	60° 41' 2"	114° 21' 13"	0858/09	-	12,348	1	12,348	1,235	Yes	Drilling and dust control
PP-WB-917	60° 41' 4"	114° 22' 57"	0858/09	-	5,924	1	5,924	592	Yes	Drilling and dust control
PP-WB-918	60° 40' 58"	114° 20' 58"	0858/09	-	56,952	1	56,952	5,695	Yes	Drilling and dust control
PP-WB-919	60° 41' 3"	114° 22' 33"	0858/09	-	7,698	1	7,698	770	Yes	Drilling and dust control
PP-WB-92	60° 39' 7"	115° 8' 80"	0858/11	-	1,018	1	1,018	102	Yes	Drilling and dust control
PP-WB-920	60° 40' 49"	114° 16' 34"	0858/09	-	165,541	1	165,541	16,554	Yes	Drilling and dust control
PP-WB-921	60° 40' 41"	114° 2' 53"	0858/09	-	1,657	1	1,657	166	Yes	Drilling and dust control
PP-WB-922	60° 41' 4"	114° 22' 39"	0858/09	-	6,624	1	6,624	662	Yes	Drilling and dust control
PP-WB-923	60° 40' 35"	113° 59' 36"	085A/12	-	10,686	1	10,686	1,069	Yes	Drilling and dust control
PP-WB-924	60° 40' 37"	114° 0' 10"	0858/09	-	8,853	1	8,853	885	Yes	Drilling and dust control
PP-WB-925	60° 40' 55"	114° 15' 56"	0858/09	-	35,342	1	35,342	3,534	Yes	Drilling and dust control
PP-WB-926	60° 40' 41"	114° 2' 37"	0858/09	-	1,413	1	1,413	141	Yes	Drilling and dust control
PP-WB-927	60° 40' 44"	114° 4' 14"	0858/09	-	1,631	1	1,631	163	Yes	Drilling and dust control
PP-WB-928	60° 40' 41"	114° 1' 28"	0858/09	-	2,114	1	2,114	211	Yes	Drilling and dust control
PP-WB-929	60° 40' 42"	114° 2' 58"	0858/09	-	2,710	1	2,710	271	Yes	Drilling and dust control
PP-WB-93	60° 38' 12"	114° 15' 57"	0858/09	-	8,414	1	8,414	841	Yes	Drilling and dust control
PP-WB-930	60° 41' 3"	114° 22' 1"	0858/09	-	30,917	1	30,917	3,092	Yes	Drilling and dust control
PP-WB-931	60° 40' 53"	114° 11' 54"	0858/09	-	10,345	1	10,345	1,034	Yes	Drilling and dust control
PP-WB-932	60° 41' 8"	114° 23' 25"	0858/09	-	6,111	1	6,111	611	Yes	Drilling and dust control
PP-WB-933	60° 40' 42"	114° 2' 26"	0858/09	-	3,576	1	3,576	358	Yes	Drilling and dust control
PP-WB-934	60° 40' 52"	114° 9' 40"	0858/09	-	2,764	1	2,764	276	Yes	Drilling and dust control
PP-WB-935	60° 40' 53"	114° 22' 15"	0858/09	-	232,397	1	232,397	23,240	Yes	Drilling and dust control
PP-WB-936	60° 40' 38"	114° 0' 33"	0858/09	-	19,098	1	19,098	1,910	Yes	Drilling and dust control
PP-WB-937	60° 41' 8"	114° 22' 59"	0858/09	-	6,257	1	6,257	626	Yes	Drilling and dust control
PP-WB-938	60° 41' 54"	115° 7' 32"	0858/11	M10297	3,965	1	3,965	397	Yes	Drilling and dust control
PP-WB-939	60° 41' 17"	114° 29' 26"	0858/09	-	1,229	1	1,229	123	Yes	Drilling and dust control
PP-WB-94	60° 39' 2"	115° 8' 36"	0858/11	-	17,107	1	17,107	1,711	Yes	Drilling and dust control
PP-WB-940	60° 41' 51"	115° 4' 11"	0858/11	M10297	2,265	1	2,265	227	Yes	Drilling and dust control
PP-WB-941	60° 41' 52"	115° 4' 53"	0858/11	M10297	3,595	1	3,595	359	Yes	Drilling and dust control
PP-WB-942	60° 41' 54"	115° 7' 45"	0858/11	M10297	3,703	1	3,703	370	Yes	Drilling and dust control
PP-WB-944	60° 41' 8"	114° 22' 20"	0858/09	-	8,785	1	8,785	878	Yes	Drilling and dust control
PP-WB-945	60° 40' 54"	114° 9' 40"	0858/09	-	1,257	1	1,257	126	Yes	Drilling and dust control
PP-WB-946	60° 40' 58"	114° 13' 32"	0858/09	-	3,675	1	3,675	367	Yes	Drilling and dust control
PP-WB-947	60° 40' 47"	114° 4' 24"	0858/09	-	2,127	1	2,127	213	Yes	Drilling and dust control
PP-WB-948	60° 41' 54"	115° 7' 14"	0858/11	M10297	16,541	1	16,541	1,654	Yes	Drilling and dust control
PP-WB-949	60° 41' 8"	114° 21' 14"	0858/09	-	3,763	1	3,763	376	Yes	Drilling and dust control
PP-WB-95	60° 38' 13"	114° 16' 6"	0858/09	-	4,956	1	4,956	496	Yes	Drilling and dust control
PP-WB-950	60° 40' 40"	113° 59' 2"	085A/12	-	1,029	1	1,029	103	Yes	Drilling and dust control
PP-WB-951	60° 40' 42"	114° 1' 22"	0858/09	-	2,932	1	2,932	293	Yes	Drilling and dust control
PP-WB-952	60° 41' 52"	115° 3' 39"	0858/11	M10297	5,571	1	5,571	557	Yes	Drilling and dust control
PP-WB-953	60° 41' 3"	114° 19' 12"	0858/09	-	33,363	1	33,363	3,336	Yes	Drilling and dust control
PP-WB-954	60° 41' 19"	114° 29' 44"	0858/09	-	1,966	1	1,966	197	Yes	Drilling and dust control
PP-WB-955	60° 41' 55"	115° 6' 58"	0858/11	M10297	3,069	1	3,069	307	Yes	Drilling and dust control
PP-WB-957	60° 41' 57"	115° 9' 17"	0858/11	-	8,477	1	8,477	848	Yes	Drilling and dust control
PP-WB-959	60° 40' 44"	114° 1' 31"	0858/09	-	3,954	1	3,954	395	Yes	Drilling and dust control
PP-WB-96	60° 39' 5"	115° 7' 49"	0858/11	-	5,063	1	5,063	506	Yes	Drilling and dust control
PP-WB-960	60° 41' 4"	114° 18' 18"	0858/09	-	14,875	1	14,875	1,488	Yes	Drilling and dust control
PP-WB-961	60° 40' 57"	114° 11' 49"	0858/09	-	3,398	1	3,398	340	Yes</td	

Table 5: Waterbodies Not Considered For Use

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?
Polar Lake	60° 43' 15"	114° 59' 43"	085B/11, 085B/10	NT-4863	814,545	1	814,545	None	No
PP-WB-1	60° 38' 22"	114° 40' 33"	085B/10	-	794	1	794	None	No
PP-WB-10	60° 38' 26"	114° 40' 38"	085B/10	-	812	1	812	None	No
PP-WB-1011	60° 42' 16"	115° 19' 47"	085B/11	-	822	1	822	None	No
PP-WB-1018	60° 42' 17"	115° 20' 2"	085B/11	-	762	1	762	None	No
PP-WB-1022	60° 42' 18"	115° 19' 58"	085B/11	-	791	1	791	None	No
PP-WB-1024	60° 42' 18"	115° 19' 40"	085B/11	-	984	1	984	None	No
PP-WB-1031	60° 42' 19"	115° 19' 40"	085B/11	-	831	1	831	None	No
PP-WB-1047	60° 42' 22"	115° 19' 55"	085B/11	-	525	1	525	None	No
PP-WB-1052	60° 42' 23"	115° 19' 58"	085B/11	-	521	1	521	None	No
PP-WB-1054	60° 42' 8"	115° 2' 92"	085B/11	-	992	1	992	None	No
PP-WB-1066	60° 41' 2"	114° 0' 25"	085B/09	-	930	1	930	None	No
PP-WB-1076	60° 42' 10"	114° 59' 3"	085B/10	-	760	1	760	None	No
PP-WB-108	60° 39' 15"	115° 16' 1"	085B/11	-	818	1	818	None	No
PP-WB-1088	60° 41' 9"	114° 2' 67"	085B/09	-	645	1	645	None	No
PP-WB-1094	60° 41' 10"	114° 2' 38"	085B/09	-	686	1	686	None	No
PP-WB-1134	60° 41' 52"	114° 27' 52"	085B/09	-	632	1	632	None	No
PP-WB-1136	60° 41' 18"	114° 0' 32"	085B/09	-	949	1	949	None	No
PP-WB-1178	60° 42' 21"	114° 40' 25"	085B/10	-	620	1	620	None	No
PP-WB-1179	60° 41' 48"	114° 11' 59"	085B/09	-	909	1	909	None	No
PP-WB-1193	60° 41' 37"	114° 0' 43"	085B/09	-	984	1	984	None	No
PP-WB-1204	60° 42' 10"	114° 25' 4"	085B/09	-	689	1	689	None	No
PP-WB-121	60° 39' 10"	115° 7' 50"	085B/11	-	621	1	621	None	No
PP-WB-1213	60° 42' 25"	114° 36' 34"	085B/10	-	989	1	989	None	No
PP-WB-1221	60° 42' 15"	114° 23' 30"	085B/09	-	878	1	878	None	No
PP-WB-1226	60° 42' 15"	114° 22' 44"	085B/09	-	664	1	664	None	No
PP-WB-1228	60° 42' 16"	114° 22' 56"	085B/09	-	932	1	932	None	No
PP-WB-1240	60° 42' 59"	115° 1' 37"	085B/11	-	555	1	555	None	No
PP-WB-1244	60° 42' 20"	114° 23' 0"	085B/09	-	413	1	413	None	No
PP-WB-1247	60° 42' 21"	114° 23' 48"	085B/09	-	971	1	971	None	No
PP-WB-1248	60° 42' 25"	114° 26' 18"	085B/09	-	995	1	995	None	No
PP-WB-1260	60° 42' 25"	114° 23' 48"	085B/09	-	251	1	251	None	No
PP-WB-128	60° 38' 52"	114° 46' 39"	085B/10	-	544	1	544	None	No
PP-WB-1281	60° 43' 20"	115° 9' 11"	085B/11	NT-4867	951	1	951	None	No
PP-WB-1294	60° 42' 21"	114° 7' 43"	085B/09	-	581	1	581	None	No
PP-WB-1311	60° 42' 22"	114° 5' 28"	085B/09	-	712	1	712	None	No
PP-WB-1313	60° 43' 37"	115° 17' 46"	085B/11	-	838	1	838	None	No
PP-WB-1317	60° 42' 23"	114° 5' 25"	085B/09	-	497	1	497	None	No
PP-WB-1320	60° 42' 17"	114° 0' 08"	085B/09, 085A/12	-	539	1	539	None	No
PP-WB-1323	60° 43' 39"	115° 17' 58"	085B/11	-	869	1	869	None	No
PP-WB-133	60° 39' 20"	115° 17' 27"	085B/11	-	893	1	893	None	No
PP-WB-1332	60° 42' 38"	114° 14' 54"	085B/09	-	981	1	981	None	No
PP-WB-1338	60° 42' 20"	113° 59' 51"	085A/12	-	582	1	582	None	No
PP-WB-1354	60° 43' 9"	114° 37' 4"	085B/10	-	729	1	729	None	No
PP-WB-136	60° 39' 10"	115° 4' 43"	085B/11	-	980	1	980	None	No
PP-WB-1362	60° 42' 36"	114° 7' 43"	085B/09	-	855	1	855	None	No
PP-WB-1365	60° 42' 57"	114° 23' 47"	085B/09	-	484	1	484	None	No
PP-WB-1366	60° 42' 30"	114° 2' 76"	085B/09	-	850	1	850	None	No
PP-WB-1369	60° 42' 31"	114° 2' 27"	085B/09	-	889	1	889	None	No
PP-WB-1396	60° 43' 11"	114° 31' 47"	085B/10	-	867	1	867	None	No
PP-WB-140	60° 39' 11"	115° 3' 10"	085B/11	-	935	1	935	None	No
PP-WB-1427	60° 42' 41"	114° 2' 42"	085B/09	-	597	1	597	None	No
PP-WB-1429	60° 42' 42"	114° 3' 47"	085B/09	-	967	1	967	None	No
PP-WB-143	60° 39' 16"	115° 8' 11"	085B/11	-	874	1	874	None	No
PP-WB-1435	60° 42' 37"	113° 59' 45"	085A/12	-	491	1	491	None	No
PP-WB-1446	60° 43' 0"	114° 16' 22"	085B/09	-	865	1	865	None	No
PP-WB-1448	60° 43' 0"	114° 16' 16"	085B/09	-	790	1	790	None	No
PP-WB-1449	60° 42' 38"	113° 59' 12"	085A/12	-	790	1	790	None	No
PP-WB-146	60° 39' 23"	115° 16' 58"	085B/11	-	618	1	618	None	No
PP-WB-1473	60° 42' 53"	114° 8' 02"	085B/09	-	692	1	692	None	No
PP-WB-1479	60° 42' 47"	114° 2' 53"	085B/09	-	931	1	931	None	No
PP-WB-1496	60° 43' 24"	114° 31' 54"	085B/10	-	761	1	761	None	No
PP-WB-1499	60° 43' 5"	114° 14' 52"	085B/09	-	498	1	498	None	No
PP-WB-1507	60° 43' 32"	114° 38' 5"	085B/10	-	784	1	784	None	No
PP-WB-151	60° 39' 23"	115° 16' 22"	085B/11	-	766	1	766	None	No
PP-WB-1527	60° 42' 54"	114° 3' 35"	085B/09	-	730	1	730	None	No
PP-WB-1553	60° 42' 57"	114° 3' 11"	085B/09	-	803	1	803	None	No
PP-WB-1557	60° 43' 5"	114° 8' 46"	085B/09	-	530	1	530	None	No
PP-WB-1561	60° 43' 5"	114° 8' 44"	085B/09	-	484	1	484	None	No
PP-WB-1566	60° 42' 59"	114° 3' 68"	085B/09	-	823	1	823	None	No
PP-WB-158	60° 38' 36"	114° 25' 14"	085B/09	-	401	1	401	None	No
PP-WB-1585	60° 43' 0"	114° 3' 08"	085B/09	-	677	1	677	None	No
PP-WB-1588	60° 43' 14"	114° 13' 34"	085B/09	-	650	1</td			

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?
PP-WB-1698	60° 44' 0"	114° 44' 44"	085B/10	M10514	791	1	791	None	No
PP-WB-1708	60° 43' 6"	113° 59' 0"	085A/12	-	897	1	897	None	No
PP-WB-1713	60° 44' 14"	114° 59' 7"	085B/10	NT-4863	552	1	552	None	No
PP-WB-172	60° 39' 28"	115° 15' 1"	085B/11	-	975	1	975	None	No
PP-WB-1720	60° 43' 17"	114° 6' 12"	085B/09	-	859	1	859	None	No
PP-WB-1721	60° 44' 1"	114° 44' 40"	085B/10	M10514	805	1	805	None	No
PP-WB-1726	60° 43' 47"	114° 31' 32"	085B/10	-	535	1	535	None	No
PP-WB-173	60° 39' 28"	115° 14' 14"	085B/11	-	636	1	636	None	No
PP-WB-1731	60° 44' 2"	114° 44' 52"	085B/10	M10514	912	1	912	None	No
PP-WB-1734	60° 44' 5"	114° 48' 14"	085B/10	M10880	918	1	918	None	No
PP-WB-1738	60° 44' 2"	114° 45' 12"	085B/10	M10514	538	1	538	None	No
PP-WB-1739	60° 44' 2"	114° 44' 56"	085B/10	M10514	598	1	598	None	No
PP-WB-1743	60° 44' 2"	114° 44' 4"	085B/10	M10514	939	1	939	None	No
PP-WB-1750	60° 44' 17"	114° 59' 31"	085B/10	NT-4863	636	1	636	None	No
PP-WB-1759	60° 44' 2"	114° 43' 1"	085B/10	-	643	1	643	None	No
PP-WB-176	60° 39' 21"	115° 5' 36"	085B/11	-	788	1	788	None	No
PP-WB-1760	60° 44' 18"	115° 0' 30"	085B/11	NT-4863	536	1	536	None	No
PP-WB-1761	60° 44' 4"	114° 45' 17"	085B/10	M10514	607	1	607	None	No
PP-WB-177	60° 38' 44"	114° 27' 49"	085B/09	-	652	1	652	None	No
PP-WB-1775	60° 44' 3"	114° 43' 2"	085B/10	-	740	1	740	None	No
PP-WB-1776	60° 44' 5"	114° 44' 56"	085B/10	M10514	712	1	712	None	No
PP-WB-1787	60° 43' 12"	113° 59' 11"	085A/12	-	658	1	658	None	No
PP-WB-1788	60° 44' 20"	115° 0' 30"	085B/11	NT-4863	814	1	814	None	No
PP-WB-18	60° 38' 26"	114° 40' 10"	085B/10	-	837	1	837	None	No
PP-WB-1802	60° 44' 10"	114° 47' 40"	085B/10	M10880	735	1	735	None	No
PP-WB-181	60° 39' 23"	115° 4' 47"	085B/11	-	952	1	952	None	No
PP-WB-1811	60° 44' 10"	114° 47' 24"	085B/10	M10880	763	1	763	None	No
PP-WB-1819	60° 44' 11"	114° 47' 8"	085B/10	M10880	509	1	509	None	No
PP-WB-1824	60° 44' 7"	114° 43' 17"	085B/10	-	628	1	628	None	No
PP-WB-1826	60° 44' 7"	114° 43' 23"	085B/10	M10514	884	1	884	None	No
PP-WB-1827	60° 44' 6"	114° 43' 0"	085B/10	-	782	1	782	None	No
PP-WB-183	60° 39' 31"	115° 14' 23"	085B/11	-	676	1	676	None	No
PP-WB-1830	60° 44' 8"	114° 43' 39"	085B/10	M10514	913	1	913	None	No
PP-WB-1842	60° 44' 12"	114° 47' 36"	085B/10	M10880	890	1	890	None	No
PP-WB-185	60° 39' 31"	115° 14' 50"	085B/11	-	651	1	651	None	No
PP-WB-1852	60° 44' 12"	114° 46' 59"	085B/10	M10880	517	1	517	None	No
PP-WB-1853	60° 43' 37"	114° 15' 6"	085B/09	-	681	1	681	None	No
PP-WB-1857	60° 44' 13"	114° 47' 19"	085B/10	M10880	767	1	767	None	No
PP-WB-186	60° 39' 22"	115° 2' 53"	085B/11	-	525	1	525	None	No
PP-WB-1860	60° 44' 8"	114° 43' 7"	085B/10	-	828	1	828	None	No
PP-WB-1861	60° 43' 16"	113° 58' 50"	085A/12	-	525	1	525	None	No
PP-WB-1863	60° 44' 9"	114° 43' 38"	085B/10	M10514	747	1	747	None	No
PP-WB-1865	60° 44' 9"	114° 43' 17"	085B/10	-	581	1	581	None	No
PP-WB-1867	60° 44' 11"	114° 44' 58"	085B/10	M10514	576	1	576	None	No
PP-WB-1868	60° 44' 10"	114° 43' 23"	085B/10	M10514	639	1	639	None	No
PP-WB-187	60° 39' 31"	115° 14' 42"	085B/11	-	612	1	612	None	No
PP-WB-1878	60° 44' 11"	114° 43' 39"	085B/10	M10514	576	1	576	None	No
PP-WB-1889	60° 44' 15"	114° 46' 16"	085B/10	M10880	710	1	710	None	No
PP-WB-1890	60° 44' 16"	114° 47' 35"	085B/10	M10880	899	1	899	None	No
PP-WB-1891	60° 43' 36"	114° 11' 29"	085B/09	-	690	1	690	None	No
PP-WB-1899	60° 44' 14"	114° 44' 58"	085B/10	M10514	789	1	789	None	No
PP-WB-1917	60° 43' 38"	114° 11' 32"	085B/09	-	741	1	741	None	No
PP-WB-192	60° 39' 34"	115° 16' 26"	085B/11	-	503	1	503	None	No
PP-WB-1922	60° 43' 28"	114° 3' 29"	085B/09	-	763	1	763	None	No
PP-WB-1934	60° 44' 17"	114° 44' 57"	085B/10	M10514	877	1	877	None	No
PP-WB-1936	60° 44' 18"	114° 45' 13"	085B/10	M10514	718	1	718	None	No
PP-WB-1940	60° 44' 32"	115° 0' 95"	085B/11	NT-4863	735	1	735	None	No
PP-WB-1945	60° 43' 54"	114° 23' 37"	085B/09	-	538	1	538	None	No
PP-WB-1952	60° 44' 21"	114° 47' 44"	085B/10	M10880	889	1	889	None	No
PP-WB-1953	60° 43' 24"	113° 58' 56"	085A/12	-	513	1	513	None	No
PP-WB-1955	60° 44' 18"	114° 43' 58"	085B/10	M10514	739	1	739	None	No
PP-WB-1959	60° 44' 22"	114° 47' 41"	085B/10	M10880	502	1	502	None	No
PP-WB-1965	60° 44' 19"	114° 44' 16"	085B/10	M10514	532	1	532	None	No
PP-WB-1970	60° 43' 25"	113° 58' 43"	085A/12	-	885	1	885	None	No
PP-WB-1991	60° 44' 4"	114° 27' 34"	085B/09	-	697	1	697	None	No
PP-WB-200	60° 39' 28"	115° 6' 41"	085B/11	-	894	1	894	None	No
PP-WB-2000	60° 44' 27"	114° 47' 42"	085B/10	M10880	828	1	828	None	No
PP-WB-2011	60° 43' 32"	113° 58' 55"	085A/12	-	715	1	715	None	No
PP-WB-2017	60° 44' 26"	114° 44' 50"	085B/10	M10514	860	1	860	None	No
PP-WB-2024	60° 43' 34"	113° 59' 41"	085A/12	-	547	1	547	None	No
PP-WB-203	60° 39' 38"	115° 17' 41"	085B/11	-	883	1	883	None	No
PP-WB-2031	60° 43' 43"	114° 5' 40"	085B						

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?
PP-WB-2165	60° 43' 52"	113° 59' 57"	085A/12	-	640	1	640	None	No
PP-WB-2173	60° 44' 6"	114° 10' 4"	085B/09	-	823	1	823	None	No
PP-WB-2183	60° 44' 20"	114° 21' 12"	085B/09	-	982	1	982	None	No
PP-WB-2184	60° 44' 22"	114° 22' 43"	085B/09	-	886	1	886	None	No
PP-WB-2185	60° 43' 54"	113° 59' 43"	085A/12	-	841	1	841	None	No
PP-WB-2189	60° 43' 54"	113° 59' 36"	085A/12	-	826	1	826	None	No
PP-WB-2209	60° 44' 10"	114° 9' 44"	085B/09	-	651	1	651	None	No
PP-WB-221	60° 38' 48"	114° 22' 46"	085B/09	-	496	1	496	None	No
PP-WB-2218	60° 44' 22"	114° 17' 23"	085B/09	-	513	1	513	None	No
PP-WB-2219	60° 44' 22"	114° 17' 28"	085B/09	-	459	1	459	None	No
PP-WB-2234	60° 44' 23"	114° 16' 54"	085B/09	-	823	1	823	None	No
PP-WB-2247	60° 44' 25"	114° 16' 55"	085B/09	-	667	1	667	None	No
PP-WB-2253	60° 44' 3"	113° 58' 58"	085A/12	-	566	1	566	None	No
PP-WB-2254	60° 44' 3"	113° 58' 37"	085A/12	-	528	1	528	None	No
PP-WB-2255	60° 44' 4"	113° 59' 48"	085A/12	-	596	1	596	None	No
PP-WB-226	60° 39' 42"	115° 18' 42"	085B/11	-	845	1	845	None	No
PP-WB-2262	60° 44' 4"	113° 59' 25"	085A/12	-	618	1	618	None	No
PP-WB-2266	60° 44' 34"	114° 22' 17"	085B/09	-	871	1	871	None	No
PP-WB-2267	60° 44' 6"	113° 59' 45"	085A/12	-	619	1	619	None	No
PP-WB-2268	60° 44' 28"	114° 16' 55"	085B/09	-	357	1	357	None	No
PP-WB-2269	60° 45' 28"	115° 17' 12"	085B/14	-	601	1	601	None	No
PP-WB-2272	60° 44' 6"	113° 59' 54"	085A/12	-	556	1	556	None	No
PP-WB-2273	60° 44' 19"	114° 9' 44"	085B/09	-	985	1	985	None	No
PP-WB-2276	60° 44' 5"	113° 59' 7"	085A/12	-	617	1	617	None	No
PP-WB-2282	60° 44' 7"	113° 59' 50"	085A/12	-	626	1	626	None	No
PP-WB-2286	60° 44' 7"	113° 59' 9"	085A/12	-	677	1	677	None	No
PP-WB-2288	60° 44' 21"	114° 10' 5"	085B/09	-	736	1	736	None	No
PP-WB-2292	60° 44' 7"	113° 58' 38"	085A/12	-	831	1	831	None	No
PP-WB-2294	60° 44' 9"	113° 59' 43"	085A/12	-	595	1	595	None	No
PP-WB-2296	60° 44' 9"	113° 59' 47"	085A/12	-	567	1	567	None	No
PP-WB-2297	60° 44' 8"	113° 58' 44"	085A/12	-	711	1	711	None	No
PP-WB-2301	60° 44' 8"	113° 58' 38"	085A/12	-	513	1	513	None	No
PP-WB-2303	60° 44' 9"	113° 58' 57"	085A/12	-	593	1	593	None	No
PP-WB-2304	60° 44' 10"	113° 59' 50"	085A/12	-	566	1	566	None	No
PP-WB-2306	60° 44' 9"	113° 59' 5"	085A/12	-	521	1	521	None	No
PP-WB-2315	60° 44' 10"	113° 59' 2"	085A/12	-	596	1	596	None	No
PP-WB-2318	60° 44' 10"	113° 58' 52"	085A/12	-	568	1	568	None	No
PP-WB-2319	60° 44' 43"	114° 24' 43"	085B/09	-	936	1	936	None	No
PP-WB-2326	60° 44' 34"	114° 16' 4"	085B/09	-	343	1	343	None	No
PP-WB-233	60° 39' 34"	115° 6' 43"	085B/11	-	595	1	595	None	No
PP-WB-2338	60° 44' 35"	114° 16' 4"	085B/09	-	962	1	962	None	No
PP-WB-234	60° 39' 40"	115° 14' 8"	085B/11	-	817	1	817	None	No
PP-WB-2341	60° 44' 36"	114° 16' 0"	085B/09	-	501	1	501	None	No
PP-WB-2345	60° 44' 23"	114° 5' 30"	085B/09	-	624	1	624	None	No
PP-WB-2347	60° 44' 16"	114° 0' 29"	085B/09	-	856	1	856	None	No
PP-WB-2351	60° 44' 24"	114° 5' 32"	085B/09	-	720	1	720	None	No
PP-WB-2353	60° 44' 25"	114° 5' 36"	085B/09	-	618	1	618	None	No
PP-WB-2355	60° 44' 17"	113° 59' 16"	085A/12	-	530	1	530	None	No
PP-WB-2358	60° 44' 18"	114° 0' 11"	085B/09	-	487	1	487	None	No
PP-WB-236	60° 39' 45"	115° 20' 10"	085B/11	-	653	1	653	None	No
PP-WB-2360	60° 44' 18"	113° 59' 51"	085A/12	-	777	1	777	None	No
PP-WB-2367	60° 44' 19"	113° 59' 36"	085A/12	-	599	1	599	None	No
PP-WB-237	60° 39' 34"	115° 5' 43"	085B/11	-	816	1	816	None	No
PP-WB-238	60° 39' 34"	115° 5' 39"	085B/11	-	881	1	881	None	No
PP-WB-2382	60° 44' 46"	114° 19' 53"	085B/09	-	980	1	980	None	No
PP-WB-2389	60° 44' 29"	114° 4' 58"	085B/09	-	911	1	911	None	No
PP-WB-2392	60° 44' 22"	113° 59' 55"	085A/12	-	869	1	869	None	No
PP-WB-240	60° 39' 34"	115° 6' 42"	085B/11	-	600	1	600	None	No
PP-WB-2407	60° 44' 24"	113° 58' 35"	085A/12	-	847	1	847	None	No
PP-WB-2411	60° 44' 48"	114° 16' 18"	085B/09	-	681	1	681	None	No
PP-WB-2415	60° 44' 48"	114° 16' 23"	085B/09	-	747	1	747	None	No
PP-WB-2418	60° 44' 48"	114° 16' 6"	085B/09	-	546	1	546	None	No
PP-WB-2419	60° 44' 49"	114° 16' 21"	085B/09	-	397	1	397	None	No
PP-WB-243	60° 39' 46"	115° 20' 15"	085B/11	-	875	1	875	None	No
PP-WB-2433	60° 44' 33"	114° 2' 18"	085B/09	-	606	1	606	None	No
PP-WB-2434	60° 44' 51"	114° 16' 6"	085B/09	-	774	1	774	None	No
PP-WB-2435	60° 44' 42"	114° 8' 58"	085B/09	-	932	1	932	None	No
PP-WB-244	60° 39' 46"	115° 20' 37"	085B/11	-	660	1	660	None	No
PP-WB-2445	60° 44' 53"	114° 16' 4"	085B/09	-	821	1	821	None	No
PP-WB-2449	60° 44' 50"	114° 12' 45"	085B/09	-	978	1	978	None	No
PP-WB-2451	60° 44' 55"	114° 16' 16"	085B/09	-	559	1	559	None	No
PP-WB-2461	60° 45' 12"	114° 29' 6"	085B/16	-	919	1	919	None	No
PP-WB-2464	60° 44' 44"	114° 5' 22"	085B/09	-	974	1	974	None	No
PP-WB-2469	60° 44' 55"	114° 13' 52"							

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?
PP-WB-2631	60° 46' 19"	115° 7' 23"	085B/14	-	629	1	629	None	No
PP-WB-2644	60° 45' 46"	114° 31' 37"	085B/15	-	801	1	801	None	No
PP-WB-2649	60° 46' 22"	115° 7' 37"	085B/14	-	619	1	619	None	No
PP-WB-2653	60° 46' 23"	115° 7' 40"	085B/14	-	693	1	693	None	No
PP-WB-2654	60° 46' 23"	115° 7' 46"	085B/14	-	743	1	743	None	No
PP-WB-2656	60° 45' 15"	114° 3' 46"	085B/16	-	494	1	494	None	No
PP-WB-2662	60° 45' 15"	114° 3' 53"	085B/16	-	965	1	965	None	No
PP-WB-2667	60° 46' 32"	115° 17' 39"	085B/14	-	814	1	814	None	No
PP-WB-2676	60° 45' 18"	114° 3' 48"	085B/16	-	529	1	529	None	No
PP-WB-269	60° 39' 51"	115° 20' 14"	085B/11	-	912	1	912	None	No
PP-WB-2698	60° 45' 49"	114° 25' 51"	085B/16	-	742	1	742	None	No
PP-WB-270	60° 38' 51"	114° 17' 16"	085B/09	-	898	1	898	None	No
PP-WB-2700	60° 46' 31"	115° 7' 34"	085B/14	-	721	1	721	None	No
PP-WB-2701	60° 46' 40"	115° 17' 53"	085B/14	-	562	1	562	None	No
PP-WB-271	60° 39' 53"	115° 20' 22"	085B/11	-	605	1	605	None	No
PP-WB-2733	60° 45' 58"	114° 27' 48"	085B/16	-	663	1	663	None	No
PP-WB-2734	60° 46' 45"	115° 16' 21"	085B/14	-	552	1	552	None	No
PP-WB-2738	60° 46' 45"	115° 16' 16"	085B/14	-	619	1	619	None	No
PP-WB-2759	60° 46' 49"	115° 16' 20"	085B/14	-	628	1	628	None	No
PP-WB-278	60° 39' 54"	115° 19' 51"	085B/11	-	726	1	726	None	No
PP-WB-2783	60° 45' 36"	114° 3' 40"	085B/16	-	699	1	699	None	No
PP-WB-279	60° 38' 35"	114° 3' 18"	085B/09	-	952	1	952	None	No
PP-WB-2791	60° 46' 54"	115° 18' 30"	085B/14	-	730	1	730	None	No
PP-WB-2797	60° 45' 37"	114° 2' 52"	085B/16	-	738	1	738	None	No
PP-WB-2805	60° 46' 31"	114° 48' 58"	085B/15	NT-5259	538	1	538	None	No
PP-WB-2806	60° 45' 39"	114° 3' 52"	085B/16	-	990	1	990	None	No
PP-WB-282	60° 39' 55"	115° 20' 0"	085B/11	-	846	1	846	None	No
PP-WB-2836	60° 46' 3"	114° 19' 54"	085B/16	-	937	1	937	None	No
PP-WB-2841	60° 45' 43"	114° 3' 43"	085B/16	-	764	1	764	None	No
PP-WB-2843	60° 46' 1"	114° 17' 56"	085B/16	-	779	1	779	None	No
PP-WB-288	60° 39' 50"	115° 12' 45"	085B/11	-	697	1	697	None	No
PP-WB-2888	60° 46' 7"	114° 18' 2"	085B/16	-	709	1	709	None	No
PP-WB-2911	60° 46' 16"	114° 23' 33"	085B/16	-	490	1	490	None	No
PP-WB-2931	60° 45' 47"	113° 58' 42"	085A/13	-	514	1	514	None	No
PP-WB-2935	60° 46' 12"	114° 18' 36"	085B/16	-	655	1	655	None	No
PP-WB-2936	60° 45' 47"	113° 58' 51"	085A/13	-	664	1	664	None	No
PP-WB-2940	60° 46' 15"	114° 19' 52"	085B/16	-	997	1	997	None	No
PP-WB-2950	60° 47' 14"	115° 19' 28"	085B/14	-	671	1	671	None	No
PP-WB-2956	60° 46' 1"	114° 7' 39"	085B/16	-	850	1	850	None	No
PP-WB-296	60° 38' 37"	114° 2' 81"	085B/09	-	995	1	995	None	No
PP-WB-2971	60° 46' 16"	114° 17' 47"	085B/16	-	869	1	869	None	No
PP-WB-2972	60° 45' 52"	113° 59' 1"	085A/13	-	807	1	807	None	No
PP-WB-2976	60° 46' 17"	114° 18' 19"	085B/16	-	996	1	996	None	No
PP-WB-2982	60° 47' 18"	115° 19' 26"	085B/14	-	694	1	694	None	No
PP-WB-2984	60° 46' 25"	114° 23' 28"	085B/16	-	852	1	852	None	No
PP-WB-2985	60° 46' 57"	114° 54' 44"	085B/15	-	513	1	513	None	No
PP-WB-2990	60° 45' 55"	113° 59' 58"	085A/13	-	829	1	829	None	No
PP-WB-2991	60° 46' 25"	114° 23' 11"	085B/16	-	596	1	596	None	No
PP-WB-3000	60° 45' 55"	113° 58' 38"	085A/13	-	544	1	544	None	No
PP-WB-3003	60° 47' 20"	115° 19' 28"	085B/14	-	519	1	519	None	No
PP-WB-3008	60° 45' 57"	113° 59' 27"	085A/13	-	829	1	829	None	No
PP-WB-3012	60° 46' 36"	114° 31' 3"	085B/15	-	573	1	573	None	No
PP-WB-3016	60° 45' 56"	113° 58' 26"	085A/13	-	638	1	638	None	No
PP-WB-3021	60° 45' 59"	114° 0' 23"	085B/16	-	991	1	991	None	No
PP-WB-3033	60° 46' 22"	114° 17' 29"	085B/16	-	618	1	618	None	No
PP-WB-3040	60° 46' 23"	114° 17' 18"	085B/16	-	916	1	916	None	No
PP-WB-3048	60° 46' 24"	114° 17' 13"	085B/16	-	602	1	602	None	No
PP-WB-3051	60° 46' 40"	114° 31' 9"	085B/15	-	898	1	898	None	No
PP-WB-3061	60° 46' 26"	114° 17' 11"	085B/16	-	610	1	610	None	No
PP-WB-3070	60° 46' 6"	114° 0' 26"	085B/16	-	317	1	317	None	No
PP-WB-3077	60° 46' 5"	113° 58' 31"	085A/13	-	596	1	596	None	No
PP-WB-3079	60° 46' 8"	114° 0' 24"	085B/16	-	504	1	504	None	No
PP-WB-3088	60° 46' 10"	114° 0' 14"	085B/16	-	579	1	579	None	No
PP-WB-3106	60° 46' 15"	114° 0' 58"	085B/16	-	496	1	496	None	No
PP-WB-3109	60° 46' 16"	114° 1' 21"	085B/16	-	442	1	442	None	No
PP-WB-311	60° 38' 39"	114° 1' 33"	085B/09	-	916	1	916	None	No
PP-WB-3110	60° 46' 14"	114° 0' 17"	085B/16	-	565	1	565	None	No
PP-WB-3123	60° 46' 27"	114° 5' 42"	085B/16	-	799	1	799	None	No
PP-WB-3126	60° 46' 24"	113° 59' 58"	085A/13	-	551	1	551	None	No
PP-WB-3130	60° 46' 24"	113° 58' 55"	085A/13	-	871	1	871	None	No
PP-WB-3136	60° 46' 28"	113° 59' 26"	085A/13	-	533	1	533	None	No
PP-WB-3146	60° 46' 32"	113° 59' 18"	085A/13	-	682	1	682	None	No
PP-WB-3150	60° 46' 34"	113° 59' 24"	085A/13	-	777	1	777	None	No
PP-WB-3151	60° 46' 58"								

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?
PP-WB-3385	60° 48' 4"	114° 19' 1"	085B/16	-	889	1	889	None	No
PP-WB-3388	60° 48' 2"	114° 16' 42"	085B/16	-	848	1	848	None	No
PP-WB-3419	60° 48' 10"	114° 18' 17"	085B/16	-	783	1	783	None	No
PP-WB-342	60° 40' 4"	115° 16' 27"	085B/11	-	920	1	920	None	No
PP-WB-3423	60° 48' 11"	114° 18' 2"	085B/16	-	963	1	963	None	No
PP-WB-3427	60° 49' 6"	115° 12' 16"	085B/14	-	931	1	931	None	No
PP-WB-3431	60° 48' 11"	114° 16' 36"	085B/16	-	907	1	907	None	No
PP-WB-3432	60° 49' 3"	115° 7' 50"	085B/14	-	768	1	768	None	No
PP-WB-3443	60° 49' 9"	115° 11' 58"	085B/14	-	808	1	808	None	No
PP-WB-3447	60° 48' 8"	114° 11' 24"	085B/16	-	534	1	534	None	No
PP-WB-3456	60° 48' 13"	114° 15' 28"	085B/16	-	935	1	935	None	No
PP-WB-3466	60° 49' 2"	114° 59' 47"	085B/15	-	755	1	755	None	No
PP-WB-347	60° 40' 5"	115° 15' 29"	085B/11	-	827	1	827	None	No
PP-WB-3471	60° 49' 11"	115° 9' 73"	085B/14	-	853	1	853	None	No
PP-WB-3472	60° 49' 11"	115° 9' 33"	085B/14	-	680	1	680	None	No
PP-WB-3477	60° 48' 54"	114° 50' 16"	085B/15	M10844	980	1	980	None	No
PP-WB-3486	60° 49' 16"	115° 11' 36"	085B/14	-	981	1	981	None	No
PP-WB-3487	60° 49' 9"	115° 3' 51"	085B/14	-	823	1	823	None	No
PP-WB-3499	60° 48' 23"	114° 17' 28"	085B/16	-	797	1	797	None	No
PP-WB-3503	60° 49' 17"	115° 9' 23"	085B/14	-	550	1	550	None	No
PP-WB-3506	60° 49' 23"	115° 16' 0"	085B/14	-	670	1	670	None	No
PP-WB-3508	60° 49' 23"	115° 15' 51"	085B/14	-	595	1	595	None	No
PP-WB-3511	60° 49' 18"	115° 9' 19"	085B/14	-	730	1	730	None	No
PP-WB-3515	60° 49' 19"	115° 9' 16"	085B/14	-	924	1	924	None	No
PP-WB-3519	60° 48' 27"	114° 17' 20"	085B/16	-	795	1	795	None	No
PP-WB-3524	60° 48' 27"	114° 16' 20"	085B/16	-	714	1	714	None	No
PP-WB-3532	60° 49' 23"	115° 9' 34"	085B/14	-	590	1	590	None	No
PP-WB-3536	60° 48' 20"	114° 8' 57"	085B/16	-	821	1	821	None	No
PP-WB-3544	60° 49' 27"	115° 11' 24"	085B/14	-	655	1	655	None	No
PP-WB-3547	60° 48' 23"	114° 9' 46"	085B/16	-	551	1	551	None	No
PP-WB-3550	60° 49' 27"	115° 9' 37"	085B/14	-	555	1	555	None	No
PP-WB-3552	60° 49' 24"	115° 5' 58"	085B/14	-	826	1	826	None	No
PP-WB-3555	60° 49' 25"	115° 5' 53"	085B/14	-	620	1	620	None	No
PP-WB-3556	60° 49' 29"	115° 10' 51"	085B/14	-	506	1	506	None	No
PP-WB-3560	60° 49' 28"	115° 7' 33"	085B/14	-	742	1	742	None	No
PP-WB-3562	60° 49' 29"	115° 9' 29"	085B/14	-	506	1	506	None	No
PP-WB-3563	60° 49' 28"	115° 7' 29"	085B/14	-	687	1	687	None	No
PP-WB-3567	60° 49' 28"	115° 6' 34"	085B/14	-	662	1	662	None	No
PP-WB-3568	60° 48' 27"	114° 9' 19"	085B/16	-	998	1	998	None	No
PP-WB-3569	60° 49' 28"	115° 6' 39"	085B/14	-	684	1	684	None	No
PP-WB-3572	60° 49' 36"	115° 15' 9"	085B/14	-	802	1	802	None	No
PP-WB-3573	60° 49' 30"	115° 7' 37"	085B/14	-	930	1	930	None	No
PP-WB-3574	60° 49' 29"	115° 5' 29"	085B/14	-	701	1	701	None	No
PP-WB-3582	60° 49' 30"	115° 5' 54"	085B/14	-	629	1	629	None	No
PP-WB-3583	60° 49' 31"	115° 6' 50"	085B/14	-	696	1	696	None	No
PP-WB-3584	60° 49' 31"	115° 7' 51"	085B/14	-	797	1	797	None	No
PP-WB-3585	60° 49' 2"	114° 36' 29"	085B/15	NT-5254	41	1	41	None	No
PP-WB-359	60° 40' 8"	115° 16' 34"	085B/11	-	915	1	915	None	No
PP-WB-3590	60° 49' 31"	115° 6' 21"	085B/14	-	893	1	893	None	No
PP-WB-3593	60° 48' 40"	114° 16' 11"	085B/16	-	988	1	988	None	No
PP-WB-3596	60° 49' 40"	115° 15' 59"	085B/14	-	789	1	789	None	No
PP-WB-3604	60° 49' 37"	115° 10' 53"	085B/14	-	809	1	809	None	No
PP-WB-3605	60° 49' 37"	115° 10' 59"	085B/14	-	849	1	849	None	No
PP-WB-3606	60° 49' 38"	115° 11' 14"	085B/14	-	701	1	701	None	No
PP-WB-361	60° 38' 50"	114° 2' 44"	085B/09	-	382	1	382	None	No
PP-WB-3610	60° 48' 32"	114° 7' 59"	085B/16	-	566	1	566	None	No
PP-WB-3611	60° 49' 33"	115° 5' 26"	085B/14	-	682	1	682	None	No
PP-WB-3615	60° 49' 41"	115° 13' 10"	085B/14	-	667	1	667	None	No
PP-WB-362	60° 40' 9"	115° 17' 24"	085B/11	-	889	1	889	None	No
PP-WB-3627	60° 49' 41"	115° 10' 58"	085B/14	-	779	1	779	None	No
PP-WB-3629	60° 49' 43"	115° 13' 4"	085B/14	-	540	1	540	None	No
PP-WB-363	60° 39' 12"	114° 19' 28"	085B/09	-	983	1	983	None	No
PP-WB-3634	60° 48' 44"	114° 13' 51"	085B/16	-	761	1	761	None	No
PP-WB-3635	60° 49' 47"	115° 16' 21"	085B/14	-	545	1	545	None	No
PP-WB-3638	60° 49' 41"	115° 7' 55"	085B/14	-	496	1	496	None	No
PP-WB-3645	60° 49' 43"	115° 8' 55"	085B/14	-	726	1	726	None	No
PP-WB-3649	60° 48' 39"	114° 7' 51"	085B/16	-	978	1	978	None	No
PP-WB-3651	60° 48' 42"	114° 9' 52"	085B/16	-	762	1	762	None	No
PP-WB-3652	60° 49' 44"	115° 8' 59"	085B/14	-	858	1	858	None	No
PP-WB-3653	60° 49' 45"	115° 10' 58"	085B/14	-	916	1	916	None	No
PP-WB-3661	60° 49' 44"	115° 7' 27"	085B/14	-	872	1	872	None	No
PP-WB-3662	60° 49' 46"	115° 9' 27"	085B/14	-	686	1	686	None	No
PP-WB-3668	60° 49' 53"	115° 15' 19"	085B/14	-	629	1	629	None	No
PP-WB-3673	60° 49' 53"	115° 14' 5							

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?
PP-WB-3732	60° 50' 8"	115° 15' 0"	085B/14	-	679	1	679	None	No
PP-WB-3735	60° 50' 8"	115° 13' 26"	085B/14	-	952	1	952	None	No
PP-WB-3738	60° 49' 26"	114° 29' 39"	085B/16	M10861	598	1	598	None	No
PP-WB-3747	60° 50' 8"	115° 11' 13"	085B/14	-	838	1	838	None	No
PP-WB-3749	60° 50' 9"	115° 11' 17"	085B/14	-	547	1	547	None	No
PP-WB-375	60° 40' 8"	115° 13' 52"	085B/11	-	637	1	637	None	No
PP-WB-3752	60° 49' 25"	114° 26' 15"	085B/16	M10298	561	1	561	None	No
PP-WB-3753	60° 48' 52"	113° 59' 22"	085A/13	-	499	1	499	None	No
PP-WB-3756	60° 50' 9"	115° 11' 10"	085B/14	-	844	1	844	None	No
PP-WB-3758	60° 50' 9"	115° 11' 4"	085B/14	-	893	1	893	None	No
PP-WB-3771	60° 50' 7"	115° 4' 16"	085B/14	-	633	1	633	None	No
PP-WB-3772	60° 50' 11"	115° 8' 50"	085B/14	-	617	1	617	None	No
PP-WB-3773	60° 50' 11"	115° 8' 31"	085B/14	-	718	1	718	None	No
PP-WB-3774	60° 50' 15"	115° 13' 32"	085B/14	-	919	1	919	None	No
PP-WB-378	60° 38' 49"	113° 59' 10"	085A/12	-	585	1	585	None	No
PP-WB-3785	60° 50' 15"	115° 9' 44"	085B/14	-	639	1	639	None	No
PP-WB-3786	60° 50' 14"	115° 7' 43"	085B/14	-	792	1	792	None	No
PP-WB-3794	60° 49' 0"	113° 58' 20"	085A/13	-	532	1	532	None	No
PP-WB-3798	60° 49' 5"	114° 0' 23"	085B/16	-	731	1	731	None	No
PP-WB-3799	60° 49' 2"	113° 58' 16"	085A/13	-	580	1	580	None	No
PP-WB-380	60° 40' 4"	115° 6' 26"	085B/11	-	931	1	931	None	No
PP-WB-3808	60° 49' 10"	114° 2' 73"	085B/16	-	533	1	533	None	No
PP-WB-3809	60° 49' 5"	113° 58' 15"	085A/13	-	519	1	519	None	No
PP-WB-3814	60° 49' 10"	114° 0' 84"	085B/16	-	301	1	301	None	No
PP-WB-3816	60° 49' 11"	114° 0' 15"	085B/16	-	478	1	478	None	No
PP-WB-3823	60° 49' 13"	114° 0' 47"	085B/16	-	983	1	983	None	No
PP-WB-3826	60° 49' 17"	114° 2' 42"	085B/16	-	754	1	754	None	No
PP-WB-383	60° 40' 10"	115° 13' 50"	085B/11	-	647	1	647	None	No
PP-WB-3834	60° 50' 33"	115° 12' 59"	085B/14	-	767	1	767	None	No
PP-WB-3835	60° 49' 17"	114° 0' 38"	085B/16	-	431	1	431	None	No
PP-WB-3837	60° 50' 34"	115° 12' 55"	085B/14	-	791	1	791	None	No
PP-WB-3839	60° 50' 33"	115° 10' 34"	085B/14	-	528	1	528	None	No
PP-WB-3840	60° 49' 32"	114° 11' 38"	085B/16	-	934	1	934	None	No
PP-WB-3843	60° 49' 19"	114° 0' 36"	085B/16	-	388	1	388	None	No
PP-WB-3847	60° 50' 36"	115° 11' 2"	085B/14	-	572	1	572	None	No
PP-WB-3849	60° 49' 20"	114° 0' 41"	085B/16	-	902	1	902	None	No
PP-WB-3850	60° 49' 33"	114° 10' 23"	085B/16	-	533	1	533	None	No
PP-WB-3851	60° 49' 34"	114° 10' 25"	085B/16	-	312	1	312	None	No
PP-WB-3852	60° 50' 38"	115° 11' 2"	085B/14	-	519	1	519	None	No
PP-WB-3855	60° 50' 38"	115° 10' 57"	085B/14	-	631	1	631	None	No
PP-WB-3856	60° 49' 37"	114° 11' 18"	085B/16	-	513	1	513	None	No
PP-WB-3859	60° 50' 35"	115° 6' 52"	085B/14	-	990	1	990	None	No
PP-WB-3863	60° 49' 37"	114° 10' 39"	085B/16	-	514	1	514	None	No
PP-WB-3864	60° 49' 23"	113° 59' 57"	085A/13	-	501	1	501	None	No
PP-WB-3867	60° 49' 38"	114° 11' 30"	085B/16	-	579	1	579	None	No
PP-WB-3874	60° 50' 38"	115° 6' 01"	085B/14	-	733	1	733	None	No
PP-WB-3876	60° 49' 40"	114° 10' 23"	085B/16	-	384	1	384	None	No
PP-WB-3879	60° 49' 41"	114° 11' 19"	085B/16	-	942	1	942	None	No
PP-WB-389	60° 40' 14"	115° 13' 48"	085B/11	-	775	1	775	None	No
PP-WB-3891	60° 49' 43"	114° 11' 18"	085B/16	-	982	1	982	None	No
PP-WB-3892	60° 50' 9"	114° 33' 44"	085B/15	M10825	822	1	822	None	No
PP-WB-3893	60° 49' 31"	114° 2' 16"	085B/16	-	630	1	630	None	No
PP-WB-390	60° 38' 54"	113° 59' 11"	085A/12	-	645	1	645	None	No
PP-WB-3902	60° 49' 40"	114° 7' 21"	085B/16	-	885	1	885	None	No
PP-WB-3903	60° 50' 47"	115° 11' 47"	085B/14	-	918	1	918	None	No
PP-WB-3907	60° 50' 42"	115° 3' 20"	085B/14	-	724	1	724	None	No
PP-WB-3908	60° 50' 45"	115° 6' 17"	085B/14	-	971	1	971	None	No
PP-WB-3910	60° 50' 44"	115° 5' 30"	085B/14	-	825	1	825	None	No
PP-WB-3911	60° 50' 43"	115° 3' 24"	085B/14	-	850	1	850	None	No
PP-WB-3918	60° 50' 44"	115° 3' 21"	085B/14	-	579	1	579	None	No
PP-WB-3923	60° 49' 39"	114° 2' 57"	085B/16	-	346	1	346	None	No
PP-WB-3927	60° 50' 53"	115° 11' 38"	085B/14	-	896	1	896	None	No
PP-WB-3929	60° 49' 38"	114° 1' 56"	085B/16	-	524	1	524	None	No
PP-WB-3932	60° 49' 38"	114° 0' 55"	085B/16	-	501	1	501	None	No
PP-WB-3934	60° 49' 39"	114° 1' 81"	085B/16	-	933	1	933	None	No
PP-WB-3938	60° 50' 53"	115° 9' 13"	085B/14	-	884	1	884	None	No
PP-WB-3939	60° 49' 42"	114° 2' 57"	085B/16	-	401	1	401	None	No
PP-WB-3940	60° 49' 43"	114° 2' 55"	085B/16	-	389	1	389	None	No
PP-WB-3941	60° 49' 42"	114° 2' 31"	085B/16	-	843	1	843	None	No
PP-WB-3945	60° 49' 39"	113° 58' 52"	085A/13	-	550	1	550	None	No
PP-WB-3951	60° 50' 56"	115° 9' 69"	085B/14	-	820	1	820	None	No
PP-WB-3953	60° 49' 43"	113° 59' 57"	085A/13	-	653	1	653	None	No
PP-WB-3954	60° 50' 55"	115° 5' 53"	085B/14	-	860	1	860	None	No
PP-WB-3956	60° 49' 42"	11							

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?
PP-WB-4006	60° 49' 58"	114° 3' 22"	085B/16	-	319	1	319	None	No
PP-WB-4008	60° 51' 3"	115° 1' 37"	085B/14	-	855	1	855	None	No
PP-WB-401	60° 39' 12"	114° 10' 42"	085B/09	-	834	1	834	None	No
PP-WB-4010	60° 50' 0"	114° 3' 54"	085B/16	-	622	1	622	None	No
PP-WB-4011	60° 49' 59"	114° 3' 14"	085B/16	-	338	1	338	None	No
PP-WB-4013	60° 49' 59"	114° 3' 12"	085B/16	-	429	1	429	None	No
PP-WB-4014	60° 49' 59"	114° 2' 49"	085B/16	-	373	1	373	None	No
PP-WB-4022	60° 50' 1"	114° 3' 53"	085B/16	-	493	1	493	None	No
PP-WB-4023	60° 51' 4"	115° 1' 28"	085B/14	-	690	1	690	None	No
PP-WB-4024	60° 50' 7"	114° 8' 23"	085B/16	-	426	1	426	None	No
PP-WB-4030	60° 50' 1"	114° 2' 42"	085B/16	-	499	1	499	None	No
PP-WB-4032	60° 50' 1"	114° 3' 89"	085B/16	-	562	1	562	None	No
PP-WB-4036	60° 50' 2"	114° 3' 15"	085B/16	-	421	1	421	None	No
PP-WB-4040	60° 51' 9"	115° 4' 55"	085B/14	-	742	1	742	None	No
PP-WB-4042	60° 50' 3"	114° 3' 12"	085B/16	-	311	1	311	None	No
PP-WB-4044	60° 51' 16"	115° 11' 43"	085B/14	-	635	1	635	None	No
PP-WB-4051	60° 50' 6"	114° 3' 50"	085B/16	-	378	1	378	None	No
PP-WB-4053	60° 50' 1"	113° 59' 41"	085A/13	-	883	1	883	None	No
PP-WB-4055	60° 51' 18"	115° 11' 40"	085B/14	-	589	1	589	None	No
PP-WB-4056	60° 50' 5"	114° 2' 50"	085B/16	-	507	1	507	None	No
PP-WB-4057	60° 50' 3"	114° 0' 49"	085B/16	-	671	1	671	None	No
PP-WB-4061	60° 50' 13"	114° 7' 54"	085B/16	-	634	1	634	None	No
PP-WB-4062	60° 50' 2"	113° 59' 45"	085A/13	-	552	1	552	None	No
PP-WB-4063	60° 50' 2"	113° 59' 51"	085A/13	-	672	1	672	None	No
PP-WB-4064	60° 50' 13"	114° 7' 57"	085B/16	-	511	1	511	None	No
PP-WB-4066	60° 50' 14"	114° 8' 11"	085B/16	-	745	1	745	None	No
PP-WB-4069	60° 50' 9"	114° 3' 51"	085B/16	-	418	1	418	None	No
PP-WB-4071	60° 50' 5"	114° 0' 42"	085B/16	-	753	1	753	None	No
PP-WB-4073	60° 50' 9"	114° 3' 53"	085B/16	-	440	1	440	None	No
PP-WB-4076	60° 50' 8"	114° 3' 32"	085B/16	-	503	1	503	None	No
PP-WB-4077	60° 50' 5"	114° 0' 15"	085B/16	-	826	1	826	None	No
PP-WB-4079	60° 50' 11"	114° 3' 44"	085B/16	-	289	1	289	None	No
PP-WB-4081	60° 50' 11"	114° 3' 47"	085B/16	-	358	1	358	None	No
PP-WB-4085	60° 50' 8"	114° 1' 14"	085B/16	-	839	1	839	None	No
PP-WB-4087	60° 50' 6"	113° 59' 47"	085A/13	-	646	1	646	None	No
PP-WB-4088	60° 50' 11"	114° 3' 41"	085B/16	-	202	1	202	None	No
PP-WB-4089	60° 50' 11"	114° 3' 12"	085B/16	-	375	1	375	None	No
PP-WB-4091	60° 50' 7"	114° 0' 29"	085B/16	-	801	1	801	None	No
PP-WB-4093	60° 50' 18"	114° 8' 23"	085B/16	-	582	1	582	None	No
PP-WB-4094	60° 51' 24"	115° 11' 38"	085B/14	-	623	1	623	None	No
PP-WB-4095	60° 50' 8"	114° 0' 49"	085B/16	-	725	1	725	None	No
PP-WB-4096	60° 50' 18"	114° 8' 11"	085B/16	-	417	1	417	None	No
PP-WB-4098	60° 50' 6"	113° 58' 52"	085A/13	-	523	1	523	None	No
PP-WB-4099	60° 50' 14"	114° 3' 48"	085B/16	-	434	1	434	None	No
PP-WB-4100	60° 50' 8"	113° 59' 35"	085A/13	-	672	1	672	None	No
PP-WB-4101	60° 50' 9"	113° 59' 45"	085A/13	-	567	1	567	None	No
PP-WB-4107	60° 50' 8"	113° 59' 7"	085A/13	-	834	1	834	None	No
PP-WB-4109	60° 50' 20"	114° 8' 22"	085B/16	-	462	1	462	None	No
PP-WB-4111	60° 50' 7"	113° 58' 2"	085A/13	-	736	1	736	None	No
PP-WB-4112	60° 50' 9"	113° 59' 39"	085A/13	-	589	1	589	None	No
PP-WB-4114	60° 50' 20"	114° 7' 30"	085B/16	-	670	1	670	None	No
PP-WB-4115	60° 50' 10"	113° 59' 19"	085A/13	-	789	1	789	None	No
PP-WB-4116	60° 50' 22"	114° 8' 24"	085B/16	-	479	1	479	None	No
PP-WB-4118	60° 50' 16"	114° 3' 46"	085B/16	-	286	1	286	None	No
PP-WB-4119	60° 50' 16"	114° 3' 39"	085B/16	-	434	1	434	None	No
PP-WB-412	60° 39' 13"	114° 10' 32"	085B/09	-	956	1	956	None	No
PP-WB-4120	60° 50' 15"	114° 3' 30"	085B/16	-	466	1	466	None	No
PP-WB-4122	60° 50' 23"	114° 8' 30"	085B/16	-	759	1	759	None	No
PP-WB-4123	60° 50' 18"	114° 3' 56"	085B/16	-	443	1	443	None	No
PP-WB-4125	60° 50' 11"	113° 58' 58"	085A/13	-	850	1	850	None	No
PP-WB-4130	60° 50' 20"	114° 5' 17"	085B/16	-	646	1	646	None	No
PP-WB-4134	60° 50' 18"	114° 3' 73"	085B/16	-	490	1	490	None	No
PP-WB-4135	60° 50' 11"	113° 58' 10"	085A/13	-	582	1	582	None	No
PP-WB-4136	60° 50' 13"	113° 59' 18"	085A/13	-	840	1	840	None	No
PP-WB-4139	60° 50' 15"	114° 0' 10"	085B/16	-	985	1	985	None	No
PP-WB-414	60° 39' 5"	114° 3' 35"	085B/09	-	827	1	827	None	No
PP-WB-4142	60° 50' 13"	113° 58' 39"	085A/13	-	636	1	636	None	No
PP-WB-4146	60° 50' 19"	114° 3' 09"	085B/16	-	418	1	418	None	No
PP-WB-4147	60° 50' 16"	113° 59' 48"	085A/13	-	520	1	520	None	No
PP-WB-4148	60° 50' 14"	113° 58' 29"	085A/13	-	602	1	602	None	No
PP-WB-4160	60° 50' 16"	113° 58' 31"	085A/13	-	540	1	540	None	No
PP-WB-4161	60° 51' 33"	115° 8' 33"	085B/14	-	757	1	757	None	No
PP-WB-4164	60° 50' 19"	114° 0' 86"	085B/16	-	353	1	353	None	No
PP-WB-4169	60° 50' 17"	113° 58' 55"	085A/13	-	573	1			

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m²)	Mean Depth (m)	Estimated Water Volume (m³)	Annual Withdrawal Limit (m³)	Considered for Water Use?
PP-WB-4207	60° 50' 24"	113° 58' 44"	085A/13	-	795	1	795	None	No
PP-WB-4208	60° 50' 24"	113° 58' 34"	085A/13	-	508	1	508	None	No
PP-WB-4209	60° 50' 24"	113° 59' 0"	085A/13	-	528	1	528	None	No
PP-WB-4213	60° 50' 25"	113° 59' 28"	085A/13	-	758	1	758	None	No
PP-WB-4215	60° 50' 32"	114° 3' 53"	085B/16	-	693	1	693	None	No
PP-WB-4216	60° 50' 25"	113° 58' 53"	085A/13	-	861	1	861	None	No
PP-WB-4217	60° 50' 31"	114° 3' 59"	085B/16	-	403	1	403	None	No
PP-WB-4220	60° 50' 32"	114° 3' 20"	085B/16	-	305	1	305	None	No
PP-WB-4234	60° 50' 33"	114° 4' 42"	085B/16	-	897	1	897	None	No
PP-WB-4237	60° 50' 33"	114° 3' 83"	085B/16	-	438	1	438	None	No
PP-WB-4238	60° 50' 27"	113° 58' 49"	085A/13	-	554	1	554	None	No
PP-WB-4240	60° 50' 34"	114° 3' 59"	085B/16	-	896	1	896	None	No
PP-WB-4250	60° 50' 29"	113° 58' 50"	085A/13	-	633	1	633	None	No
PP-WB-4260	60° 50' 36"	114° 3' 73"	085B/16	-	648	1	648	None	No
PP-WB-4261	60° 50' 37"	114° 3' 44"	085B/16	-	485	1	485	None	No
PP-WB-4269	60° 50' 33"	114° 0' 11"	085B/16	-	545	1	545	None	No
PP-WB-4272	60° 50' 32"	113° 59' 27"	085A/13	-	837	1	837	None	No
PP-WB-4273	60° 50' 33"	113° 59' 24"	085A/13	-	513	1	513	None	No
PP-WB-4275	60° 50' 37"	114° 2' 48"	085B/16	-	456	1	456	None	No
PP-WB-428	60° 39' 9"	114° 3' 53"	085B/09	-	797	1	797	None	No
PP-WB-4280	60° 50' 39"	114° 3' 17"	085B/16	-	372	1	372	None	No
PP-WB-4282	60° 50' 38"	114° 2' 19"	085B/16	-	668	1	668	None	No
PP-WB-4283	60° 50' 39"	114° 3' 11"	085B/16	-	980	1	980	None	No
PP-WB-4285	60° 50' 35"	113° 59' 51"	085A/13	-	964	1	964	None	No
PP-WB-4288	60° 50' 46"	114° 8' 11"	085B/16	-	507	1	507	None	No
PP-WB-4291	60° 50' 47"	114° 8' 17"	085B/16	-	423	1	423	None	No
PP-WB-4294	60° 50' 47"	114° 8' 87"	085B/16	-	699	1	699	None	No
PP-WB-4297	60° 50' 48"	114° 8' 39"	085B/16	-	855	1	855	None	No
PP-WB-4298	60° 50' 37"	113° 59' 58"	085A/13	-	674	1	674	None	No
PP-WB-430	60° 39' 7"	114° 1' 12"	085B/09	-	933	1	933	None	No
PP-WB-4302	60° 50' 37"	113° 59' 36"	085A/13	-	544	1	544	None	No
PP-WB-4306	60° 50' 42"	114° 3' 40"	085B/16	-	645	1	645	None	No
PP-WB-4308	60° 50' 38"	113° 59' 39"	085A/13	-	500	1	500	None	No
PP-WB-4311	60° 50' 50"	114° 8' 31"	085B/16	-	672	1	672	None	No
PP-WB-4314	60° 50' 38"	113° 59' 47"	085A/13	-	733	1	733	None	No
PP-WB-4317	60° 50' 36"	113° 58' 4"	085A/13	-	541	1	541	None	No
PP-WB-4319	60° 50' 50"	114° 8' 94"	085B/16	-	984	1	984	None	No
PP-WB-4322	60° 50' 43"	114° 2' 30"	085B/16	-	867	1	867	None	No
PP-WB-4325	60° 50' 46"	114° 4' 60"	085B/16	-	399	1	399	None	No
PP-WB-4331	60° 50' 46"	114° 3' 56"	085B/16	-	419	1	419	None	No
PP-WB-4332	60° 50' 44"	114° 2' 15"	085B/16	-	330	1	330	None	No
PP-WB-4333	60° 50' 44"	114° 2' 11"	085B/16	-	384	1	384	None	No
PP-WB-4341	60° 50' 44"	114° 1' 29"	085B/16	-	372	1	372	None	No
PP-WB-4342	60° 50' 44"	114° 1' 54"	085B/16	-	241	1	241	None	No
PP-WB-4343	60° 50' 44"	114° 1' 27"	085B/16	-	362	1	362	None	No
PP-WB-4347	60° 50' 42"	113° 59' 45"	085A/13	-	531	1	531	None	No
PP-WB-4349	60° 50' 42"	113° 59' 42"	085A/13	-	631	1	631	None	No
PP-WB-4358	60° 51' 41"	114° 49' 26"	085B/15	-	973	1	973	None	No
PP-WB-4368	60° 50' 51"	114° 3' 50"	085B/16	-	583	1	583	None	No
PP-WB-4375	60° 50' 49"	114° 1' 43"	085B/16	-	805	1	805	None	No
PP-WB-4379	60° 50' 52"	114° 3' 37"	085B/16	-	894	1	894	None	No
PP-WB-4381	60° 50' 48"	114° 0' 41"	085B/16	-	964	1	964	None	No
PP-WB-4383	60° 50' 48"	114° 0' 78"	085B/16	-	667	1	667	None	No
PP-WB-4384	60° 50' 59"	114° 8' 20"	085B/16	-	748	1	748	None	No
PP-WB-439	60° 39' 12"	114° 4' 10"	085B/09	-	871	1	871	None	No
PP-WB-4391	60° 50' 49"	113° 59' 45"	085A/13	-	574	1	574	None	No
PP-WB-4393	60° 50' 59"	114° 7' 22"	085B/16	-	597	1	597	None	No
PP-WB-4394	60° 50' 53"	114° 2' 29"	085B/16	-	492	1	492	None	No
PP-WB-4396	60° 50' 50"	113° 59' 55"	085A/13	-	551	1	551	None	No
PP-WB-4397	60° 50' 50"	113° 59' 58"	085A/13	-	589	1	589	None	No
PP-WB-4398	60° 50' 51"	114° 0' 38"	085B/16	-	660	1	660	None	No
PP-WB-4402	60° 50' 53"	114° 2' 26"	085B/16	-	506	1	506	None	No
PP-WB-4405	60° 50' 50"	113° 59' 48"	085A/13	-	526	1	526	None	No
PP-WB-4408	60° 50' 53"	114° 2' 18"	085B/16	-	843	1	843	None	No
PP-WB-4412	60° 50' 52"	114° 1' 10"	085B/16	-	796	1	796	None	No
PP-WB-4417	60° 51' 2"	114° 8' 21"	085B/16	-	647	1	647	None	No
PP-WB-4418	60° 50' 53"	114° 1' 27"	085B/16	-	487	1	487	None	No
PP-WB-4421	60° 50' 52"	114° 0' 86"	085B/16	-	588	1	588	None	No
PP-WB-4425	60° 51' 3"	114° 8' 24"	085B/16	-	890	1	890	None	No
PP-WB-4426	60° 50' 56"	114° 2' 37"	085B/16	-	383	1	383	None	No
PP-WB-4428	60° 51' 1"	114° 6' 88"	085B/16	-	489	1	489	None	No
PP-WB-4431	60° 50' 52"	113° 59' 47"	085A/13	-	811	1	811	None	No
PP-WB-4433	60° 50' 53"	113° 59' 59"	085B/16, 085A/13	-	564	1	564	None	No
PP-WB-4434	60° 51' 3"	114° 8' 45"	085B/16	-	589	1			

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?
PP-WB-4498	60° 51' 4"	114° 2' 37"	085B/16	-	893	1	893	None	No
PP-WB-4499	60° 51' 0"	113° 59' 17"	085A/13	-	605	1	605	None	No
PP-WB-45	60° 38' 9"	114° 19' 2"	085B/09	-	522	1	522	None	No
PP-WB-4501	60° 51' 2"	114° 0' 36"	085B/16	-	460	1	460	None	No
PP-WB-4505	60° 51' 14"	114° 9' 20"	085B/16	-	632	1	632	None	No
PP-WB-4508	60° 51' 2"	113° 59' 48"	085A/13	-	805	1	805	None	No
PP-WB-4513	60° 51' 8"	114° 3' 25"	085B/16	-	752	1	752	None	No
PP-WB-4515	60° 51' 15"	114° 9' 17"	085B/16	-	834	1	834	None	No
PP-WB-4516	60° 51' 7"	114° 2' 19"	085B/16	-	763	1	763	None	No
PP-WB-4519	60° 51' 7"	114° 2' 86"	085B/16	-	413	1	413	None	No
PP-WB-4522	60° 51' 7"	114° 1' 23"	085B/16	-	621	1	621	None	No
PP-WB-4523	60° 51' 10"	114° 3' 35"	085B/16	-	872	1	872	None	No
PP-WB-4529	60° 51' 9"	114° 1' 52"	085B/16	-	392	1	392	None	No
PP-WB-4530	60° 51' 9"	114° 1' 57"	085B/16	-	243	1	243	None	No
PP-WB-4531	60° 51' 9"	114° 1' 21"	085B/16	-	436	1	436	None	No
PP-WB-4532	60° 51' 9"	114° 1' 54"	085B/16	-	242	1	242	None	No
PP-WB-4535	60° 51' 11"	114° 2' 25"	085B/16	-	525	1	525	None	No
PP-WB-4538	60° 51' 20"	114° 9' 19"	085B/16	-	573	1	573	None	No
PP-WB-4542	60° 51' 7"	113° 58' 59"	085A/13	-	585	1	585	None	No
PP-WB-4544	60° 51' 7"	113° 58' 42"	085A/13	-	542	1	542	None	No
PP-WB-4549	60° 51' 9"	113° 59' 53"	085A/13	-	566	1	566	None	No
PP-WB-4552	60° 51' 14"	114° 3' 74"	085B/16	-	488	1	488	None	No
PP-WB-4553	60° 51' 11"	114° 1' 26"	085B/16	-	597	1	597	None	No
PP-WB-4554	60° 51' 14"	114° 2' 58"	085B/16	-	370	1	370	None	No
PP-WB-4557	60° 51' 15"	114° 3' 33"	085B/16	-	582	1	582	None	No
PP-WB-4559	60° 51' 10"	113° 59' 32"	085A/13	-	555	1	555	None	No
PP-WB-4562	60° 51' 11"	114° 0' 11"	085B/16	-	978	1	978	None	No
PP-WB-4563	60° 51' 16"	114° 3' 30"	085B/16	-	489	1	489	None	No
PP-WB-4564	60° 51' 14"	114° 1' 52"	085B/16	-	376	1	376	None	No
PP-WB-4565	60° 51' 13"	114° 1' 25"	085B/16	-	641	1	641	None	No
PP-WB-4567	60° 51' 11"	113° 59' 50"	085A/13	-	946	1	946	None	No
PP-WB-4568	60° 51' 16"	114° 3' 34"	085B/16	-	478	1	478	None	No
PP-WB-457	60° 39' 16"	114° 4' 97"	085B/09	-	890	1	890	None	No
PP-WB-4574	60° 51' 11"	113° 58' 46"	085A/13	-	495	1	495	None	No
PP-WB-4575	60° 51' 17"	114° 2' 53"	085B/16	-	781	1	781	None	No
PP-WB-4578	60° 51' 13"	113° 59' 58"	085A/13	-	561	1	561	None	No
PP-WB-4580	60° 51' 13"	113° 59' 40"	085A/13	-	564	1	564	None	No
PP-WB-4582	60° 51' 19"	114° 3' 35"	085B/16	-	830	1	830	None	No
PP-WB-4585	60° 51' 18"	114° 2' 30"	085B/16	-	357	1	357	None	No
PP-WB-4586	60° 51' 19"	114° 3' 98"	085B/16	-	429	1	429	None	No
PP-WB-4588	60° 51' 27"	114° 10' 5"	085B/16	-	815	1	815	None	No
PP-WB-4589	60° 51' 19"	114° 3' 30"	085B/16	-	797	1	797	None	No
PP-WB-4590	60° 51' 14"	113° 59' 44"	085A/13	-	832	1	832	None	No
PP-WB-4591	60° 51' 27"	114° 9' 33"	085B/16	-	680	1	680	None	No
PP-WB-4594	60° 51' 16"	114° 0' 24"	085B/16	-	575	1	575	None	No
PP-WB-4595	60° 51' 19"	114° 2' 46"	085B/16	-	804	1	804	None	No
PP-WB-4596	60° 51' 17"	114° 1' 30"	085B/16	-	693	1	693	None	No
PP-WB-4601	60° 51' 20"	114° 3' 47"	085B/16	-	382	1	382	None	No
PP-WB-4602	60° 51' 29"	114° 9' 53"	085B/16	-	914	1	914	None	No
PP-WB-4603	60° 51' 18"	114° 0' 58"	085B/16	-	401	1	401	None	No
PP-WB-4604	60° 51' 20"	114° 3' 00"	085B/16	-	546	1	546	None	No
PP-WB-4605	60° 51' 23"	114° 5' 13"	085B/16	-	322	1	322	None	No
PP-WB-4612	60° 51' 21"	114° 2' 15"	085B/16	-	822	1	822	None	No
PP-WB-4614	60° 51' 31"	114° 9' 43"	085B/16	-	586	1	586	None	No
PP-WB-4617	60° 51' 21"	114° 1' 31"	085B/16	-	536	1	536	None	No
PP-WB-4618	60° 51' 21"	114° 1' 21"	085B/16	-	356	1	356	None	No
PP-WB-4622	60° 51' 32"	114° 8' 10"	085B/16	-	716	1	716	None	No
PP-WB-4625	60° 51' 20"	113° 59' 28"	085A/13	-	560	1	560	None	No
PP-WB-4626	60° 51' 29"	114° 5' 32"	085B/16	-	358	1	358	None	No
PP-WB-4628	60° 51' 20"	113° 59' 6"	085A/13	-	526	1	526	None	No
PP-WB-4630	60° 51' 20"	113° 59' 3"	085A/13	-	574	1	574	None	No
PP-WB-4631	60° 51' 25"	114° 2' 19"	085B/16	-	455	1	455	None	No
PP-WB-4633	60° 51' 22"	113° 59' 29"	085A/13	-	556	1	556	None	No
PP-WB-4634	60° 51' 25"	114° 1' 35"	085B/16	-	363	1	363	None	No
PP-WB-4638	60° 51' 24"	114° 0' 57"	085B/16	-	431	1	431	None	No
PP-WB-4639	60° 51' 26"	114° 2' 34"	085B/16	-	872	1	872	None	No
PP-WB-4644	60° 40' 28"	115° 11' 34"	085B/11	-	994	1	994	None	No
PP-WB-4642	60° 51' 24"	114° 0' 68"	085B/16	-	696	1	696	None	No
PP-WB-4643	60° 51' 26"	114° 1' 38"	085B/16	-	396	1	396	None	No
PP-WB-4644	60° 51' 27"	114° 2' 43"	085B/16	-	355	1	355	None	No
PP-WB-4647	60° 51' 27"	114° 2' 21"	085B/16	-	742	1	742	None	No
PP-WB-4648	60° 51' 27"	114° 1' 41"	085B/16	-	590	1	590	None	No
PP-WB-4649	60° 51' 28"	114° 2' 70"	085B/16	-	637	1	637	None	No
PP-WB-4652	60° 51' 27"	114° 0' 21"	085B/16	-	395				

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m²)	Mean Depth (m)	Estimated Water Volume (m³)	Annual Withdrawal Limit (m³)	Considered for Water Use?
PP-WB-4684	60° 51' 38"	114° 1' 57"	085B/16	-	418	1	418	None	No
PP-WB-4687	60° 51' 38"	114° 2' 16"	085B/16	-	485	1	485	None	No
PP-WB-4689	60° 51' 42"	114° 5' 63"	085B/16	-	360	1	360	None	No
PP-WB-4690	60° 51' 38"	114° 1' 50"	085B/16	-	806	1	806	None	No
PP-WB-4691	60° 51' 37"	114° 0' 26"	085B/16	-	523	1	523	None	No
PP-WB-4693	60° 51' 39"	114° 2' 37"	085B/16	-	993	1	993	None	No
PP-WB-4694	60° 51' 40"	114° 2' 33"	085B/16	-	967	1	967	None	No
PP-WB-4696	60° 51' 40"	114° 2' 75"	085B/16	-	298	1	298	None	No
PP-WB-4697	60° 51' 40"	114° 1' 35"	085B/16	-	825	1	825	None	No
PP-WB-4698	60° 51' 41"	114° 2' 22"	085B/16	-	493	1	493	None	No
PP-WB-4699	60° 51' 41"	114° 1' 55"	085B/16	-	484	1	484	None	No
PP-WB-4700	60° 51' 41"	114° 1' 58"	085B/16	-	523	1	523	None	No
PP-WB-4702	60° 51' 42"	114° 2' 58"	085B/16	-	386	1	386	None	No
PP-WB-4706	60° 51' 45"	114° 4' 11"	085B/16	-	355	1	355	None	No
PP-WB-4709	60° 51' 44"	114° 2' 49"	085B/16	-	562	1	562	None	No
PP-WB-4715	60° 52' 38"	114° 48' 27"	085B/15	-	720	1	720	None	No
PP-WB-4717	60° 51' 41"	113° 59' 5"	085A/13	-	530	1	530	None	No
PP-WB-4719	60° 51' 48"	114° 3' 52"	085B/16	-	524	1	524	None	No
PP-WB-4721	60° 51' 46"	114° 2' 29"	085B/16	-	784	1	784	None	No
PP-WB-4722	60° 51' 46"	114° 2' 45"	085B/16	-	428	1	428	None	No
PP-WB-4723	60° 51' 47"	114° 2' 46"	085B/16	-	866	1	866	None	No
PP-WB-4724	60° 51' 50"	114° 4' 32"	085B/16	-	380	1	380	None	No
PP-WB-4725	60° 51' 43"	113° 59' 8"	085A/13	-	923	1	923	None	No
PP-WB-4727	60° 51' 46"	114° 1' 17"	085B/16	-	732	1	732	None	No
PP-WB-4728	60° 51' 48"	114° 2' 39"	085B/16	-	368	1	368	None	No
PP-WB-4731	60° 51' 53"	114° 4' 59"	085B/16	-	545	1	545	None	No
PP-WB-4732	60° 51' 51"	114° 3' 11"	085B/16	-	475	1	475	None	No
PP-WB-4735	60° 51' 47"	113° 59' 41"	085A/13	-	653	1	653	None	No
PP-WB-4737	60° 51' 50"	114° 1' 14"	085B/16	-	420	1	420	None	No
PP-WB-4741	60° 51' 52"	114° 2' 31"	085B/16	-	880	1	880	None	No
PP-WB-4742	60° 51' 50"	114° 0' 43"	085B/16	-	352	1	352	None	No
PP-WB-4743	60° 51' 53"	114° 2' 22"	085B/16	-	590	1	590	None	No
PP-WB-4745	60° 51' 53"	114° 2' 41"	085B/16	-	303	1	303	None	No
PP-WB-4746	60° 51' 51"	114° 1' 26"	085B/16	-	540	1	540	None	No
PP-WB-4748	60° 51' 51"	114° 0' 30"	085B/16	-	882	1	882	None	No
PP-WB-4749	60° 51' 52"	114° 1' 11"	085B/16	-	542	1	542	None	No
PP-WB-4750	60° 51' 50"	113° 59' 29"	085A/13	-	722	1	722	None	No
PP-WB-4751	60° 51' 52"	114° 0' 59"	085B/16	-	662	1	662	None	No
PP-WB-4752	60° 51' 52"	114° 0' 46"	085B/16	-	610	1	610	None	No
PP-WB-4753	60° 51' 52"	114° 0' 54"	085B/16	-	636	1	636	None	No
PP-WB-4754	60° 51' 54"	114° 2' 38"	085B/16	-	733	1	733	None	No
PP-WB-4755	60° 51' 51"	113° 59' 59"	085B/16, 085A/13	-	999	1	999	None	No
PP-WB-4756	60° 51' 54"	114° 2' 22"	085B/16	-	382	1	382	None	No
PP-WB-4757	60° 51' 56"	114° 3' 28"	085B/16	-	682	1	682	None	No
PP-WB-4760	60° 51' 52"	113° 59' 53"	085A/13	-	664	1	664	None	No
PP-WB-4762	60° 51' 58"	114° 4' 33"	085B/16	-	595	1	595	None	No
PP-WB-4763	60° 51' 51"	113° 59' 31"	085A/13	-	608	1	608	None	No
PP-WB-4765	60° 51' 59"	114° 4' 44"	085B/16	-	481	1	481	None	No
PP-WB-4767	60° 51' 56"	114° 2' 25"	085B/16	-	631	1	631	None	No
PP-WB-4769	60° 51' 52"	113° 59' 15"	085A/13	-	510	1	510	None	No
PP-WB-4771	60° 51' 55"	114° 1' 40"	085B/16	-	408	1	408	None	No
PP-WB-4773	60° 52' 0"	114° 4' 31"	085B/16	-	856	1	856	None	No
PP-WB-4774	60° 51' 54"	114° 0' 13"	085B/16	-	884	1	884	None	No
PP-WB-4775	60° 51' 58"	114° 3' 01"	085B/16	-	408	1	408	None	No
PP-WB-4777	60° 51' 57"	114° 2' 15"	085B/16	-	577	1	577	None	No
PP-WB-4778	60° 52' 1"	114° 4' 27"	085B/16	-	296	1	296	None	No
PP-WB-4779	60° 51' 55"	114° 0' 36"	085B/16	-	987	1	987	None	No
PP-WB-4781	60° 51' 59"	114° 2' 55"	085B/16	-	233	1	233	None	No
PP-WB-4788	60° 51' 55"	113° 59' 15"	085A/13	-	550	1	550	None	No
PP-WB-4789	60° 51' 58"	114° 1' 32"	085B/16	-	510	1	510	None	No
PP-WB-4792	60° 51' 58"	114° 1' 22"	085B/16	-	413	1	413	None	No
PP-WB-4793	60° 52' 1"	114° 2' 54"	085B/16	-	288	1	288	None	No
PP-WB-4796	60° 51' 57"	113° 59' 18"	085A/13	-	837	1	837	None	No
PP-WB-4797	60° 52' 2"	114° 2' 58"	085B/16	-	359	1	359	None	No
PP-WB-4800	60° 52' 5"	114° 0' 01"	085B/16	-	980	1	980	None	No
PP-WB-4801	60° 52' 2"	114° 2' 51"	085B/16	-	293	1	293	None	No
PP-WB-4802	60° 52' 1"	114° 0' 16"	085B/16	-	408	1	408	None	No
PP-WB-4804	60° 52' 1"	114° 1' 46"	085B/16	-	895	1	895	None	No
PP-WB-4807	60° 52' 6"	114° 0' 36"	085B/16	-	394	1	394	None	No
PP-WB-4808	60° 52' 2"	114° 0' 12"	085B/16	-	410	1	410	None	No
PP-WB-4811	60° 52' 7"	114° 4' 41"	085B/09	-	587	1	587	None	No
PP-WB-4810	60° 52' 7"	114° 4' 40"	085B/16	-	497	1	497	None	No
PP-WB-4811	60° 52' 13"	114° 0' 11"	085B/16	-	825	1	825	None	No
PP-WB-4815	60° 52' 6"	114° 3' 16"	085B/16	-	593	1	593	None	No

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?
PP-WB-4856	60° 52' 10"	114° 0' 32"	085B/16	-	655	1	655	None	No
PP-WB-4859	60° 52' 11"	114° 0' 21"	085B/16	-	908	1	908	None	No
PP-WB-4860	60° 52' 10"	113° 59' 52"	085A/13	-	504	1	504	None	No
PP-WB-4862	60° 52' 10"	113° 59' 29"	085A/13	-	803	1	803	None	No
PP-WB-4865	60° 52' 15"	114° 1' 44"	085B/16	-	335	1	335	None	No
PP-WB-4866	60° 52' 25"	114° 9' 41"	085B/16	-	480	1	480	None	No
PP-WB-4867	60° 52' 14"	114° 1' 13"	085B/16	-	536	1	536	None	No
PP-WB-4875	60° 52' 15"	114° 0' 28"	085B/16	-	639	1	639	None	No
PP-WB-4876	60° 52' 16"	114° 1' 40"	085B/16	-	309	1	309	None	No
PP-WB-4881	60° 52' 18"	114° 1' 54"	085B/16	-	307	1	307	None	No
PP-WB-4885	60° 52' 18"	114° 1' 51"	085B/16	-	246	1	246	None	No
PP-WB-4886	60° 52' 17"	114° 1' 14"	085B/16	-	539	1	539	None	No
PP-WB-489	60° 39' 22"	114° 5' 84"	085B/09	-	704	1	704	None	No
PP-WB-4891	60° 52' 18"	114° 1' 11"	085B/16	-	985	1	985	None	No
PP-WB-4893	60° 52' 18"	114° 0' 52"	085B/16	-	446	1	446	None	No
PP-WB-4894	60° 52' 18"	114° 1' 94"	085B/16	-	384	1	384	None	No
PP-WB-4896	60° 52' 24"	114° 5' 21"	085B/16	-	344	1	344	None	No
PP-WB-4900	60° 52' 21"	114° 2' 54"	085B/16	-	765	1	765	None	No
PP-WB-4903	60° 52' 18"	113° 59' 36"	085A/13	-	500	1	500	None	No
PP-WB-4905	60° 52' 19"	114° 0' 44"	085B/16	-	975	1	975	None	No
PP-WB-4906	60° 52' 25"	114° 5' 55"	085B/16	-	905	1	905	None	No
PP-WB-4907	60° 52' 18"	113° 59' 30"	085A/13	-	512	1	512	None	No
PP-WB-4908	60° 52' 29"	114° 7' 56"	085B/16	-	920	1	920	None	No
PP-WB-4909	60° 52' 20"	114° 1' 17"	085B/16	-	592	1	592	None	No
PP-WB-4910	60° 52' 21"	114° 1' 35"	085B/16	-	695	1	695	None	No
PP-WB-4914	60° 52' 24"	114° 3' 51"	085B/16	-	921	1	921	None	No
PP-WB-4916	60° 52' 20"	113° 59' 52"	085A/13	-	501	1	501	None	No
PP-WB-4917	60° 52' 20"	114° 0' 83"	085B/16	-	544	1	544	None	No
PP-WB-492	60° 40' 32"	115° 11' 33"	085B/11	-	845	1	845	None	No
PP-WB-4920	60° 52' 21"	114° 0' 27"	085B/16	-	634	1	634	None	No
PP-WB-4921	60° 52' 20"	113° 59' 27"	085A/13	-	927	1	927	None	No
PP-WB-4924	60° 52' 26"	114° 3' 50"	085B/16	-	371	1	371	None	No
PP-WB-4925	60° 52' 21"	113° 59' 54"	085A/13	-	507	1	507	None	No
PP-WB-4926	60° 52' 28"	114° 5' 11"	085B/16	-	583	1	583	None	No
PP-WB-4927	60° 52' 27"	114° 5' 22"	085B/16	-	830	1	830	None	No
PP-WB-4929	60° 52' 23"	114° 0' 37"	085B/16	-	359	1	359	None	No
PP-WB-4931	60° 52' 24"	114° 1' 16"	085B/16	-	479	1	479	None	No
PP-WB-4932	60° 52' 22"	113° 59' 56"	085A/13	-	502	1	502	None	No
PP-WB-4934	60° 52' 23"	114° 0' 43"	085B/16	-	414	1	414	None	No
PP-WB-4935	60° 52' 32"	114° 7' 33"	085B/16	-	877	1	877	None	No
PP-WB-4937	60° 52' 33"	114° 7' 54"	085B/16	-	561	1	561	None	No
PP-WB-4938	60° 52' 23"	114° 0' 33"	085B/16	-	366	1	366	None	No
PP-WB-4943	60° 52' 24"	114° 0' 41"	085B/16	-	286	1	286	None	No
PP-WB-4944	60° 52' 23"	113° 59' 51"	085A/13	-	680	1	680	None	No
PP-WB-4946	60° 52' 25"	114° 0' 38"	085B/16	-	569	1	569	None	No
PP-WB-4947	60° 52' 34"	114° 7' 29"	085B/16	-	583	1	583	None	No
PP-WB-4948	60° 52' 26"	114° 0' 46"	085B/16	-	750	1	750	None	No
PP-WB-4949	60° 52' 26"	114° 0' 51"	085B/16	-	772	1	772	None	No
PP-WB-4950	60° 52' 27"	114° 1' 31"	085B/16	-	399	1	399	None	No
PP-WB-4951	60° 52' 30"	114° 3' 72"	085B/16	-	423	1	423	None	No
PP-WB-4954	60° 52' 27"	114° 1' 20"	085B/16	-	348	1	348	None	No
PP-WB-4957	60° 52' 28"	114° 1' 51"	085B/16	-	810	1	810	None	No
PP-WB-4959	60° 52' 30"	114° 1' 22"	085B/16	-	307	1	307	None	No
PP-WB-4962	60° 52' 26"	113° 58' 37"	085A/13	-	670	1	670	None	No
PP-WB-4963	60° 52' 29"	114° 1' 15"	085B/16	-	661	1	661	None	No
PP-WB-4966	60° 52' 27"	113° 59' 2"	085A/13	-	990	1	990	None	No
PP-WB-4967	60° 52' 33"	114° 2' 45"	085B/16	-	237	1	237	None	No
PP-WB-4968	60° 52' 30"	114° 0' 48"	085B/16	-	630	1	630	None	No
PP-WB-4969	60° 52' 32"	114° 1' 21"	085B/16	-	344	1	344	None	No
PP-WB-4972	60° 52' 30"	113° 59' 35"	085A/13	-	542	1	542	None	No
PP-WB-4974	60° 52' 35"	114° 2' 32"	085B/16	-	506	1	506	None	No
PP-WB-4976	60° 52' 34"	114° 1' 20"	085B/16	-	342	1	342	None	No
PP-WB-4977	60° 52' 31"	113° 59' 16"	085A/13	-	886	1	886	None	No
PP-WB-4979	60° 52' 35"	114° 1' 42"	085B/16	-	253	1	253	None	No
PP-WB-498	60° 40' 36"	115° 15' 36"	085B/11	-	884	1	884	None	No
PP-WB-4980	60° 52' 34"	114° 0' 54"	085B/16	-	441	1	441	None	No
PP-WB-4981	60° 52' 39"	114° 4' 35"	085B/16	-	874	1	874	None	No
PP-WB-4982	60° 52' 36"	114° 2' 38"	085B/16	-	297	1	297	None	No
PP-WB-4983	60° 52' 36"	114° 2' 05"	085B/16	-	511	1	511	None	No
PP-WB-4984	60° 52' 41"	114° 4' 37"	085B/16	-	461	1	461	None	No
PP-WB-4985	60° 53' 6"	114° 27' 21"	085B/16	-	42,071	1	42,071	None	No
PP-WB-4987	60° 52' 38"	114° 2' 01"	085B/16	-	328	1	328	None	No
PP-WB-4988	60° 52' 37"	114° 1' 27"	085B/16	-	845	1	845	None	No
PP-WB-4989	60° 52' 37"	114° 0' 25"							

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?
PP-WB-5024	60° 52' 55"	114° 4' 32"	085B/16	-	399	1	399	None	No
PP-WB-5025	60° 52' 55"	114° 4' 21"	085B/16	-	230	1	230	None	No
PP-WB-5031	60° 52' 52"	114° 0' 38"	085B/16	-	392	1	392	None	No
PP-WB-5032	60° 52' 54"	114° 2' 32"	085B/16	-	871	1	871	None	No
PP-WB-5033	60° 52' 52"	114° 0' 22"	085B/16	-	443	1	443	None	No
PP-WB-5034	60° 52' 52"	114° 0' 80"	085B/16	-	302	1	302	None	No
PP-WB-5036	60° 52' 55"	114° 2' 37"	085B/16	-	393	1	393	None	No
PP-WB-5038	60° 52' 53"	114° 0' 30"	085B/16	-	452	1	452	None	No
PP-WB-5039	60° 52' 53"	114° 0' 26"	085B/16	-	541	1	541	None	No
PP-WB-5040	60° 52' 56"	114° 2' 25"	085B/16	-	471	1	471	None	No
PP-WB-5041	60° 53' 25"	114° 26' 57"	085B/16	-	8,428	1	8,428	None	No
PP-WB-5044	60° 52' 58"	114° 3' 49"	085B/16	-	462	1	462	None	No
PP-WB-5047	60° 53' 5"	114° 8' 18"	085B/16	-	591	1	591	None	No
PP-WB-505	60° 40' 34"	115° 11' 31"	085B/11	-	503	1	503	None	No
PP-WB-5050	60° 52' 57"	114° 2' 22"	085B/16	-	431	1	431	None	No
PP-WB-5052	60° 52' 56"	114° 1' 26"	085B/16	-	435	1	435	None	No
PP-WB-5053	60° 52' 58"	114° 2' 25"	085B/16	-	362	1	362	None	No
PP-WB-5055	60° 53' 1"	114° 4' 46"	085B/16	-	371	1	371	None	No
PP-WB-5058	60° 53' 2"	114° 4' 39"	085B/16	-	498	1	498	None	No
PP-WB-506	60° 39' 18"	114° 0' 54"	085B/09	-	731	1	731	None	No
PP-WB-5063	60° 52' 53"	113° 57' 54"	085A/13	-	620	1	620	None	No
PP-WB-5065	60° 52' 57"	113° 59' 56"	085A/13	-	642	1	642	None	No
PP-WB-5067	60° 53' 0"	114° 2' 24"	085B/16	-	610	1	610	None	No
PP-WB-5072	60° 53' 1"	114° 2' 37"	085B/16	-	275	1	275	None	No
PP-WB-5073	60° 52' 58"	113° 59' 56"	085A/13	-	515	1	515	None	No
PP-WB-5075	60° 53' 0"	114° 0' 56"	085B/16	-	744	1	744	None	No
PP-WB-5076	60° 53' 4"	114° 3' 34"	085B/16	-	298	1	298	None	No
PP-WB-5077	60° 52' 58"	113° 59' 41"	085A/13	-	550	1	550	None	No
PP-WB-5078	60° 53' 3"	114° 2' 30"	085B/16	-	396	1	396	None	No
PP-WB-5079	60° 53' 3"	114° 2' 34"	085B/16	-	777	1	777	None	No
PP-WB-5080	60° 53' 2"	114° 1' 33"	085B/16	-	415	1	415	None	No
PP-WB-5082	60° 53' 7"	114° 4' 51"	085B/16	-	992	1	992	None	No
PP-WB-5085	60° 53' 33"	114° 26' 16"	085B/16	-	662	1	662	None	No
PP-WB-5086	60° 53' 5"	114° 3' 99"	085B/16	-	372	1	372	None	No
PP-WB-5088	60° 53' 5"	114° 2' 59"	085B/16	-	408	1	408	None	No
PP-WB-5090	60° 53' 34"	114° 26' 12"	085B/16	-	631	1	631	None	No
PP-WB-5092	60° 53' 8"	114° 4' 58"	085B/16	-	766	1	766	None	No
PP-WB-5095	60° 53' 5"	114° 1' 25"	085B/16	-	361	1	361	None	No
PP-WB-5100	60° 53' 5"	114° 1' 23"	085B/16	-	340	1	340	None	No
PP-WB-5102	60° 53' 10"	114° 4' 19"	085B/16	-	311	1	311	None	No
PP-WB-5105	60° 53' 11"	114° 5' 02"	085B/16	-	607	1	607	None	No
PP-WB-5109	60° 53' 8"	114° 1' 16"	085B/16	-	446	1	446	None	No
PP-WB-5112	60° 53' 14"	114° 5' 55"	085B/16	-	508	1	508	None	No
PP-WB-5115	60° 53' 14"	114° 5' 88"	085B/16	-	664	1	664	None	No
PP-WB-5117	60° 53' 10"	114° 1' 47"	085B/16	-	385	1	385	None	No
PP-WB-5119	60° 53' 15"	114° 5' 73"	085B/16	-	290	1	290	None	No
PP-WB-512	60° 40' 35"	115° 11' 36"	085B/11	-	819	1	819	None	No
PP-WB-5121	60° 53' 22"	114° 10' 7"	085B/16	-	998	1	998	None	No
PP-WB-5129	60° 53' 41"	114° 25' 44"	085B/16	-	14,806	1	14,806	None	No
PP-WB-5130	60° 53' 33"	114° 25' 30"	085B/16	M10807	460,632	1	460,632	None	No
PP-WB-5131	60° 53' 15"	114° 2' 24"	085B/16	-	490	1	490	None	No
PP-WB-5132	60° 54' 12"	114° 52' 18"	085B/15	-	772	1	772	None	No
PP-WB-5134	60° 53' 15"	114° 2' 27"	085B/16	-	902	1	902	None	No
PP-WB-5135	60° 53' 11"	113° 59' 7"	085A/13	-	726	1	726	None	No
PP-WB-5136	60° 53' 19"	114° 4' 42"	085B/16	-	287	1	287	None	No
PP-WB-5138	60° 53' 20"	114° 4' 47"	085B/16	-	442	1	442	None	No
PP-WB-5140	60° 54' 14"	114° 52' 17"	085B/15	-	535	1	535	None	No
PP-WB-5144	60° 53' 16"	114° 0' 46"	085B/16	-	468	1	468	None	No
PP-WB-5145	60° 53' 45"	114° 25' 38"	085B/16	-	12,360	1	12,360	None	No
PP-WB-5148	60° 53' 21"	114° 3' 57"	085B/16	-	464	1	464	None	No
PP-WB-5149	60° 53' 17"	114° 0' 40"	085B/16	-	569	1	569	None	No
PP-WB-5150	60° 53' 18"	114° 1' 21"	085B/16	-	317	1	317	None	No
PP-WB-5151	60° 53' 19"	114° 1' 43"	085B/16	-	612	1	612	None	No
PP-WB-5152	60° 53' 20"	114° 2' 14"	085B/16	-	808	1	808	None	No
PP-WB-5155	60° 53' 46"	114° 24' 18"	085B/16	M10807 / M10517	13,943	1	13,943	None	No
PP-WB-5156	60° 54' 5"	114° 40' 13"	085B/15	-	879	1	879	None	No
PP-WB-5157	60° 53' 19"	114° 1' 22"	085B/16	-	353	1	353	None	No
PP-WB-5163	60° 53' 24"	114° 1' 51"	085B/16	-	253	1	253	None	No
PP-WB-5164	60° 53' 25"	114° 2' 11"	085B/16	-	412	1	412	None	No
PP-WB-5165	60° 53' 25"	114° 2' 15"	085B/16	-	729	1	729	None	No
PP-WB-5168	60° 53' 25"	114° 2' 31"	085B/16	-	788	1	788	None	No
PP-WB-5170	60° 53' 51"	114° 24' 11"	085B/16	M10517	3,787	1	3,787	None	No
PP-WB-5175	60° 53' 28"	114° 2' 49"	085B/16	-	350	1	350	None	No
PP-WB-5176									

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?
PP-WB-5260	60° 53' 52"	114° 4' 37"	085B/16	-	333	1	333	None	No
PP-WB-5261	60° 54' 28"	114° 34' 19"	085B/15	-	810	1	810	None	No
PP-WB-5265	60° 54' 30"	114° 34' 19"	085B/15	-	723	1	723	None	No
PP-WB-5268	60° 54' 30"	114° 34' 16"	085B/15	-	951	1	951	None	No
PP-WB-5269	60° 54' 29"	114° 33' 32"	085B/15	-	505	1	505	None	No
PP-WB-5270	60° 53' 51"	114° 1' 47"	085B/16	-	352	1	352	None	No
PP-WB-5271	60° 53' 52"	114° 1' 43"	085B/16	-	347	1	347	None	No
PP-WB-5277	60° 53' 51"	114° 0' 38"	085B/16	-	632	1	632	None	No
PP-WB-5279	60° 54' 32"	114° 34' 14"	085B/15	-	593	1	593	None	No
PP-WB-5282	60° 54' 36"	114° 37' 50"	085B/15	-	829	1	829	None	No
PP-WB-5289	60° 54' 27"	114° 28' 35"	085B/16	M10826	877	1	877	None	No
PP-WB-5295	60° 54' 39"	114° 37' 46"	085B/15	-	741	1	741	None	No
PP-WB-5303	60° 53' 57"	114° 0' 13"	085B/16	-	801	1	801	None	No
PP-WB-5325	60° 54' 38"	114° 28' 9"	085B/16	-	900	1	900	None	No
PP-WB-5335	60° 54' 39"	114° 28' 6"	085B/16	-	705	1	705	None	No
PP-WB-5345	60° 54' 9"	114° 1' 31"	085B/16	-	624	1	624	None	No
PP-WB-5374	60° 54' 50"	114° 27' 18"	085B/16	-	956	1	956	None	No
PP-WB-5378	60° 54' 51"	114° 27' 30"	085B/16	-	884	1	884	None	No
PP-WB-5386	60° 54' 17"	113° 58' 15"	085A/13	-	912	1	912	None	No
PP-WB-5393	60° 54' 18"	113° 58' 2"	085A/13	-	831	1	831	None	No
PP-WB-5395	60° 54' 18"	113° 58' 9"	085A/13	-	559	1	559	None	No
PP-WB-5396	60° 54' 22"	114° 0' 17"	085B/16	-	876	1	876	None	No
PP-WB-54	60° 38' 11"	114° 19' 2"	085B/09	-	284	1	284	None	No
PP-WB-5414	60° 55' 1"	114° 29' 16"	085B/16	-	838	1	838	None	No
PP-WB-5432	60° 55' 2"	114° 27' 45"	085B/16	-	941	1	941	None	No
PP-WB-5434	60° 54' 26"	113° 58' 5"	085A/13	-	581	1	581	None	No
PP-WB-5439	60° 55' 4"	114° 29' 5"	085B/16	-	564	1	564	None	No
PP-WB-5444	60° 55' 5"	114° 29' 1"	085B/16	-	938	1	938	None	No
PP-WB-5447	60° 54' 28"	113° 58' 43"	085A/13	-	663	1	663	None	No
PP-WB-5448	60° 54' 27"	113° 57' 47"	085A/13	-	616	1	616	None	No
PP-WB-5449	60° 54' 28"	113° 58' 11"	085A/13	-	818	1	818	None	No
PP-WB-5453	60° 54' 30"	113° 58' 47"	085A/13	-	562	1	562	None	No
PP-WB-5459	60° 54' 29"	113° 57' 46"	085A/13	-	522	1	522	None	No
PP-WB-5467	60° 54' 31"	113° 58' 44"	085A/13	-	771	1	771	None	No
PP-WB-5473	60° 54' 33"	113° 58' 58"	085A/13	-	713	1	713	None	No
PP-WB-5474	60° 54' 33"	113° 59' 12"	085A/13	-	591	1	591	None	No
PP-WB-5494	60° 54' 37"	113° 58' 38"	085A/13	-	649	1	649	None	No
PP-WB-5504	60° 54' 39"	113° 58' 58"	085A/13	-	601	1	601	None	No
PP-WB-5510	60° 54' 41"	113° 59' 52"	085A/13	-	517	1	517	None	No
PP-WB-5516	60° 55' 18"	114° 29' 4"	085B/16	-	395	1	395	None	No
PP-WB-5517	60° 55' 18"	114° 29' 23"	085B/16	-	665	1	665	None	No
PP-WB-5522	60° 55' 19"	114° 29' 11"	085B/16	-	952	1	952	None	No
PP-WB-5527	60° 55' 19"	114° 28' 19"	085B/16	-	933	1	933	None	No
PP-WB-5530	60° 55' 20"	114° 28' 44"	085B/16	-	856	1	856	None	No
PP-WB-5531	60° 55' 21"	114° 28' 50"	085B/16	-	930	1	930	None	No
PP-WB-5532	60° 54' 42"	113° 57' 37"	085A/13	-	627	1	627	None	No
PP-WB-5538	60° 54' 47"	114° 0' 16"	085B/16	-	568	1	568	None	No
PP-WB-5544	60° 54' 45"	113° 58' 8"	085A/13	-	642	1	642	None	No
PP-WB-5545	60° 55' 22"	114° 26' 44"	085B/16	-	744	1	744	None	No
PP-WB-5553	60° 54' 48"	113° 58' 7"	085A/13	-	521	1	521	None	No
PP-WB-5561	60° 54' 50"	113° 57' 51"	085A/13	-	767	1	767	None	No
PP-WB-5570	60° 55' 34"	114° 31' 35"	085B/15	-	815	1	815	None	No
PP-WB-5571	60° 55' 27"	114° 25' 52"	085B/16	-	451	1	451	None	No
PP-WB-5574	60° 54' 56"	114° 0' 23"	085B/16	-	691	1	691	None	No
PP-WB-5580	60° 55' 31"	114° 27' 52"	085B/16	-	450	1	450	None	No
PP-WB-5583	60° 55' 31"	114° 27' 22"	085B/16	-	648	1	648	None	No
PP-WB-5589	60° 55' 32"	114° 27' 52"	085B/16	-	566	1	566	None	No
PP-WB-5590	60° 55' 32"	114° 28' 2"	085B/16	-	719	1	719	None	No
PP-WB-5591	60° 54' 59"	114° 0' 44"	085B/16	-	707	1	707	None	No
PP-WB-5592	60° 54' 59"	114° 0' 26"	085B/16	-	846	1	846	None	No
PP-WB-5593	60° 55' 33"	114° 27' 49"	085B/16	-	941	1	941	None	No
PP-WB-5596	60° 55' 33"	114° 27' 23"	085B/16	-	683	1	683	None	No
PP-WB-5598	60° 55' 0"	114° 0' 16"	085B/16	-	850	1	850	None	No
PP-WB-56	60° 39' 9"	115° 17' 35"	085B/11	-	554	1	554	None	No
PP-WB-5609	60° 54' 58"	113° 57' 45"	085A/13	-	752	1	752	None	No
PP-WB-5627	60° 55' 3"	113° 59' 34"	085A/13	-	638	1	638	None	No
PP-WB-5634	60° 55' 5"	113° 59' 47"	085A/13	-	850	1	850	None	No
PP-WB-5637	60° 55' 2"	113° 57' 47"	085A/13	-	516	1	516	None	No
PP-WB-564	60° 39' 29"	114° 2' 04"	085B/09	-	697	1	697	None	No
PP-WB-5641	60° 55' 40"	114° 28' 2"	085B/16	-	527	1	527	None	No
PP-WB-5642	60° 55' 40"	114° 27' 46"	085B/16	-	702	1	702	None	No
PP-WB-5655	60° 55' 5"	113° 58' 9"	085A/13	-	852	1	852	None	No
PP-WB-5658	60° 55' 42"	114° 27' 47"	085B/16	-	837	1	837	None	No
PP-WB-5659	60° 55' 43"								

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?
PP-WB-5708	60° 55' 14"	114° 0' 79"	085B/16	-	627	1	627	None	No
PP-WB-5709	60° 55' 12"	113° 58' 31"	085A/13	-	599	1	599	None	No
PP-WB-5711	60° 55' 45"	114° 24' 31"	085B/16	M10519	583	1	583	None	No
PP-WB-5712	60° 55' 16"	114° 0' 10"	085B/16	-	216	1	216	None	No
PP-WB-5716	60° 55' 13"	113° 58' 16"	085A/13	-	900	1	900	None	No
PP-WB-5718	60° 55' 46"	114° 24' 27"	085B/16	M10519	461	1	461	None	No
PP-WB-5723	60° 55' 48"	114° 24' 20"	085B/16	M10519	350	1	350	None	No
PP-WB-5724	60° 55' 18"	114° 0' 25"	085B/16	-	546	1	546	None	No
PP-WB-5731	60° 55' 19"	114° 0' 11"	085B/16	-	779	1	779	None	No
PP-WB-5733	60° 55' 56"	114° 29' 48"	085B/16	-	783	1	783	None	No
PP-WB-5736	60° 55' 19"	113° 59' 7"	085A/13	-	735	1	735	None	No
PP-WB-5737	60° 55' 18"	113° 57' 50"	085A/13	-	645	1	645	None	No
PP-WB-5742	60° 55' 23"	114° 0' 19"	085B/16	-	703	1	703	None	No
PP-WB-5746	60° 55' 51"	114° 22' 32"	085B/16	-	985	1	985	None	No
PP-WB-5750	60° 55' 52"	114° 22' 37"	085B/16	-	576	1	576	None	No
PP-WB-5751	60° 55' 21"	113° 58' 6"	085A/13	-	520	1	520	None	No
PP-WB-5752	60° 55' 25"	114° 0' 34"	085B/16	-	860	1	860	None	No
PP-WB-5754	60° 55' 53"	114° 22' 45"	085B/16	-	406	1	406	None	No
PP-WB-5756	60° 55' 25"	114° 0' 19"	085B/16	-	608	1	608	None	No
PP-WB-5761	60° 55' 27"	114° 0' 19"	085B/16	-	307	1	307	None	No
PP-WB-5763	60° 55' 25"	113° 57' 57"	085A/13	-	737	1	737	None	No
PP-WB-5767	60° 55' 25"	113° 57' 36"	085A/13	-	797	1	797	None	No
PP-WB-5770	60° 55' 29"	114° 0' 34"	085B/16	-	848	1	848	None	No
PP-WB-5779	60° 56' 6"	114° 27' 10"	085B/16	-	745	1	745	None	No
PP-WB-5780	60° 55' 31"	113° 58' 0"	085A/13	-	716	1	716	None	No
PP-WB-5781	60° 55' 30"	113° 57' 32"	085A/13	-	795	1	795	None	No
PP-WB-5788	60° 56' 13"	114° 29' 26"	085B/16	-	688	1	688	None	No
PP-WB-5792	60° 55' 35"	113° 57' 57"	085A/13	-	679	1	679	None	No
PP-WB-5793	60° 56' 13"	114° 28' 22"	085B/16	-	599	1	599	None	No
PP-WB-5797	60° 56' 14"	114° 28' 49"	085B/16	-	554	1	554	None	No
PP-WB-5798	60° 56' 6"	114° 21' 47"	085B/16	-	900	1	900	None	No
PP-WB-58	60° 38' 37"	114° 41' 5"	085B/10	-	556	1	556	None	No
PP-WB-5801	60° 55' 37"	113° 57' 48"	085A/13	-	606	1	606	None	No
PP-WB-5802	60° 56' 9"	114° 22' 34"	085B/16	-	577	1	577	None	No
PP-WB-5805	60° 56' 13"	114° 25' 58"	085B/16	-	823	1	823	None	No
PP-WB-5808	60° 55' 44"	114° 1' 39"	085B/16	-	534	1	534	None	No
PP-WB-5810	60° 55' 42"	113° 58' 46"	085A/13	-	527	1	527	None	No
PP-WB-5812	60° 55' 46"	114° 1' 38"	085B/16	-	195	1	195	None	No
PP-WB-5823	60° 56' 16"	114° 22' 25"	085B/16	-	627	1	627	None	No
PP-WB-5824	60° 56' 19"	114° 24' 50"	085B/16	M10519	829	1	829	None	No
PP-WB-5825	60° 56' 24"	114° 28' 49"	085B/16	-	632	1	632	None	No
PP-WB-5829	60° 55' 50"	114° 0' 37"	085B/16	-	685	1	685	None	No
PP-WB-5837	60° 56' 30"	114° 29' 27"	085B/16	-	675	1	675	None	No
PP-WB-5838	60° 56' 29"	114° 28' 14"	085B/16	-	935	1	935	None	No
PP-WB-5848	60° 56' 29"	114° 26' 39"	085B/16	-	965	1	965	None	No
PP-WB-5851	60° 56' 33"	114° 28' 49"	085B/16	-	830	1	830	None	No
PP-WB-5852	60° 56' 34"	114° 28' 39"	085B/16	-	348	1	348	None	No
PP-WB-5857	60° 56' 30"	114° 24' 28"	085B/16	M10520	980	1	980	None	No
PP-WB-5859	60° 56' 31"	114° 24' 57"	085B/16	M10520	715	1	715	None	No
PP-WB-5867	60° 56' 35"	114° 24' 48"	085B/16	M10520	879	1	879	None	No
PP-WB-5875	60° 56' 43"	114° 29' 54"	085B/16	-	964	1	964	None	No
PP-WB-5882	60° 56' 39"	114° 24' 41"	085B/16	M10520	972	1	972	None	No
PP-WB-5888	60° 56' 44"	114° 23' 46"	085B/16	M10520	820	1	820	None	No
PP-WB-5892	60° 56' 48"	114° 23' 30"	085B/16	M10520	906	1	906	None	No
PP-WB-5897	60° 56' 55"	114° 23' 9"	085B/16	M10520	956	1	956	None	No
PP-WB-59	60° 38' 56"	115° 0' 39"	085B/11	-	987	1	987	None	No
PP-WB-5911	60° 56' 39"	113° 58' 28"	085A/13	-	524	1	524	None	No
PP-WB-5915	60° 56' 41"	113° 58' 27"	085A/13	-	688	1	688	None	No
PP-WB-5917	60° 56' 44"	113° 59' 37"	085A/13	-	630	1	630	None	No
PP-WB-5918	60° 56' 44"	113° 59' 48"	085A/13	-	616	1	616	None	No
PP-WB-5919	60° 56' 44"	113° 59' 53"	085A/13	-	610	1	610	None	No
PP-WB-5924	60° 56' 44"	113° 58' 24"	085A/13	-	676	1	676	None	No
PP-WB-5926	60° 56' 45"	113° 59' 8"	085A/13	-	894	1	894	None	No
PP-WB-5928	60° 56' 47"	113° 59' 36"	085A/13	-	754	1	754	None	No
PP-WB-5930	60° 56' 49"	113° 58' 55"	085A/13	-	912	1	912	None	No
PP-WB-5931	60° 56' 50"	113° 59' 10"	085A/13	-	594	1	594	None	No
PP-WB-5932	60° 56' 51"	114° 0' 16"	085B/16	-	944	1	944	None	No
PP-WB-5934	60° 56' 52"	113° 59' 38"	085A/13	-	624	1	624	None	No
PP-WB-5939	60° 56' 52"	113° 59' 8"	085A/13	-	727	1	727	None	No
PP-WB-594	60° 40' 50"	115° 14' 54"	085B/11	-	759	1	759	None	No
PP-WB-5940	60° 56' 54"	113° 59' 37"	085A/13	-	890	1	890	None	No
PP-WB-5945	60° 57' 0"	114° 0' 55"	085B/16	-	979	1	979	None	No
PP-WB-5946	60° 56' 59"	113° 58' 46"	085A/13	-					

Waterbody ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Surface Area (m ²)	Mean Depth (m)	Estimated Water Volume (m ³)	Annual Withdrawal Limit (m ³)	Considered for Water Use?
PP-WB-5981	60° 57' 19"	113° 58' 54"	085A/13	-	549	1	549	None	No
PP-WB-5984	60° 57' 20"	113° 58' 45"	085A/13	-	664	1	664	None	No
PP-WB-5985	60° 57' 21"	113° 58' 51"	085A/13	-	563	1	563	None	No
PP-WB-5987	60° 57' 22"	113° 58' 11"	085A/13	-	621	1	621	None	No
PP-WB-5989	60° 57' 23"	113° 58' 1"	085A/13	-	516	1	516	None	No
PP-WB-599	60° 39' 30"	113° 59' 44"	085A/12	-	544	1	544	None	No
PP-WB-5990	60° 57' 25"	113° 58' 48"	085A/13	-	633	1	633	None	No
PP-WB-5991	60° 57' 25"	113° 58' 56"	085A/13	-	528	1	528	None	No
PP-WB-5993	60° 57' 25"	113° 58' 27"	085A/13	-	572	1	572	None	No
PP-WB-5994	60° 57' 25"	113° 58' 10"	085A/13	-	608	1	608	None	No
PP-WB-5997	60° 57' 30"	113° 58' 19"	085A/13	-	929	1	929	None	No
PP-WB-5999	60° 57' 33"	113° 58' 15"	085A/13	-	596	1	596	None	No
PP-WB-6007	60° 57' 46"	113° 57' 19"	085A/13	-	877	1	877	None	No
PP-WB-6020	60° 58' 18"	113° 57' 22"	085A/13	-	504	1	504	None	No
PP-WB-6041	60° 59' 40"	114° 17' 49"	085B/16	-	775	1	775	None	No
PP-WB-61	60° 37' 48"	114° 0' 06"	085B/09, 085A/12	-	678	1	678	None	No
PP-WB-631	60° 39' 41"	114° 2' 58"	085B/09	-	721	1	721	None	No
PP-WB-632	60° 39' 42"	114° 3' 33"	085B/09	-	917	1	917	None	No
PP-WB-66	60° 39' 10"	115° 16' 58"	085B/11	-	763	1	763	None	No
PP-WB-663	60° 39' 50"	114° 4' 67"	085B/09	-	988	1	988	None	No
PP-WB-67	60° 39' 11"	115° 17' 18"	085B/11	-	631	1	631	None	No
PP-WB-69	60° 39' 3"	115° 7' 41"	085B/11	-	885	1	885	None	No
PP-WB-752	60° 41' 13"	115° 0' 51"	085B/11	-	857	1	857	None	No
PP-WB-754	60° 40' 12"	114° 4' 18"	085B/09	-	634	1	634	None	No
PP-WB-755	60° 41' 14"	115° 0' 49"	085B/11	-	633	1	633	None	No
PP-WB-769	60° 40' 17"	114° 6' 27"	085B/09	-	867	1	867	None	No
PP-WB-79	60° 39' 4"	115° 7' 20"	085B/11	-	934	1	934	None	No
PP-WB-8	60° 38' 24"	114° 40' 4"	085B/10	-	692	1	692	None	No
PP-WB-82	60° 38' 33"	114° 34' 11"	085B/10	-	693	1	693	None	No
PP-WB-84	60° 39' 1"	115° 2' 35"	085B/11	-	891	1	891	None	No
PP-WB-843	60° 40' 53"	114° 26' 3"	085B/09	-	872	1	872	None	No
PP-WB-857	60° 40' 55"	114° 26' 18"	085B/09	-	816	1	816	None	No
PP-WB-906	60° 41' 56"	115° 19' 20"	085B/11	-	796	1	796	None	No
PP-WB-943	60° 41' 50"	115° 1' 36"	085B/11	-	552	1	552	None	No
PP-WB-956	60° 40' 45"	114° 1' 26"	085B/09	-	617	1	617	None	No
PP-WB-958	60° 40' 56"	114° 10' 33"	085B/09	-	929	1	929	None	No
PP-WB-981	60° 40' 46"	113° 59' 43"	085A/12	-	645	1	645	None	No
PP-WB-989	60° 42' 12"	115° 19' 58"	085B/11	-	926	1	926	None	No
PP-WB-997	60° 40' 50"	113° 59' 50"	085A/12	-	701	1	701	None	No

Note: Waterbodies were delineated from publicly available 1:50,000 scale hydrographic feature data (Natural Resources Canada 2017). In some cases, this source divided individual waterbodies into sections. Mean depth was assumed to be 1.0 metres where bathymetry was not available (LWBMV 2020a)

Table 6: Watercourses Considered For Use

Watercourse ID	Approximate Centroid Latitude (DD°MM' SS")	Approximate Centroid Longitude (DD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Watercourse Section Length (m)	Considered for Water Use?	Usage Activities
Hanbury Creek	60° 48' 49"	114° 13' 42"	085A/13, 085B/16	-	26,363	Yes	Drilling and dust control
PP-WC-1	60° 53' 1"	114° 27' 21"	085B/16	-	352	Yes	Drilling and dust control
PP-WC-10	60° 49' 13"	114° 2' 32"	085B/16	-	69	Yes	Drilling and dust control
PP-WC-100	60° 39' 34"	115° 18' 31"	085B/11	-	407	Yes	Drilling and dust control
PP-WC-101	60° 43' 2"	115° 12' 47"	085B/11	NT-4867, M10296	2,516	Yes	Drilling and dust control
PP-WC-102	60° 42' 34"	115° 14' 51"	085B/11	M10296	5,450	Yes	Drilling and dust control
PP-WC-103	60° 39' 37"	115° 18' 31"	085B/11	-	359	Yes	Drilling and dust control
PP-WC-104	60° 38' 25"	115° 17' 6"	085B/11	-	5,739	Yes	Drilling and dust control
PP-WC-105	60° 43' 36"	115° 11' 5"	085B/11	NT-4867	747	Yes	Drilling and dust control
PP-WC-106	60° 39' 38"	115° 19' 12"	085B/11	-	179	Yes	Drilling and dust control
PP-WC-107	60° 41' 56"	115° 14' 46"	085B/11	-	1,482	Yes	Drilling and dust control
PP-WC-108	60° 39' 34"	115° 7' 23"	085B/11	-	671	Yes	Drilling and dust control
PP-WC-109	60° 39' 14"	115° 4' 35"	085B/11	-	268	Yes	Drilling and dust control
PP-WC-11	60° 49' 14"	114° 6' 37"	085B/16	-	646	Yes	Drilling and dust control
PP-WC-110	60° 39' 18"	115° 6' 37"	085B/11	-	738	Yes	Drilling and dust control
PP-WC-111	60° 39' 12"	115° 7' 31"	085B/11	-	80	Yes	Drilling and dust control
PP-WC-112	60° 39' 13"	115° 6' 17"	085B/11	-	179	Yes	Drilling and dust control
PP-WC-113	60° 40' 25"	115° 11' 59"	085B/11	-	625	Yes	Drilling and dust control
PP-WC-114	60° 39' 16"	115° 6' 18"	085B/11	-	425	Yes	Drilling and dust control
PP-WC-115	60° 39' 10"	115° 7' 24"	085B/11	-	55	Yes	Drilling and dust control
PP-WC-116	60° 39' 37"	115° 19' 13"	085B/11	-	212	Yes	Drilling and dust control
PP-WC-117	60° 41' 20"	115° 15' 51"	085B/11	-	565	Yes	Drilling and dust control
PP-WC-118	60° 44' 25"	115° 22' 23"	085B/11	-	7,303	Yes	Drilling and dust control
PP-WC-119	60° 41' 37"	115° 15' 36"	085B/11	-	534	Yes	Drilling and dust control
PP-WC-12	60° 51' 53"	114° 0' 8"	085B/16	-	68	Yes	Drilling and dust control
PP-WC-120	60° 43' 4"	115° 3' 27"	085B/11	NT-4865	979	Yes	Drilling and dust control
PP-WC-121	60° 39' 9"	115° 6' 53"	085B/11	-	250	Yes	Drilling and dust control
PP-WC-122	60° 39' 37"	115° 19' 6"	085B/11	-	25	Yes	Drilling and dust control
PP-WC-123	60° 39' 9"	115° 5' 31"	085B/11	-	1,372	Yes	Drilling and dust control
PP-WC-124	60° 40' 53"	115° 15' 47"	085B/11	-	1,961	Yes	Drilling and dust control
PP-WC-125	60° 39' 16"	115° 4' 47"	085B/11	-	156	Yes	Drilling and dust control
PP-WC-126	60° 42' 9"	115° 13' 55"	085B/11	-	38	Yes	Drilling and dust control
PP-WC-127	60° 44' 3"	115° 7' 11"	085B/11	NT-4860, NT-4866	623	Yes	Drilling and dust control
PP-WC-128	60° 39' 57"	115° 21' 17"	085B/11	-	1,326	Yes	Drilling and dust control
PP-WC-129	60° 39' 11"	115° 6' 58"	085B/11	-	95	Yes	Drilling and dust control
PP-WC-13	60° 51' 45"	114° 0' 36"	085B/16	-	676	Yes	Drilling and dust control
PP-WC-130	60° 39' 15"	115° 4' 24"	085B/11	-	1,638	Yes	Drilling and dust control
PP-WC-131	60° 40' 32"	115° 11' 46"	085B/11	-	262	Yes	Drilling and dust control
PP-WC-132	60° 38' 59"	115° 4' 32"	085B/11	-	934	Yes	Drilling and dust control
PP-WC-133	60° 42' 2"	115° 14' 18"	085B/11	-	470	Yes	Drilling and dust control
PP-WC-134	60° 42' 13"	115° 13' 50"	085B/11	-	226	Yes	Drilling and dust control
PP-WC-135	60° 40' 44"	115° 15' 54"	085B/11	-	2,163	Yes	Drilling and dust control
PP-WC-136	60° 40' 30"	115° 12' 51"	085B/11	-	625	Yes	Drilling and dust control
PP-WC-137	60° 42' 46"	115° 2' 17"	085B/11	-	731	Yes	Drilling and dust control
PP-WC-138	60° 39' 11"	115° 4' 20"	085B/11	-	257	Yes	Drilling and dust control
PP-WC-139	60° 43' 54"	115° 11' 34"	085B/11	NT-4867	532	Yes	Drilling and dust control
PP-WC-14	60° 49' 40"	114° 1' 5"	085B/16	-	60	Yes	Drilling and dust control
PP-WC-140	60° 41' 19"	115° 15' 42"	085B/11	-	383	Yes	Drilling and dust control
PP-WC-141	60° 39' 12"	115° 6' 10"	085B/11	-	72	Yes	Drilling and dust control
PP-WC-142	60° 44' 3"	115° 14' 12"	085B/11	-	237	Yes	Drilling and dust control
PP-WC-143	60° 44' 6"	115° 11' 15"	085B/11	NT-4867	695	Yes	Drilling and dust control
PP-WC-144	60° 39' 26"	115° 7' 29"	085B/11	-	648	Yes	Drilling and dust control
PP-WC-145	60° 39' 17"	115° 7' 54"	085B/11	-	498	Yes	Drilling and dust control
PP-WC-146	60° 39' 38"	115° 18' 52"	085B/11	-	35	Yes	Drilling and dust control
PP-WC-147	60° 39' 37"	115° 18' 46"	085B/11	-	219	Yes	Drilling and dust control
PP-WC-148	60° 40' 27"	115° 12' 26"	085B/11	-	347	Yes	Drilling and dust control
PP-WC-149	60° 39' 10"	115° 6' 33"	085B/11	-	740	Yes	Drilling and dust control
PP-WC-15	60° 55' 42"	114° 1' 50"	085B/16	M10846	667	Yes	Drilling and dust control
PP-WC-150	60° 42' 20"	115° 13' 41"	085B/11	-	1,083	Yes	Drilling and dust control
PP-WC-151	60° 43' 50"	115° 11' 19"	085B/11	NT-4867	329	Yes	Drilling and dust control
PP-WC-153	60° 39' 16"	115° 4' 58"	085B/11	-	1,483	Yes	Drilling and dust control
PP-WC-154	60° 41' 16"	115° 15' 36"	085B/11	-	540	Yes	Drilling and dust control
PP-WC-155	60° 39' 40"	115° 6' 64"	085B/11	-	1,385	Yes	Drilling and dust control
PP-WC-156	60° 39' 15"	115° 6' 27"	085B/11	-	209	Yes	Drilling and dust control
PP-WC-157	60° 44' 4"	115° 13' 2"	085B/11	NT-4867	479	Yes	Drilling and dust control
PP-WC-158	60° 39' 12"	115° 7' 35"	085B/11	-	142	Yes	Drilling and dust control
PP-WC-159	60° 39' 2"	115° 4' 11"	085B/11	-	355	Yes	Drilling and dust control
PP-WC-16	60° 48' 5"	114° 11' 25"	085B/16	-	98	Yes	Drilling and dust control
PP-WC-160	60° 41' 58"	115° 14' 17"	085B/11	-	420	Yes	Drilling and dust control
PP-WC-161	60° 55' 3"	114° 2' 13"	085B/16	-	172	Yes	Drilling and dust control
PP-WC-162	60° 47' 58"	114° 16' 21"	085B/16	-	45	Yes	Drilling and dust control
PP-WC-163	60° 39' 7"	115° 8' 20"	085B/11	-	18	Yes	Drilling and dust control
PP-WC-164	60° 39' 11"	115° 6' 55"	085B/11	-	81	Yes	Drilling and dust control
PP-WC-165	60° 39' 24"	115° 6' 42"	085B/11	-	488	Yes	Drilling and dust control
PP-WC-166	60° 39' 13"	115° 7' 21"	085B/11	-	122	Yes	Drilling and dust control
PP-WC-167	60° 39' 22"	115° 5' 15"	085B/11	-	810	Yes	Drilling and dust control
PP-WC-168	60° 56' 54"	114° 26' 52"	085B/16	-	97	Yes	Drilling and dust control
PP-WC-169	60° 49' 15"	114° 0' 43"	085B/16	-	112	Yes	Drilling and dust control
PP-WC-17	60° 49' 40"	114° 7' 35"	085B/16	-	91	Yes	Drilling and dust control
PP-WC-170	60° 57' 1"	113° 59' 44"	085A/13, 085B/16	-	589	Yes	Drilling and dust control
PP-WC-171	60° 57' 42"	113° 58' 2"	085A/13	-	1,768	Yes	Drilling and dust control
PP-WC-172	60° 55' 19"	114° 1' 12"					

Watercourse ID	Approximate Centroid Latitude (DD°MM' SS")	Approximate Centroid Longitude (DD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Watercourse Section Length (m)	Considered for Water Use?	Usage Activities
PP-WC-203	60° 49' 20"	114° 1' 45"	085B/16	-	1,272	Yes	Drilling and dust control
PP-WC-204	60° 49' 37"	114° 1' 19"	085B/16	-	110	Yes	Drilling and dust control
PP-WC-206	60° 55' 18"	114° 0' 90"	085B/16	-	99	Yes	Drilling and dust control
PP-WC-207	60° 49' 4"	114° 3' 84"	085B/16	-	945	Yes	Drilling and dust control
PP-WC-208	60° 50' 47"	114° 25' 48"	085B/16	NT-5250, K15915, K15916	679	Yes	Drilling and dust control
PP-WC-209	60° 48' 13"	114° 11' 24"	085B/16	-	80	Yes	Drilling and dust control
PP-WC-211	60° 58' 30"	114° 4' 21"	085B/16	-	87	Yes	Drilling and dust control
PP-WC-210	60° 50' 51"	114° 26' 21"	085B/16	K15915	607	Yes	Drilling and dust control
PP-WC-211	60° 48' 56"	114° 6' 47"	085B/16	-	1,919	Yes	Drilling and dust control
PP-WC-212	60° 49' 10"	114° 2' 18"	085B/16	-	314	Yes	Drilling and dust control
PP-WC-213	60° 55' 26"	114° 0' 20"	085B/16	-	27	Yes	Drilling and dust control
PP-WC-214	60° 58' 59"	114° 8' 18"	085B/16	-	405	Yes	Drilling and dust control
PP-WC-215	60° 51' 51"	113° 59' 43"	085A/13	-	113	Yes	Drilling and dust control
PP-WC-216	60° 56' 53"	113° 59' 59"	085A/13, 085B/16	-	93	Yes	Drilling and dust control
PP-WC-217	60° 56' 56"	114° 0' 1"	085B/16	-	73	Yes	Drilling and dust control
PP-WC-218	60° 59' 37"	114° 18' 24"	085B/16	-	55	Yes	Drilling and dust control
PP-WC-219	60° 47' 55"	114° 15' 31"	085B/16	-	60	Yes	Drilling and dust control
PP-WC-22	60° 49' 23"	114° 6' 16"	085B/16	-	231	Yes	Drilling and dust control
PP-WC-220	60° 55' 36"	114° 2' 15"	085B/16	-	433	Yes	Drilling and dust control
PP-WC-221	60° 55' 25"	114° 0' 27"	085B/16	-	327	Yes	Drilling and dust control
PP-WC-222	60° 49' 59"	114° 0' 15"	085B/16	-	372	Yes	Drilling and dust control
PP-WC-223	60° 59' 21"	114° 18' 58"	085B/16	-	104	Yes	Drilling and dust control
PP-WC-224	60° 49' 13"	114° 2' 35"	085B/16	-	40	Yes	Drilling and dust control
PP-WC-225	60° 58' 44"	114° 7' 56"	085B/16	-	419	Yes	Drilling and dust control
PP-WC-226	60° 55' 42"	114° 0' 57"	085B/16	-	740	Yes	Drilling and dust control
PP-WC-227	60° 55' 57"	114° 1' 28"	085B/16	M10846	568	Yes	Drilling and dust control
PP-WC-228	60° 48' 34"	114° 10' 5"	085B/16	-	85	Yes	Drilling and dust control
PP-WC-229	60° 48' 22"	114° 11' 36"	085B/16	-	130	Yes	Drilling and dust control
PP-WC-23	60° 48' 49"	114° 3' 41"	085B/16	-	146	Yes	Drilling and dust control
PP-WC-230	60° 49' 15"	114° 2' 32"	085B/16	-	37	Yes	Drilling and dust control
PP-WC-231	60° 48' 43"	114° 9' 54"	085B/16	-	38	Yes	Drilling and dust control
PP-WC-232	60° 50' 14"	114° 7' 22"	085B/16	-	462	Yes	Drilling and dust control
PP-WC-233	60° 52' 48"	114° 13' 31"	085B/16	M10852, M10853	1,008	Yes	Drilling and dust control
PP-WC-234	60° 51' 27"	114° 27' 41"	085B/16	K15914, M10860, K15917, K15915, M10191	3,033	Yes	Drilling and dust control
PP-WC-235	60° 48' 29"	114° 10' 42"	085B/16	-	105	Yes	Drilling and dust control
PP-WC-236	60° 55' 22"	114° 0' 21"	085B/16	-	39	Yes	Drilling and dust control
PP-WC-237	60° 40' 23"	114° 53' 1"	085B/10	-	928	Yes	Drilling and dust control
PP-WC-238	60° 48' 49"	114° 4' 67"	085B/16	-	93	Yes	Drilling and dust control
PP-WC-239	60° 55' 1"	114° 1' 27"	085B/16	-	688	Yes	Drilling and dust control
PP-WC-24	60° 48' 43"	114° 4' 20"	085B/16	-	188	Yes	Drilling and dust control
PP-WC-240	60° 57' 14"	113° 59' 22"	085A/13	-	598	Yes	Drilling and dust control
PP-WC-241	60° 59' 20"	114° 10' 51"	085B/16	-	90	Yes	Drilling and dust control
PP-WC-242	60° 50' 56"	114° 26' 36"	085B/16	NT-5250, K15914, K15915	728	Yes	Drilling and dust control
PP-WC-243	60° 52' 31"	114° 19' 18"	085B/16	NT-5262, M10806, M10805, M10856	2,968	Yes	Drilling and dust control
PP-WC-244	60° 49' 50"	114° 6' 43"	085B/16	-	1,176	Yes	Drilling and dust control
PP-WC-245	60° 48' 42"	114° 10' 1"	085B/16	-	74	Yes	Drilling and dust control
PP-WC-246	60° 49' 23"	114° 0' 54"	085B/16	-	539	Yes	Drilling and dust control
PP-WC-247	60° 55' 17"	114° 0' 25"	085B/16	-	39	Yes	Drilling and dust control
PP-WC-248	60° 41' 5"	114° 40' 35"	085B/10	-	569	Yes	Drilling and dust control
PP-WC-249	60° 41' 40"	114° 55' 48"	085B/10	-	95	Yes	Drilling and dust control
PP-WC-25	60° 50' 28"	114° 7' 52"	085B/16	-	200	Yes	Drilling and dust control
PP-WC-250	60° 41' 37"	114° 55' 49"	085B/10	-	235	Yes	Drilling and dust control
PP-WC-251	60° 41' 36"	114° 55' 33"	085B/10	-	504	Yes	Drilling and dust control
PP-WC-252	60° 41' 22"	114° 55' 15"	085B/10	-	552	Yes	Drilling and dust control
PP-WC-253	60° 52' 53"	114° 11' 37"	085B/16	M10853	838	Yes	Drilling and dust control
PP-WC-254	60° 43' 3"	114° 59' 7"	085B/10	-	159	Yes	Drilling and dust control
PP-WC-255	60° 48' 19"	114° 11' 24"	085B/16	-	160	Yes	Drilling and dust control
PP-WC-256	60° 49' 38"	114° 2' 14"	085B/16	-	366	Yes	Drilling and dust control
PP-WC-257	60° 55' 21"	114° 0' 22"	085B/16	-	40	Yes	Drilling and dust control
PP-WC-258	60° 49' 19"	114° 0' 39"	085B/16	-	55	Yes	Drilling and dust control
PP-WC-259	60° 48' 30"	114° 10' 25"	085B/16	-	597	Yes	Drilling and dust control
PP-WC-26	60° 55' 19"	114° 0' 23"	085B/16	-	60	Yes	Drilling and dust control
PP-WC-260	60° 59' 8"	114° 17' 55"	085B/16	-	2,423	Yes	Drilling and dust control
PP-WC-262	60° 47' 53"	114° 15' 8"	085B/16	-	151	Yes	Drilling and dust control
PP-WC-263	60° 55' 12"	114° 1' 46"	085B/16	-	587	Yes	Drilling and dust control
PP-WC-264	60° 52' 45"	114° 13' 56"	085B/16	M10852	579	Yes	Drilling and dust control
PP-WC-265	60° 55' 52"	114° 0' 51"	085B/16	-	379	Yes	Drilling and dust control
PP-WC-266	60° 49' 39"	114° 54' 37"	085B/16	-	76	Yes	Drilling and dust control
PP-WC-267	60° 48' 46"	114° 4' 11"	085B/16	-	150	Yes	Drilling and dust control
PP-WC-268	60° 55' 28"	114° 0' 37"	085B/16	-	97	Yes	Drilling and dust control
PP-WC-269	60° 39' 27"	114° 54' 30"	085B/10	-	4,431	Yes	Drilling and dust control
PP-WC-27	60° 48' 12"	114° 10' 15"	085B/16	-	1,092	Yes	Drilling and dust control
PP-WC-270	60° 41' 44"	114° 55' 39"	085B/10	-	116	Yes	Drilling and dust control
PP-WC-271	60° 41' 12"	114° 53' 27"	085B/10	-	1,230	Yes	Drilling and dust control
PP-WC-272	60° 51' 50"	114° 0' 11"	085B/16	-	127	Yes	Drilling and dust control
PP-WC-273	60° 48' 53"	114° 3' 53"	085B/16	-	61	Yes	Drilling and dust control
PP-WC-275	60° 48' 14"	114° 11' 31"	085B/16	-	201	Yes	Drilling and dust control
PP-WC-276	60° 51' 42"	114° 25' 41"	085B/16	NT-5250	651	Yes	Drilling and dust control
PP-WC-277	60° 56' 46"	114° 28' 3"	085B/16	-	85	Yes	Drilling and dust control
PP-WC-278	60° 55' 24"	114° 0' 19"	085B/16	-	49	Yes	Drilling and dust control
PP-WC-279	60° 48' 18"	114° 11' 16"	085B/16	-	74	Yes	Drilling and dust control
PP-WC-28	60° 49' 15"	11					

Watercourse ID	Approximate Centroid Latitude (DD°MM' SS")	Approximate Centroid Longitude (DD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Watercourse Section Length (m)	Considered for Water Use?	Usage Activities
PP-WC-31	60° 56' 24"	114° 1' 08"	085B/16	M10846	1,943	Yes	Drilling and dust control
PP-WC-310	60° 43' 53"	114° 23' 36"	085B/09	-	21	Yes	Drilling and dust control
PP-WC-311	60° 38' 23"	114° 0' 16"	085B/09	-	709	Yes	Drilling and dust control
PP-WC-312	60° 38' 42"	114° 1' 15"	085B/09	-	806	Yes	Drilling and dust control
PP-WC-313	60° 43' 31"	114° 23' 22"	085B/09	-	66	Yes	Drilling and dust control
PP-WC-314	60° 38' 47"	114° 1' 43"	085B/09	-	219	Yes	Drilling and dust control
PP-WC-315	60° 44' 16"	113° 58' 46"	085A/12	-	118	Yes	Drilling and dust control
PP-WC-316	60° 44' 20"	113° 58' 33"	085A/12	-	391	Yes	Drilling and dust control
PP-WC-317	60° 38' 37"	114° 0' 36"	085B/09	-	671	Yes	Drilling and dust control
PP-WC-318	60° 38' 10"	113° 59' 1"	085B/09, 085A/12	-	2,520	Yes	Drilling and dust control
PP-WC-319	60° 44' 29"	113° 59' 44"	085A/12	-	483	Yes	Drilling and dust control
PP-WC-32	60° 55' 13"	114° 0' 18"	085B/16	-	198	Yes	Drilling and dust control
PP-WC-320	60° 44' 21"	113° 58' 53"	085A/12	-	378	Yes	Drilling and dust control
PP-WC-321	60° 38' 29"	114° 0' 44"	085B/09	-	668	Yes	Drilling and dust control
PP-WC-322	60° 38' 49"	114° 1' 58"	085B/09	-	166	Yes	Drilling and dust control
PP-WC-323	60° 44' 8"	114° 24' 5"	085B/09	-	76	Yes	Drilling and dust control
PP-WC-324	60° 37' 57"	114° 1' 7"	085B/09	-	25	Yes	Drilling and dust control
PP-WC-325	60° 40' 46"	114° 25' 11"	085B/09	-	310	Yes	Drilling and dust control
PP-WC-326	60° 43' 51"	114° 24' 52"	085B/09	-	47	Yes	Drilling and dust control
PP-WC-327	60° 43' 44"	114° 24' 43"	085B/09	-	25	Yes	Drilling and dust control
PP-WC-328	60° 44' 26"	114° 0' 75"	085B/09	-	198	Yes	Drilling and dust control
PP-WC-329	60° 43' 43"	114° 15' 47"	085B/09	-	14	Yes	Drilling and dust control
PP-WC-33	60° 48' 1"	114° 11' 16"	085B/16	-	216	Yes	Drilling and dust control
PP-WC-330	60° 43' 46"	114° 24' 11"	085B/09	-	15	Yes	Drilling and dust control
PP-WC-331	60° 43' 39"	114° 24' 42"	085B/09	-	44	Yes	Drilling and dust control
PP-WC-332	60° 45' 57"	115° 20' 35"	085B/14	-	2,808	Yes	Drilling and dust control
PP-WC-333	60° 51' 50"	115° 1' 22"	085B/14	-	718	Yes	Drilling and dust control
PP-WC-334	60° 52' 11"	115° 1' 40"	085B/14	-	194	Yes	Drilling and dust control
PP-WC-335	60° 52' 28"	115° 0' 13"	085B/14	-	445	Yes	Drilling and dust control
PP-WC-336	60° 46' 28"	115° 20' 46"	085B/14	-	1,351	Yes	Drilling and dust control
PP-WC-337	60° 50' 42"	115° 13' 21"	085B/14	-	1,736	Yes	Drilling and dust control
PP-WC-338	60° 51' 42"	115° 1' 29"	085B/14	-	43	Yes	Drilling and dust control
PP-WC-339	60° 52' 10"	115° 1' 31"	085B/14	-	143	Yes	Drilling and dust control
PP-WC-34	60° 59' 17"	114° 11' 10"	085B/16	-	648	Yes	Drilling and dust control
PP-WC-340	60° 51' 6"	115° 13' 20"	085B/14	-	176	Yes	Drilling and dust control
PP-WC-341	60° 44' 6"	114° 3' 44"	085B/09	-	40	Yes	Drilling and dust control
PP-WC-342	60° 46' 33"	115° 12' 48"	085B/14	-	4,031	Yes	Drilling and dust control
PP-WC-343	60° 50' 58"	115° 0' 29"	085B/14	-	2,770	Yes	Drilling and dust control
PP-WC-344	60° 47' 46"	115° 21' 21"	085B/14	-	6,150	Yes	Drilling and dust control
PP-WC-345	60° 51' 55"	115° 0' 25"	085B/14	-	1,132	Yes	Drilling and dust control
PP-WC-346	60° 45' 16"	115° 20' 2"	085B/14	-	1,194	Yes	Drilling and dust control
PP-WC-347	60° 48' 40"	114° 36' 17"	085B/15	NT-5254, M10866	1,402	Yes	Drilling and dust control
PP-WC-348	60° 49' 48"	114° 36' 20"	085B/15	M10818, M10815	683	Yes	Drilling and dust control
PP-WC-349	60° 48' 10"	114° 34' 45"	085B/15	M10862, M10866, M10862, M10866	2,129	Yes	Drilling and dust control
PP-WC-35	60° 48' 38"	114° 10' 6"	085B/16	-	111	Yes	Drilling and dust control
PP-WC-350	60° 46' 53"	114° 38' 2"	085B/15	M10868, M10865	1,092	Yes	Drilling and dust control
PP-WC-351	60° 47' 33"	114° 36' 50"	085B/15	M10862, M10866, M10863, M10865, M10862, M10866, M10866, M10816, M10819,	2,339	Yes	Drilling and dust control
PP-WC-352	60° 50' 49"	114° 40' 19"	085B/15	NT-5243, M10823	582	Yes	Drilling and dust control
PP-WC-353	60° 48' 50"	114° 39' 48"	085B/15	M10815	7,650	Yes	Drilling and dust control
PP-WC-354	60° 49' 30"	114° 59' 5"	085B/15	-	569	Yes	Drilling and dust control
PP-WC-355	60° 52' 59"	114° 34' 9"	085B/15	NT-5239, M10831, M10832, M10810	2,509	Yes	Drilling and dust control
PP-WC-356	60° 50' 16"	114° 36' 47"	085B/15	M10821, M10815	620	Yes	Drilling and dust control
PP-WC-357	60° 49' 15"	114° 30' 41"	085B/15	NT-5252	458	Yes	Drilling and dust control
PP-WC-358	60° 52' 32"	114° 46' 3"	085B/15	-	7,097	Yes	Drilling and dust control
PP-WC-359	60° 55' 29"	114° 35' 24"	085B/15	-	1,504	Yes	Drilling and dust control
PP-WC-36	60° 55' 15"	114° 0' 10"	085B/16	-	45	Yes	Drilling and dust control
PP-WC-360	60° 49' 53"	114° 57' 32"	085B/15	-	820	Yes	Drilling and dust control
PP-WC-361	60° 47' 34"	114° 36' 17"	085B/15	M10862, M10863	877	Yes	Drilling and dust control
PP-WC-362	60° 52' 35"	114° 33' 8"	085B/15	NT-5239, M10810	942	Yes	Drilling and dust control
PP-WC-363	60° 44' 4"	114° 2' 54"	085B/09	-	23	Yes	Drilling and dust control
PP-WC-364	60° 49' 28"	114° 58' 27"	085B/15	-	391	Yes	Drilling and dust control
PP-WC-365	60° 46' 31"	115° 20' 12"	085B/14	-	700	Yes	Drilling and dust control
PP-WC-366	60° 49' 47"	115° 17' 27"	085B/14	-	1,178	Yes	Drilling and dust control
PP-WC-367	60° 50' 30"	115° 2' 48"	085B/14	-	3,437	Yes	Drilling and dust control
PP-WC-368	60° 49' 11"	115° 13' 53"	085B/14	-	4,510	Yes	Drilling and dust control
PP-WC-369	60° 50' 24"	115° 15' 46"	085B/14	-	138	Yes	Drilling and dust control
PP-WC-37	60° 53' 42"	114° 25' 18"	085B/16	-	369	Yes	Drilling and dust control
PP-WC-370	60° 44' 1"	114° 2' 44"	085B/09	-	17	Yes	Drilling and dust control
PP-WC-371	60° 52' 6"	115° 1' 47"	085B/14	-	584	Yes	Drilling and dust control
PP-WC-372	60° 51' 15"	114° 40' 35"	085B/15	NT-4868, NT-5243	408	Yes	Drilling and dust control
PP-WC-373	60° 50' 35"	114° 57' 55"	085B/15	-	1,194	Yes	Drilling and dust control
PP-WC-374	60° 49' 36"	114° 58' 57"	085B/15	-	324	Yes	Drilling and dust control
PP-WC-375	60° 47' 5"	114° 37' 56"	085B/15	M10865	385	Yes	Drilling and dust control
PP-WC-376	60° 51' 22"	114° 59' 56"	085B/14, 085B/15	-	254	Yes	Drilling and dust control
PP-WC-377	60° 47' 23"	114° 35' 39"	085B/15	M10862	1,098	Yes	Drilling and dust control
PP-WC-378	60° 49' 43"	114° 36' 38"	085B/15	M10818, M10815	896	Yes	Drilling and dust control
PP-WC-379	60° 48' 35"	114° 38' 3"	085B/15	NT-5254, NT-5255	1,488	Yes	Drilling and dust control
PP-WC-38	60° 49' 38"	114° 1' 96"	085B/16	-	42	Yes	Drilling and dust control
PP-WC-380	60° 50' 59"	114° 40' 28"	085B/15	NT-5243	299	Yes	Drilling and dust control
PP-WC-381	6						

Watercourse ID	Approximate Centroid Latitude (DD°MM' SS")	Approximate Centroid Longitude (DD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Watercourse Section Length (m)	Considered for Water Use?	Usage Activities
PP-WC-410	60° 48' 34"	114° 40' 17"	085B/15	NT-5255	592	Yes	Drilling and dust control
PP-WC-411	60° 47' 58"	114° 36' 3"	085B/15	M10866	262	Yes	Drilling and dust control
PP-WC-412	60° 50' 22"	114° 59' 3"	085B/15	-	1,400	Yes	Drilling and dust control
PP-WC-413	60° 46' 27"	114° 56' 13"	085B/15	-	129	Yes	Drilling and dust control
PP-WC-414	60° 47' 58"	114° 44' 4"	085B/15	NT-5257	478	Yes	Drilling and dust control
PP-WC-415	60° 47' 23"	114° 34' 36"	085B/15	M10862	761	Yes	Drilling and dust control
PP-WC-416	60° 42' 41"	114° 2' 40"	085B/09	-	9	Yes	Drilling and dust control
PP-WC-417	60° 43' 55"	114° 10' 52"	085B/09	-	22	Yes	Drilling and dust control
PP-WC-418	60° 40' 25"	114° 5' 28"	085B/09	-	169	Yes	Drilling and dust control
PP-WC-419	60° 38' 3"	114° 2' 45"	085B/09	-	4,050	Yes	Drilling and dust control
PP-WC-42	60° 55' 26"	114° 0' 37"	085B/16	-	73	Yes	Drilling and dust control
PP-WC-420	60° 51' 48"	115° 1' 23"	085B/14	-	515	Yes	Drilling and dust control
PP-WC-421	60° 51' 27"	115° 0' 17"	085B/14	-	583	Yes	Drilling and dust control
PP-WC-422	60° 47' 38"	115° 13' 24"	085B/14	-	1,121	Yes	Drilling and dust control
PP-WC-423	60° 45' 22"	115° 20' 44"	085B/14	-	1,633	Yes	Drilling and dust control
PP-WC-424	60° 52' 15"	115° 1' 8"	085B/14	-	474	Yes	Drilling and dust control
PP-WC-425	60° 51' 11"	115° 0' 17"	085B/14	-	717	Yes	Drilling and dust control
PP-WC-426	60° 51' 21"	115° 1' 56"	085B/14	-	1,702	Yes	Drilling and dust control
PP-WC-427	60° 48' 51"	114° 35' 1"	085B/15	NT-5253, M10866	921	Yes	Drilling and dust control
PP-WC-428	60° 49' 38"	114° 58' 3"	085B/15	-	487	Yes	Drilling and dust control
PP-WC-429	60° 56' 6"	114° 34' 57"	085B/15	-	439	Yes	Drilling and dust control
PP-WC-43	60° 56' 51"	114° 0' 16"	085B/16	-	592	Yes	Drilling and dust control
PP-WC-430	60° 45' 57"	114° 56' 34"	085B/15	NT-4858, NT-4862	1,171	Yes	Drilling and dust control
PP-WC-431	60° 50' 2"	114° 36' 34"	085B/15	M10815	213	Yes	Drilling and dust control
PP-WC-432	60° 51' 5"	114° 40' 14"	085B/15	NT-5243	566	Yes	Drilling and dust control
PP-WC-433	60° 47' 44"	114° 44' 6"	085B/15	NT-5257	542	Yes	Drilling and dust control
PP-WC-434	60° 49' 0"	114° 40' 31"	085B/15	NT-5255, M10820, M10816	1,288	Yes	Drilling and dust control
PP-WC-435	60° 46' 38"	114° 56' 15"	085B/15	-	425	Yes	Drilling and dust control
PP-WC-436	60° 50' 35"	114° 58' 18"	085B/15	-	782	Yes	Drilling and dust control
PP-WC-437	60° 51' 39"	115° 1' 15"	085B/14	-	179	Yes	Drilling and dust control
PP-WC-438	60° 54' 6"	114° 40' 42"	085B/15	-	3,187	Yes	Drilling and dust control
PP-WC-439	60° 50' 4"	114° 58' 32"	085B/15	-	152	Yes	Drilling and dust control
PP-WC-44	60° 50' 23"	114° 7' 37"	085B/16	-	199	Yes	Drilling and dust control
PP-WC-440	60° 49' 52"	114° 58' 24"	085B/15	-	571	Yes	Drilling and dust control
PP-WC-441	60° 50' 20"	114° 58' 51"	085B/15	-	621	Yes	Drilling and dust control
PP-WC-442	60° 50' 11"	114° 58' 43"	085B/15	-	835	Yes	Drilling and dust control
PP-WC-443	60° 51' 39"	114° 59' 53"	085B/14, 085B/15	-	345	Yes	Drilling and dust control
PP-WC-444	60° 54' 7"	114° 38' 39"	085B/15	-	2,231	Yes	Drilling and dust control
PP-WC-445	60° 48' 29"	114° 39' 54"	085B/15	NT-5255	440	Yes	Drilling and dust control
PP-WC-446	60° 49' 43"	114° 58' 59"	085B/15	-	182	Yes	Drilling and dust control
PP-WC-447	60° 47' 19"	114° 38' 18"	085B/15	M10863, M10865, M10555	1,094	Yes	Drilling and dust control
PP-WC-448	60° 52' 55"	114° 32' 37"	085B/15	M10810	582	Yes	Drilling and dust control
PP-WC-449	60° 44' 44"	114° 24' 41"	085B/09	-	37	Yes	Drilling and dust control
PP-WC-45	60° 56' 34"	114° 17' 14"	085B/16	M10803	16,560	Yes	Drilling and dust control
PP-WC-450	60° 47' 50"	114° 43' 48"	085B/15	NT-5257	384	Yes	Drilling and dust control
PP-WC-451	60° 54' 39"	114° 38' 49"	085B/15	-	92	Yes	Drilling and dust control
PP-WC-452	60° 47' 35"	114° 34' 14"	085B/15	M10862	840	Yes	Drilling and dust control
PP-WC-453	60° 50' 11"	114° 57' 40"	085B/15	-	410	Yes	Drilling and dust control
PP-WC-454	60° 51' 2"	114° 59' 53"	085B/14, 085B/15	-	325	Yes	Drilling and dust control
PP-WC-455	60° 52' 53"	114° 33' 1"	085B/15	M10810	199	Yes	Drilling and dust control
PP-WC-46	60° 51' 25"	114° 25' 11"	085B/16	NT-5250	1,892	Yes	Drilling and dust control
PP-WC-47	60° 48' 52"	114° 3' 37"	085B/16	-	13	Yes	Drilling and dust control
PP-WC-48	60° 49' 19"	114° 0' 41"	085B/16	-	27	Yes	Drilling and dust control
PP-WC-49	60° 59' 8"	114° 9' 11"	085B/16	-	108	Yes	Drilling and dust control
PP-WC-5	60° 55' 29"	114° 0' 48"	085B/16	-	282	Yes	Drilling and dust control
PP-WC-50	60° 48' 9"	114° 11' 25"	085B/16	-	59	Yes	Drilling and dust control
PP-WC-51	60° 59' 37"	114° 18' 19"	085B/16	-	40	Yes	Drilling and dust control
PP-WC-52	60° 52' 0"	114° 26' 12"	085B/16	NT-5250, K15914, K15913	1,005	Yes	Drilling and dust control
PP-WC-53	60° 59' 29"	114° 18' 38"	085B/16	-	582	Yes	Drilling and dust control
PP-WC-54	60° 48' 15"	114° 11' 20"	085B/16	-	215	Yes	Drilling and dust control
PP-WC-55	60° 57' 24"	113° 57' 53"	085A/13	-	38	Yes	Drilling and dust control
PP-WC-56	60° 57' 10"	113° 58' 24"	085A/13	-	1,633	Yes	Drilling and dust control
PP-WC-57	60° 51' 57"	113° 59' 51"	085A/13	-	250	Yes	Drilling and dust control
PP-WC-58	60° 54' 40"	113° 59' 51"	085A/13	-	47	Yes	Drilling and dust control
PP-WC-59	60° 50' 15"	113° 58' 44"	085A/13	-	29	Yes	Drilling and dust control
PP-WC-6	60° 53' 10"	114° 12' 15"	085B/16	M10853	226	Yes	Drilling and dust control
PP-WC-60	60° 50' 8"	113° 58' 6"	085A/13	-	188	Yes	Drilling and dust control
PP-WC-61	60° 58' 7"	113° 57' 51"	085A/13	-	103	Yes	Drilling and dust control
PP-WC-62	60° 50' 14"	113° 58' 35"	085A/13	-	115	Yes	Drilling and dust control
PP-WC-63	60° 50' 14"	113° 58' 58"	085A/13	-	62	Yes	Drilling and dust control
PP-WC-64	60° 50' 7"	113° 58' 27"	085A/13	-	389	Yes	Drilling and dust control
PP-WC-65	60° 50' 14"	113° 59' 2"	085A/13	-	181	Yes	Drilling and dust control
PP-WC-66	60° 39' 8"	115° 8' 9"	085B/11	-	14	Yes	Drilling and dust control
PP-WC-67	60° 51' 53"	114° 25' 32"	085B/16	NT-5250	83	Yes	Drilling and dust control
PP-WC-68	60° 55' 15"	114° 0' 8"	085B/16	-	38	Yes	Drilling and dust control
PP-WC-69	60° 42' 10"	115° 14' 2"	085B/11	-	220	Yes	Drilling and dust control
PP-WC-7	60° 52' 32"	114° 14' 16"	085B/16	M10852	924	Yes	Drilling and dust control
PP-WC-70	60° 43' 1"	115° 3' 27"	085B/11	NT-4865	914	Yes	Drilling and dust control
PP-WC-71	60° 40' 17"	115° 10' 8"	085B/11	-	6,561	Yes	Drilling and dust control
PP-WC-72	60° 39' 16"	115° 13' 44"	085B/11	-	302	Yes	Drilling and dust control
PP-WC-73	60° 42' 19"	115° 13' 27"	085B/11	-	686	Yes	

Table 7: Watercourses Not Considered For Use

Watercourse ID	Approximate Centroid Latitude (DDD°MM' SS")	Approximate Centroid Longitude (DDD°MM' SS")	NTS Map Sheet	Mineral Claim/Lease	Watercourse Section Length (m)	Considered for Water Use?
Buffalo River	60° 50' 53"	114° 59' 41"	085B/15	-	1,041	No
PP-WC-152	60° 41' 10"	115° 15' 42"	085B/11	-	156	No
PP-WC-174	60° 53' 38"	114° 26' 29"	085B/16	-	1,338	No
PP-WC-178	60° 53' 2"	114° 23' 37"	085B/16	M10517, M10426, M10807, M10808	3,230	No
PP-WC-180	60° 53' 26"	114° 27' 23"	085B/16	-	1,583	No
PP-WC-191	60° 52' 8"	114° 26' 18"	085B/16	K15914, K15913	708	No
PP-WC-205	60° 52' 4"	114° 26' 53"	085B/16	K15914	390	No
PP-WC-261	60° 52' 7"	114° 27' 32"	085B/16	-	1,022	No
PP-WC-274	60° 52' 43"	114° 27' 33"	085B/16	-	1,041	No
PP-WC-300	60° 52' 26"	114° 27' 22"	085B/16	-	358	No

Note: Watercourses were delineated from publicly available 1:50,000 scale hydrographic feature data (Natural Resources Canada 2017). In some cases, this source divided individual waterbodies into sections.

4.0 References


Acts Cited


Waters Act. SNWT 2014, c 18. Last amended 31 August 2016. Available at
<https://www.justice.gov.nt.ca/en/files/legislation/waters/waters.a.pdf>


Literature Cited


- DFO. 2010. DFO Protocol for Winter Water Withdrawal from Ice-covered Waterbodies in the Northwest Territories and Nunavut.
- DFO. 2013. Framework for Assessing the Ecological Flow Requirements to Support Fisheries in Canada. Canadian Science Advisory Secretariat Science Advisory Report 2013/017.
- DFO. 2020. Interim code of practice: End-of-pipe fish protection screens for small water intakes in freshwater. Available at: <https://www.dfo-mpo.gc.ca/pnw-ppe/codes/screen-ecran-eng.html>
- LWBMV (Land and Water Boards of the Mackenzie Valley). 2020a. Draft Method for Determining Available Winter Water Volumes for Small-Scale Projects. Available at
https://wlwb.ca/sites/default/files/distributed_for_review_2_-_draft_method_for_water_source_volume_use_calculations_-apr_27_20.pdf
- LWBMV. 2020b. Reference Bulletin: Split Interest Projects. Available at
https://wlwb.ca/sites/default/files/lwb_reference_bulletin_-_split-interest_projects_-_jun_11_20.pdf
- Maskwa (Maskwa Engineering Limited). 2018. Full Pit, Bathymetric Survey & Water Sampling for Pits N31-EXT, N32, L37, N38, N42, J44, I46 and Natural Lake at Pine Point Site. Prepared for Pine Point Mining Limited.
- Natural Resources Canada. 2017. CanVec Geospatial Extraction Tool. [Modified June 2017; Accessed March 2020]. <http://maps.canada.ca/czs/index-en.html?service=canvec>.


Appendix A. Mapbook of Waterbodies and Watercourses




















IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM: ANSI B
28mm









A scale bar representing distance. It features a horizontal line with tick marks at intervals of 500 units. The first tick mark is labeled '0' below it. The second tick mark is labeled '500' below it. The third tick mark is labeled '1,000' below it. Below the scale bar, the text '1:25 000' is written on the left, and 'METRES' is written on the right.

FERENCE(S)
SE DATA OBTAINED FROM GEORATIS, © DEPARTMENT OF NATURAL RESOURCES CANADA.
L RIGHTS RESERVED. IMAGERY COPYRIGHT © ESRI AND ITS LICENSORS. USED UNDER
ENSE, ALL RIGHTS RESERVED.
OBJECTION: UTM ZONE 11N DATUM: NAD83

ENT
NE POINT MINING LTD.

OBJECT ONE POINT WATER WITHDRAWAL PLAN


WATER SOURCES



CONSULTANT: 10000MAMMAD 2020-11-17

	GOLDER	
DESIGNED	DP	
PREPARED	MM	
REVIEWED	DP	
APPROVED	DP	

OBJECT NO. CONTROL REV. FIGURE
0125747 0 **A-10**







REFERENCE(S)
ASE DATA OBTAINED FROM GEORATIS, © DEPARTMENT OF NATURAL RESOURCES CANADA.
L RIGHTS RESERVED. IMAGERY COPYRIGHT © ESRI AND ITS LICENSORS. USED UNDER
ENSE, ALL RIGHTS RESERVED.
ROJECTION: UTM ZONE 11N DATUM: NAD83

CLIENT
FINE POINT MINING LTD.

PROJECT
TEN POINT WATER WITHDRAWAL PLAN


TITLE


WATER SOURCES



CONSULTANT 2020-11-17

CONSULTANT	YYYY-MM-DD	2020-11-17
DESIGNED	DP	
PREPARED	MM	
REVIEWED	DP	
APPROVED	DP	

PROJECT NO. CONTROL REV. FIGURE
9125747 **0** **A-13**







REFERENCE(S)
BASE DATA OBTAINED FROM GEOGRATIS, © DEPARTMENT OF NATURAL RESOURCES CANADA.
ALL RIGHTS RESERVED. IMAGERY COPYRIGHT © ESRI AND ITS LICENSORS. USED UNDER
LICENSE, ALL RIGHTS RESERVED.
PROJECTION: UTM ZONE 11N DATUM: NAD83

CLIENT
PINE POINT MINING LTD.

PROJECT
PINE POINT WATER WITHDRAWAL PLAN

TITLE
WATER SOURCES

CONSULTANT YYYY-MM-DD 2020-11-17

DESIGNED DP


PREPARED MM


REVIEWED DP

APPROVED DP

PROJECT NO. 19125747 **CONTROL** REV. 0 **FIGURE** A-16








REFERENCE(S)
BASE DATA OBTAINED FROM GEORATIS, © DEPARTMENT OF NATURAL RESOURCES CANADA.
ALL RIGHTS RESERVED. IMAGERY COPYRIGHT © ESRI AND ITS LICENSORS. USED UNDER
LICENSE, ALL RIGHTS RESERVED.
PROJECTION: UTM ZONE 11N DATUM: NAD83

CLIENT
PINE POINT MINING LTD.

PROJECT
PINE POINT WATER WITHDRAWAL PLAN

TITLE **WATER SOURCES**

CONSULTANT	YYYY-MM-DD	2020-11-17
GOLDER	DESIGNED	DP
	PREPARED	MM
	REVIEWED	DP
	APPROVED	DP
PROJECT NO. 19125747	CONTROL 0	REV. FIGURE A-18




REFERENCE(S)
BASE DATA OBTAINED FROM GEOGRATIS, © DEPARTMENT OF NATURAL RESOURCES CANADA.
ALL RIGHTS RESERVED. IMAGERY COPYRIGHT © ESRI AND ITS LICENSORS. USED UNDER
LICENSE, ALL RIGHTS RESERVED.
PROJECTION: UTM ZONE 11N DATUM: NAD83


CLIENT
PINE POINT MINING LTD.


PROJECT PINE POINT WATER WITHDRAWAL PLAN

TITLE
WATER SOURCES

CONSULTANT	YYYY-MM-DD	2020-11-17
DESIGNED	DP	
PREPARED	MM	
REVIEWED	DP	
APPROVED	DP	
PROJECT NO.	CONTROL	REV.
19125747	A-19	0








LEGEND

- HIGHWAY
- LOCAL ROAD
- + TRANSPORTATION_CANVEC_RAILROAD
- TRANSMISSION LINE
- SOURCE WATERCOURSE
- WATERCOURSE
- ACTIVE MINERAL CLAIM
- ACTIVE MINERAL LEASE
- FEDERAL LANDS
- WATER LICENSE BOUNDARY
- SOURCE WATERBODY
- WATERBODY

Key Map										
1	2	3	4	5	6	7	8	9	10	11
17	18	19	20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34	35	36	
37	38	39	40	41	42	43	44	45	46	
47	48	49	50	51	52	53	54	55	56	



REFERENCE(S)
BASE DATA OBTAINED FROM GEORATIS, © DEPARTMENT OF NATURAL RESOURCES CANADA.
ALL RIGHTS RESERVED. IMAGERY COPYRIGHT © ESRI AND ITS LICENSORS. USED UNDER
LICENSE, ALL RIGHTS RESERVED.
PROJECTION: UTM ZONE 11N DATUM: NAD83

CLIENT
PINE POINT MINING LTD.

PROJECT
PINE POINT WATER WITHDRAWAL PLAN



TITLE

WATER SOURCES

CONSULTANT 1000/MARSH 2020-11-17

CONSULTANT	YYYY-MM-DD	2020-11-17
 GOLDER	DESIGNED	DP
	PREPARED	MM
	REVIEWED	DP
	APPROVED	DP

PROJECT NO.	CONTROL	REV.	FIGURE
19125747		0	A-22



A scale bar at the top of the page shows distances of 0, 500, and 1,000 meters. Below it, a ratio of 1:25,000 is indicated. The word 'METRES' is written in capital letters.


REFERENCE(S)
THE DATA OBTAINED FROM GEOGRAPHIC NAMES INFORMATION SYSTEM. © DEPARTMENT OF NATURAL RESOURCES CANADA.
RIGHTS RESERVED. IMAGERY COPYRIGHT © ESRI AND ITS LICENSORS. USED UNDER
LICENSE, ALL RIGHTS RESERVED.
PROJECTION: UTM ZONE 11N DATUM: NAD83


ENT
NE POINT MINING LTD.


PROJECT ONE POINT WATER WITHDRAWAL PLAN


E ATER SOURCES


CONSULTANT	YYYY-MM-DD	2020-11-17
DESIGNED	DP	
PREPARED	MM	
REVIEWED	DP	
APPROVED	DP	
PROJECT NO.	CONTROL	REV.
125747	0	FIGURE A-23



















KEY MAP

							1	2	3
		9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24	25	26
27	28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45	46
47	48	49	50	51	52	53	54	55	56

REFERENCE(S)
ASE DATA OBTAINED FROM GEORATIS, © DEPARTMENT OF NATURAL RESOURCES CANADA.
L RIGHTS RESERVED. IMAGERY COPYRIGHT © ESRI AND ITS LICENSORS. USED UNDER
ENSE, ALL RIGHTS RESERVED.
ROJECTION: UTM ZONE 11N DATUM: NAD83

CLIENT
FINE POINT MINING LTD.

PROJECT
TEN POINT WATER WITHDRAWAL PLAN


TITLE

WATER SOURCES

CONSULTANT 2020.11.17



PROJECT NO. 9125747 CONTROL APPROVED DP REV. 0 FIGURE A-31



KEY MAP

1	2	3
4	5	6
7	8	
9	10	11
12	13	14
15	16	
17	18	19
20	21	22
23	24	25
26		
27	28	29
30	31	32
33	34	35
36		
37	38	39
40	41	42
43	44	45
46		
47	48	49
50	51	52
53	54	55
56		

REFERENCE(S)
BASE DATA OBTAINED FROM GEOGRATIS. © DEPARTMENT OF NATURAL RESOURCES CANADA.
ALL RIGHTS RESERVED. IMAGERY COPYRIGHT © ESRI AND ITS LICENSORS. USED UNDER
LICENSE, ALL RIGHTS RESERVED.
PROJECTION: UTM ZONE 11N DATUM: NAD83


CLIENT
PINE POINT MINING LTD.


PROJECT PINE POINT WATER WITHDRAWAL PLAN


TITLE



WATER SOURCES

CONSULTANT	YYYY-MM-DD	2020-11-17
GOLDER	DESIGNED	DP
	PREPARED	MM
	REVIEWED	DP
	APPROVED	DP
PROJECT NO. 19125747	CONTROL 0	REV. 0
		FIGURE A-32









REFERENCE(S)
USE DATA OBTAINED FROM GEORATIS, © DEPARTMENT OF NATURAL RESOURCES CANADA.
ALL RIGHTS RESERVED. IMAGERY COPYRIGHT © ESRI AND ITS LICENSORS. USED UNDER
LICENSE, ALL RIGHTS RESERVED.
PROJECTION: UTM ZONE 11N DATUM: NAD83

**CLIENT
LINE POINT MINING LTD.**


PROJECT
NINE POINT WATER WITHDRAWAL PLAN

ITLE

CONSULTANT YYYY-MM-DD 2020-11-17

	GOLDER
DESIGNED	DP
PREPARED	MM
REVIEWED	DP
APPROVED	DP

PROJECT NO. CONTROL REV. FIGURE
9125747 **0** **A-36**





PROJECT NO. CONTROL
19125747


-DD 2020-11-17
D DP
D MM
D DP
D DP

NADA
R

FIGURE
-37







PROJECT NO. 19125747 CONTROL

-DD 2020-11-17
D DP
D MM
D DP
D PP

NADA.
R

REFERENCE(S)
BASE DATA OBTAINED FROM GEORATIS, © DEPARTMENT OF NATURAL RESOURCES CANADA.
ALL RIGHTS RESERVED. IMAGERY COPYRIGHT © ESRI AND ITS LICENSORS. USED UNDER
LICENSE, ALL RIGHTS RESERVED.
PROJECTION: UTM ZONE 11N DATUM: NAD83


CLIENT
PINE POINT MINING LTD.


PROJECT
PINE POINT WATER WITHDRAWAL PLAN

6732500
TITLE
WATER SOURCES

CONSULTANT	YYYY-MM-DD	2020-11-17
DESIGNED	DP	
PREPARED	MM	
REVIEWED	DP	
APPROVED	PP	

FIGURE
-40





PROJECT NO. CONTROL
19125747

Y-MM-DD	2020-11-17
GNED	DP
ARED	MM
EDED	DP
ROVED	DP

NADA.
R

REFERENCE(S)
BASE DATA OBTAINED FROM GEOGRATIS, © DEPARTMENT OF NATURAL RESOURCES CANADA.
ALL RIGHTS RESERVED. IMAGERY COPYRIGHT © ESRI AND ITS LICENSORS. USED UNDER
LICENSE, ALL RIGHTS RESERVED.
PROJECTION: UTM ZONE 11N DATUM: NAD83


CLIENT
PINE POINT MINING LTD.


PROJECT
PINE POINT WATER WITHDRAWAL PLAN

TITLE

WATER SOURCES

FIGURE
A-42











FIGURE	
A-45	0





REFERENCE(S)
BASE DATA OBTAINED FROM GEOGRATIS, © DEPARTMENT OF NATURAL RESOURCES CANADA.
ALL RIGHTS RESERVED. IMAGERY COPYRIGHT © ESRI AND ITS LICENSORS. USED UNDER
LICENSE, ALL RIGHTS RESERVED.
PROJECTION: UTM ZONE 11N DATUM: NAD83

CLIENT
PINE POINT MINING LTD.

PROJECT
PINE POINT WATER WITHDRAWAL PLAN


TITLE


WATER SOURCES

CONSULTANT 2020-11-17



	GOLDER	DESIGNED	DP
		PREPARED	MM
		REVIEWED	DP
		APPROVED	DP

PROJECT NO. CONTROL REV. FIGURE
19125747 **0** **A-47**









ERENCE(S)
E DATA OBTAINED FROM GEOGRAPHIC © DEPARTMENT OF NATURAL RESOURCES CANADA.
RIGHTS RESERVED. IMAGERY COPYRIGHT © ESRI AND ITS LICENSORS. USED UNDER
ENSE, ALL RIGHTS RESERVED.
JECTION: UTM ZONE 11N DATUM: NAD83


ENT
NE POINT MINING LTD.


PROJECT
ONE POINT WATER WITHDRAWAL PLAN


WATER SOURCES


CONSULTANT	YYYY-MM-DD	2020-11-17
GOLDER CONSULTANTS INC.	DESIGNED	DP
	PREPARED	MM
	REVIEWED	DP
	APPROVED	DP
PROJECT NO. 125747	CONTROL 0	REV. 0
		FIGURE A-51











Appendix B. Technical Memorandum – Response to Mackenzie Valley Land and Water Board Regarding Question Regarding Utilization of Pit Waters Pine Point Mine Site for Dust Suppression Activities



TECHNICAL MEMORANDUM

DATE 19 March 2021

Reference No. Doc068_19125747

TO Andrew Williams, Environmental Manager
Pine Point Mining Ltd.

CC Kristin Mason

FROM Sarah Beattie and John Faithful

john_faithful@golder.com or
sarah_beattie@golder.com

TECHNICAL MEMORANDUM – RESPONSE TO MACKENZIE VALLEY LAND AND WATER BOARD REGARDING QUESTION REGARDING UTILIZATION OF PIT WATERS PINE POINT MINE SITE FOR DUST SUPPRESSION ACTIVITIES

The purpose of this memo is to respond to a request from the Mackenzie Valley Land and Water Board to demonstrate that surface pit lake waters at the Pine Point Confirmation and Exploration Project (Project) site are not wastewater by providing a comparison of the available water quality data for flooded pit lakes to the water quality of natural waterbodies and watercourses in the area of the Project (Tables 1 and 2). This evidence will aid in the discussion of using surface pit lake water as a dust suppressant at the Project site. To add further context, Pine Point Mining Ltd. (PPML) stresses that the water in the pits at the Project site does not represent wastewater (e.g., operational effluent); water in these pits comprise groundwater inflows and surface water inflows from spring melt and precipitation.

The water quality of pit lakes and waterbodies and watercourses in the area of the Project has been investigated during studies associated with the environmental assessment and operations of an earlier mining operation (Beak 1980; Evans et al. 1998; EBA 2005; Rescan 2012a,b) and in more recent studies (Maskwa 2018; Golder 2020, 2021a,b,c).

Unless specified, water chemistry data for the pits represent surface water samples, which is where water would be drawn for dust watering activities. All comparisons were also limited to open water conditions.

Tables 1 and 2 present a statistical summary of:

- 1) historical and recent pit lake water quality data; and
- 2) historical and recent surface water quality data for waterbodies and watercourses in the general area of the Project.

A comparison of these pit and surface water data shows that:

- The range of specific conductivity values and total dissolved solids (TDS) concentrations in the pits is generally higher than measured in surface waters:
 - the specific conductivity values and TDS concentrations for pit waters ranged from 342 to 2,331 µS/cm and 150 to 2,280 mg/L, respectively.

- the specific conductivity values for surface waters ranged from 122 to 1,827 µS/cm in creeks, 177 to 248 µS/cm in the Buffalo River, and 322 to 465 µS/cm in Great Slave Lake. The TDS concentrations ranged from 96 to 1,590 mg/L in creeks, 109 to 214 mg/L in the Buffalo River, and 147 to 250 mg/L in Great Slave Lake. Only data from one sampling event of Little Buffalo River is available; the specific conductivity value was 3,758 µS/cm and the TDS concentration was 2,670 mg/L.
- The pH of the pit waters and almost all watercourses and waterbodies across the regional study area is typically alkaline (i.e., represented by pH greater than or equal to pH 8.0):
 - pH measured in the pit waters ranged from 8.0 to 8.4.
 - pH measured in the surface waters ranged from 7.3 to 8.6.
- The dominant major ions in the pit waters and the watercourses and waterbodies are calcium, bicarbonate, and sulphate:
 - Calcium and sulphate were the dominant ions measured in the pit waters.
 - Calcium and bicarbonate were identified as the dominant ions in the surface waters, except Little Buffalo River, where consistent with the pit waters, calcium and sulphate were the dominant ions.
- Fluoride was frequently measured above the interim Canadian Council of Ministers of the Environment (CCME 1999) guideline of 0.12 mg/L in pit waters and surface waters in the area of the Project, suggesting that fluoride is naturally elevated within the local watersheds.
- The range of nutrient concentrations showed some variability between pit waters and surface water in the area of the Project, primarily reflecting the influence of organic matter and contributions typical of aquatic habitats in surface waters:
 - Concentrations of dissolved inorganic nutrients (i.e., ammonia, nitrite, nitrate, and orthophosphate) were measured below or at near detection limits in the pit waters, whereas ammonia and orthophosphate were more frequently detectable in surface waters.
 - Median concentrations of total nitrogen, total phosphorus, and organic carbon in pit waters were substantially lower than measured in surface waters. Total nitrogen in pit waters ranged from 20% to 40% lower than measured in surface waters, total phosphorus ranged from 32% to 95% lower, and total organic carbon ranged from 30% to 75% lower. Total phosphorus and total organic carbon concentrations in pit waters were similar to those measured in Great Slave Lake.
- Metals in the pit waters and surface waters showed a consistent variability, with most metals ranging between below detection and detectable concentrations. Some metals were measured above guidelines consistently between pit waters and surface waters; exceptions to this were thallium and uranium, which were only measured above guidelines in the pits, and copper, which was only measured above guidelines in surface water.
 - Metals measured above guidelines in pit waters included total aluminum, cadmium, chromium, iron, lead, thallium, uranium, and dissolved zinc concentrations.
 - Metals measured above guidelines in surface waters included total aluminum, cadmium, chromium, copper, iron, lead, and dissolved zinc concentrations.

From this high-level comparison of the available water quality data for pit waters and surface waters in the area of the Project, the primary difference between the two water sources is the generally higher specific conductivity (and TDS) values of the pit waters, except for Little Buffalo River, which has spatially distinct elevated TDS concentrations that is similar to the pit waters. The broad similarity in ionic composition and range of metals concentrations, particularly fluoride, between the pit waters and surface waters highlights the connectedness of the groundwater systems and the surface waters. There are some differences, such as the prominent sulphate in some pits and lower nutrient concentrations in the pit waters. However, despite some of this variability, pit waters can be considered as a source of dust suppression water for the access roads in the Project area. For added context, application of dust suppression waters to the access roads in the Project area using pit waters will occur as periodic application of relatively small volumes of water during summer and fall months. Mobilization of any watering residual on the roads can occur with subsequent rainfalls; transfer of this residual to receiving water bodies is likely to end up in the pits, the constructed channels or drains, or to the creek systems in the area of the Project. The incremental loading of the mass that may end up in the creek systems is expected to be small compared to the annual loading associated with these creeks.

Should you have any questions with respect to the information provided in this memo, please do not hesitate to contact one of the undersigned.

With thanks

GOLDER ASSOCIATES LTD.

ORIGINAL SIGNED

Sarah Beattie, MSc
Water Quality Specialist

ORIGINAL SIGNED

John Faithful, BSc (Hons). PBiol
Principal, Senior Water Quality Specialist

[https://golderassociates.sharepoint.com/sites/111329/project files/6 deliverables/wq tech memos/2021 water withdrawal plan/doc068_19125747_ppml_tm_wqpits_response_to_mvlwb_19march2021.docx](https://golderassociates.sharepoint.com/sites/111329/project%20files/6%20deliverables/wq%20tech%20memos/2021%20water%20withdrawal%20plan/doc068_19125747_ppml_tm_wqpits_response_to_mvlwb_19march2021.docx)

REFERENCES

- Beak (Beak Consultants Ltd.). 1980. Initial environmental evaluation for the Great Slave Reef Project. Prepared for: Western Mines Ltd. vi + 119 pp + appendices.
- CCME. 1999. Canadian Environmental Quality Guidelines, 1999. Canadian environmental quality guidelines summary table, with updates to 2019. Winnipeg, MB, Canada. [Accessed March 2021.] <http://sts.ccme.ca/en/index.html>
- EBA (EBA Engineering Consultants Ltd). 2005. Tamerlane Pine Point Project: water quality and stream assessment baseline studies. Report prepared by EBA Consultants Ltd. for Tamerlane Ventures Inc.
- Evans, M.S., L. Lockhart, D. Muir. 1998. Investigations of metals and persistent organochlorine contaminants in predatory fish from Resolution Bay, Great Slave Lake. National Hydrology Research Institute Contribution Series.
- Golder (Golder Associates Ltd.). 2020. Pine Point project – historical studies of open pit water and groundwater quality. Submitted to Pine Point Mining Ltd. on 2 November 2020.
- Golder. 2021a. 2019 Pine Point water quality sampling – baseline monitoring. Submitted to Pine Point Mining Ltd. on 11 March 2021.
- Golder. 2021b. 2020 Pine Point water quality sampling – baseline monitoring. Unpublished data.
- Golder. 2021c. Field memo for pit waterbody reconnaissance for fish, fish habitat, and water quality at the historical Pine Point Mine Site. Draft Under Review.
- Maskwa (Maskwa Engineering Ltd.). 2018. Full pit, bathymetric survey and water sampling for pits N31-EXT, N32, L37, N38, N42, J44, I46, and natural lake at Pine Point Site. Prepared for Pine Point Mining Limited. Fort Smith, Northwest Territories.
- Rescan (Rescan Environmental Services Ltd.). 2012a. Pine Point Project: 2011 aquatic resources baseline study – X-25, P-499, O-556, Z-155, and G-03. Prepared for Tamerlane Ventures Inc.
- Rescan. 2012b. Pine Point Project: 2011 aquatic resources baseline study – N-204. Prepared for Tamerlane Ventures Inc.

TABLES

Table 1: Summary of Water Quality Data for Pits Located on the Historical Pine Point Mine Site

Parameter	Units	Pits ^(a)				
		Count	ND Count	Min	Median	Max
Field Measured						
pH	-	9	0	8.0	8.3	8.4
Specific conductivity	µS/cm	9	0	342	1235	2331
Temperature	°C	9	0	16.1	18.9	23.7
Dissolved oxygen	mg/L	9	0	6.7	9.2	9.7
Dissolved oxygen	%	9	0	74	100	103
Turbidity	NTU	4	0	0.46	0.74	1.5
Conventional Parameters						
pH	-	17	0	7.9	8.1	8.3
Specific conductivity	µS/cm	17	0	280	1,760	2,820
Hardness, as CaCO ₃	mg/L	17	0	150	1,060	1,810
Total Alkalinity, as CaCO ₃	mg/L	17	0	72	133	213
Total dissolved solids	mg/L	7	0	150	810	2,280
Total suspended solids	mg/L	14	12	<1.0	<4.0	5.5
Turbidity	NTU	14	0	0.18	0.67	3.5
Major Ions						
Bicarbonate, as CaCO ₃	mg/L	17	0	88	162	260
Bromide	mg/L	14	5	<0.01	0.075	0.30
Calcium	mg/L	18	3	42	229	440
Carbonate, as CaCO ₃	mg/L	17	17	<1.0	<1.0	<5.0
Chloride	mg/L	17	0	2.0	9.5	64
Cyanide	mg/L	11	11	<0.0005	<0.002	<0.005
Cyanide (WAD)	mg/L	4	4	<0.0010	<0.0010	<0.0010
Fluoride	mg/L	14	0	0.17	0.66	1.2
Hydroxide, as CaCO ₃	mg/L	17	17	<1.0	<1.0	<5.0
Magnesium	mg/L	18	0	11	98	173
Potassium	mg/L	18	0	1.1	2.4	5.3
Sodium	mg/L	18	0	1.0	7.0	47
Sulphate	mg/L	17	0	16	1,000	1,580

Table 1: Summary of Water Quality Data for Pits Located on the Historical Pine Point Mine Site

Parameter	Units	Pits ^(a)				
		Count	ND Count	Min	Median	Max
Nutrients						
Nitrate	mg-N/L	17	16	<0.006	<0.02	<0.05
Nitrite	mg-N/L	17	17	<0.002	<0.005	<0.01
Total ammonia	mg-N/L	14	9	<0.015	<0.02	0.040
Total Kjeldahl nitrogen	mg-N/L	14	0	0.060	0.20	0.77
Total nitrogen	mg-N/L	14	0	0.066	0.20	0.77
Total phosphorus	mg-P/L	7	4	<0.003	0.0030	<0.03
Dissolved phosphorus	mg-P/L	4	4	<0.1	<0.1	<0.1
Orthophosphate	mg-P/L	14	13	<0.003	<0.005	<0.005
Total organic carbon	mg/L	17	4	<0.5	2.5	15
Dissolved organic carbon	mg/L	4	0	2.1	5.6	16
Total Metals						
Aluminum	mg/L	18	4	0.0043	0.019	0.19
Antimony	mg/L	18	18	<0.0004	<0.0006	<0.0025
Arsenic	mg/L	18	10	<0.0001	<0.0004	0.00052
Barium	mg/L	18	0	0.0061	0.028	0.079
Beryllium	mg/L	18	18	<0.0001	<0.0005	<0.001
Bismuth	mg/L	10	10	<0.001	<0.005	<0.005
Boron	mg/L	18	9	<0.02	0.16	0.53
Cadmium	mg/L	18	10	0.000014	<0.00005	0.00090
Chromium	mg/L	18	18	<0.001	<0.005	<0.005
Cobalt	mg/L	18	18	<0.0002	<0.001	<0.002
Copper	mg/L	18	11	0.00043	0.0020	0.0070
Iron	mg/L	18	4	0.015	0.057	1.1
Lead	mg/L	18	6	<0.0002	<0.001	0.034
Lithium	mg/L	18	5	0.0036	0.021	0.052
Manganese	mg/L	18	5	0.0026	0.0045	0.042
Mercury	mg/L	18	18	<0.0000019	<0.00001	<0.0002
Molybdenum	mg/L	18	11	0.00032	<0.005	<0.005
Nickel	mg/L	18	8	<0.0005	0.0041	0.012
Selenium	mg/L	18	12	<0.0001	<0.0004	0.0010
Silicon	mg/L	14	0	0.87	2.5	4.6
Silver	mg/L	18	18	<0.00002	<0.0001	<0.0004

Table 1: Summary of Water Quality Data for Pits Located on the Historical Pine Point Mine Site

Parameter	Units	Pits ^(a)				
		Count	ND Count	Min	Median	Max
Strontium	mg/L	14	0	0.099	1.7	9.6
Sulphur	mg/L	14	0	4.9	300	558
Thallium	mg/L	18	7	<0.00001	<0.0002	0.0023
Tin	mg/L	18	18	<0.001	<0.025	<0.05
Titanium	mg/L	18	10	0.0010	<0.005	<0.025
Uranium	mg/L	18	0	0.00010	0.0030	0.028
Vanadium	mg/L	18	17	<0.001	<0.005	<0.025
Zinc	mg/L	18	4	<0.003	0.057	3.3
Zirconium	mg/L	10	10	<0.0001	<0.0005	<0.0005
Dissolved Metals						
Aluminum	mg/L	18	13	<0.003	0.013	<0.075
Antimony	mg/L	18	17	<0.0004	<0.0006	<0.0130
Arsenic	mg/L	18	12	<0.0001	<0.0004	<0.003
Barium	mg/L	18	2	0.0059	0.027	0.083
Beryllium	mg/L	18	18	<0.0001	<0.001	<0.0025
Bismuth	mg/L	10	10	<0.001	<0.005	<0.025
Boron	mg/L	18	9	<0.02	0.17	<1.3
Cadmium	mg/L	18	12	<0.00001	<0.00005	0.00070
Chromium	mg/L	18	18	<0.001	<0.005	<0.025
Cobalt	mg/L	18	18	<0.0002	<0.001	<0.005
Copper	mg/L	18	10	<0.0002	<0.001	<0.005
Iron	mg/L	18	15	<0.005	<0.025	0.19
Lead	mg/L	18	8	<0.0001	<0.001	0.020
Lithium	mg/L	18	5	<0.003	0.027	<0.05
Manganese	mg/L	18	7	<0.001	0.0040	0.038
Mercury	mg/L	18	18	<0.0000019	<0.00001	<0.0001
Molybdenum	mg/L	18	11	0.00029	<0.005	<0.025
Nickel	mg/L	18	9	<0.0005	0.0035	<0.025
Selenium	mg/L	18	12	<0.0001	<0.0004	<0.0025
Silicon	mg/L	14	1	0.89	2.7	5.5
Silver	mg/L	18	18	<0.00002	<0.0001	<0.0005
Strontium	mg/L	14	0	0.089	1.6	8.9
Sulphur	mg/L	14	0	4.7	320	546

Table 1: Summary of Water Quality Data for Pits Located on the Historical Pine Point Mine Site

Parameter	Units	Pits ^(a)				
		Count	ND Count	Min	Median	Max
Thallium	mg/L	18	8	<0.00001	<0.0002	0.0023
Tin	mg/L	18	18	<0.001	<0.025	<0.13
Titanium	mg/L	18	17	<0.001	<0.005	<0.13
Uranium	mg/L	18	0	0.00010	0.0030	0.030
Vanadium	mg/L	18	18	<0.001	<0.005	<0.13
Zinc	mg/L	18	5	<0.003	0.046	3.2
Zirconium	mg/L	10	10	<0.0001	<0.0005	<0.0025

(a) Includes all historical pit surface water quality data (stations 4, 5, 7 and 6B [EBA 2005]; pits A57, A70, J69, K62, N42 [2017, reported in Golder 2020]; pits 3,5,6,7,9 [Maskwa 2018]) and recent pit surface water quality data [Golder 2021c]).

- = no data; $\mu\text{S}/\text{cm}$ = microSiemens per centimetre; NTU = nephelometric turbidity units; mg/L = milligrams per litre; mg-N/L = milligrams of nitrogen per litre; mg-P/L = milligrams of phosphorus per litre; CaCO_3 = calcium carbonate.

Table 2: Summary of Water Quality Data for Natural Watercourses and Waterbodies Located in the General Area of the Historical Pine Point Mine Site

Parameter	Units	Birch Creek, Twin Creek, Paulette Creek, and Unnamed Creeks ^(a)					Buffalo River and Little Buffalo River ^(b)					Great Slave Lake ^(c)				
		Count	ND Count	Min	Median	Max	Count	ND Count	Min	Median	Max	Count	ND Count	Min	Median	Max
Field Measured																
pH	-	24	0	7.3	8.0	8.4	5	0	7.8	8.0	8.2	4	0	7.7	8.0	8.6
Specific conductivity	µS/cm	24	0	291	493	1,827	5	0	177	239	3,758	4	0	322	346	465
Temperature	°C	24	0	1.7	8.4	20	5	0	1.6	6.2	20	4	0	3.2	8.0	20
Dissolved oxygen	mg/L	24	0	0.9	9.6	12	5	0	8.4	11	13	4	0	8.2	10	13
Dissolved oxygen	%	24	0	10	86	100	5	0	90	95	96	4	0	85	92	98
Redox potential	mV	18	0	44	73	201	4	0	70	104	137	3	0	61	77	110
Turbidity	NTU	12	0	0.26	0.98	4.8	2	0	79	81	83	2	0	5.5	46	86
Conventional Parameters																
pH	-	40	0	7.3	8.1	8.4	16	0	6.6	8.1	8.2	9	0	7.6	8.2	8.3
Specific conductivity	µS/cm	41	0	122	470	2,090	17	0	155	246	3,670	10	0	237	253	410
Hardness, as CaCO ₃	mg/L	42	0	60	274	1,200	18	0	60	126	1,600	9	0	98	106	200
Total alkalinity, as CaCO ₃	mg/L	24	0	110	215	250	5	0	72	110	200	4	0	100	110	120
Total dissolved solids	mg/L	38	0	96	312	1,590	14	0	109	160	2,670	9	0	147	169	250
Total suspended solids	mg/L	38	18	<1.0	<3.0	39	14	0	3	54	130	9	0	3.1	22	190
Turbidity	NTU	38	0	0.16	0.60	11.0	14	0	3	43	130	9	0	2.5	18	100
Major Ions																
Bicarbonate, as CaCO ₃	mg/L	24	0	130	265	310	5	0	88	130	240	4	0	120	130	150
Bromide	mg/L	38	24	<0.01	0.01	<0.25	14	9	0.011	<0.05	<0.25	9	6	<0.01	<0.05	<0.05
Calcium	mg/L	40	0	13	79	270	16	0	16	34	480	9	0	27	31	58
Carbonate, as CaCO ₃	mg/L	24	24	<1.0	<1.0	<1.0	5	5	<1.0	<1.0	<1.0	4	4	<1.0	<1.0	<1.0
Chloride	mg/L	40	3	1.4	5.7	71	16	0	2.3	3.6	450.0	9	0	5.6	7.6	12
Cyanide	mg/L	32	25	<0.001	<0.002	0.019	14	5	<0.002	0.0061	0.012	9	4	<0.002	0.0055	0.0075
Cyanide (WAD)	mg/L	24	15	<0.001	<0.001	0.0014	5	5	<0.001	<0.001	<0.001	4	4	<0.001	<0.001	<0.001
Fluoride	mg/L	40	1	<0.1	0.21	0.83	16	2	0.084	0.14	0.76	9	0	0.080	0.11	0.14
Hydroxide, as CaCO ₃	mg/L	24	24	<1.0	<1.0	<1.0	5	5	<1.0	<1.0	<1.0	4	4	<1.0	<1.0	<1.0
Magnesium	mg/L	40	0	6.5	21	140	16	0	5.1	9.2	90	9	0	6.4	7.7	14
Potassium	mg/L	40	0	0.36	1.2	4.5	16	0	0.60	0.98	3.6	9	0	0.93	0.95	1.8
Sodium	mg/L	40	0	2.1	5.6	46	16	0	3.7	7.0	280	9	0	7.4	8.5	12
Sulphate	mg/L	38	4	0.66	33.0	940	14	0	13	28	1,200	9	0	25	30	84
Nutrients																
Nitrate	mg-N/L	40	35	<0.005	<0.01	0.066	16	10	<0.005	0.011	<0.05	9	6	<0.005	0.0072	0.074
Nitrite	mg-N/L	38	37	<0.001	<0.0100	<0.01	14	14	<0.001	<0.005	<0.01	9	9	<0.001	<0.001	<0.01
Total ammonia	mg-N/L	38	5	0.014	0.023	0.054	13	1	0.0090	0.014	0.048	9	5	<0.005	0.0065	0.046
Total Kjeldahl nitrogen	mg-N/L	38	0	0.35	0.88	2.0	13	0	0.48	0.74	1.9	9	0	0.24	0.45	1.0
Total nitrogen	mg-N/L	38	0	0.35	0.9	2.2	13	0	0.61	0.74	1.9	9	0	0.24	0.50	1.1
Total phosphorus	mg-P/L	40	7	0.0028	0.0047	0.059	16	1	0.008	0.058	0.13	9	0	0.0095	0.038	0.099
Dissolved phosphorus	mg-P/L	24	24	<0.1	<0.1	<0.1	5	5	<0.1	<0.1	<0.1	4	4	<0.1	<0.1	<0.1
Orthophosphate	mg-P/L	38	27	<0.001	<0.003	0.0091	14	6	<0.001	0.0015	0.011	9	7	<0.001	<0.001	0.0031
Total organic carbon	mg/L	40	0	5	22	45	13	0	14	15	23	9	0	5.2	8.7	15
Dissolved organic carbon	mg/L	18	0	13	21	35	3	0	13	18	28	3	0	7.8	8.0	11
Total Metals																
Aluminum	mg/L	38	0	0.0030	0.013	0.40	17	0	0.06	1.9	7.7	12	0	0.030	0.45	2.7
Antimony	mg/L	24	24	<0.0006	<0.0006	<0.0006	5	5	<0.0006	<0.0006	<0.0006	4	4	<0.0006	<0.0006	<0.0006
Arsenic	mg/L	38	1	<0.0002	0.00048	0.0017	14	0	0.00057	0.0012	0.0040	9	0	0.00042	0.00095	0.0024
Barium	mg/L	41	4	<0.001	0.029	0.29	16	0	0.022	0.064	0.12	9	0	0.034	0.052	0.093
Beryllium	mg/L	20	20	<0.001	<0.001	<0.001	5	5	<0.001	<0.001	<0.001	4	4	<0.001	<0.001	<0.001
Bismuth	mg/L	4	3	<0.020	<0.020	0.034	0	0	-	-	-	0	0	-	-	-
Boron	mg/L	38	14	<0.0010	<0.020	0.35	14	1	0.017	0.						

Table 2: Summary of Water Quality Data for Natural Watercourses and Waterbodies Located in the General Area of the Historical Pine Point Mine Site

Parameter	Units	Birch Creek, Twin Creek, Paulette Creek, and Unnamed Creeks ^(a)					Buffalo River and Little Buffalo River ^(b)					Great Slave Lake ^(c)				
		Count	ND Count	Min	Median	Max	Count	ND Count	Min	Median	Max	Count	ND Count	Min	Median	Max
Zinc	mg/L	38	22	<0.0001	<0.003	0.070	14	1	<0.0030	0.0082	0.023	9	4	<0.003	0.0036	0.031
Zirconium	mg/L	0	0	-	-	-	0	0	-	-	-	0	0	-	-	-
Dissolved Metals																
Aluminum	mg/L	38	21	<0.003	<0.003	0.019	17	5	<0.003	0.011	0.37	10	1	<0.003	0.0099	0.020
Antimony	mg/L	24	12	0.00020	<0.00060	0.0010	16	5	0.00029	0.00058	0.012	9	4	0.00035	0.00059	<0.0006
Arsenic	mg/L	40	12	0.00021	<0.0006	0.013	5	1	<0.00020	0.00051	0.001	4	0	0.00027	0.00041	0.00074
Barium	mg/L	38	0	0.013	0.026	0.067	18	0	0.021	0.041	0.063	11	0	0.031	0.043	0.057
Beryllium	mg/L	27	24	<0.001	<0.001	0.061	5	5	<0.001	<0.001	<0.001	4	4	<0.001	<0.001	<0.001
Bismuth	mg/L	0	0	-	-	-	0	0	-	-	-	0	0	-	-	-
Boron	mg/L	40	17	<0.005	<0.02	0.3	16	4	<0.01	0.022	0.420	9	0	0.017	0.022	0.039
Cadmium	mg/L	38	36	<0.00001	<0.000020	0.000030	14	11	<0.00001	0.000011	0.000026	9	8	<0.00001	0.000011	<0.00002
Chromium	mg/L	40	32	<0.0001	<0.00100	<0.01	15	10	<0.0001	0.00014	<0.01	9	7	<0.0001	0.00010	<0.001
Cobalt	mg/L	24	24	<0.0003	<0.0003	<0.0003	5	5	<0.0003	<0.0003	<0.0003	4	4	<0.0003	<0.0003	<0.0003
Copper	mg/L	40	32	<0.0002	0.0003	<0.005	16	2	0.00040	0.0016	<0.01	9	1	<0.0002	0.0012	0.0018
Iron	mg/L	41	8	<0.01	0.06	0.68	18	1	0.027	0.085	2.3	9	3	0.022	0.047	0.062
Lead	mg/L	40	30	<0.00005	<0.0002	<0.01	14	13	<0.00005	<0.00005	<0.00020	9	9	<0.00005	<0.00005	<0.0002
Lithium	mg/L	24	22	<0.02	<0.02	0.05	5	4	<0.02	<0.02	0.03	4	4	<0.02	<0.02	<0.02
Manganese	mg/L	38	5	0.00073	0.013	0.20	14	3	0.00017	0.00113	0.039	9	1	0.00032	0.00070	0.0093
Mercury	mg/L	40	38	<0.0000019	<0.00000	0.0013	15	13	<0.0000019	<0.00001	0.0010	9	9	<0.0000019	<0.00001	<0.00001
Molybdenum	mg/L	24	9	<0.0002	0.00024	0.0013	5	0	0.00041	0.00079	0.0012	4	0	0.00060	0.00085	0.0011
Nickel	mg/L	38	13	0.00016	<0.00050	0.0014	14	0	0.00066	0.0017	0.0026	9	0	0.00092	0.0014	0.0023
Selenium	mg/L	24	23	<0.0002	<0.0002	0.00022	5	3	<0.0002	<0.0002	0.00028	4	2	<0.0002	0.00021	0.00026
Silicon	mg/L	24	0	1.4	4.2	7.6	5	0	1.4	2.0	3.8	4	0	1.6	2.0	2.8
Silver	mg/L	38	38	<0.00001	<0.00010	<0.0001	14	14	<0.00001	<0.00001	<0.0001	9	9	<0.00001	<0.00001	<0.00001
Strontium	mg/L	24	0	0.076	0.42	5.5	5	0	0.054	0.065	4.4	4	0	0.24	0.31	0.36
Sulphur	mg/L	24	0	0.74	27.0	360	5	0	6.2	8.9	470	4	0	15	22	26
Thallium	mg/L	24	24	<0.0002	<0.0002	<0.0002	5	5	<0.0002	<0.0002	<0.0002	4	4	<0.0002	<0.0002	<0.0002
Tin	mg/L	24	23	<0.001	<0.001	0.0025	5	4	<0.001	<0.001	0.0010	4	4	<0.001	<0.001	<0.001
Titanium	mg/L	24	21	<0.001	<0.001	0.0016	5	3	<0.001	<0.0010	0.0038	4	3	<0.001	<0.001	0.0015
Uranium	mg/L	24	5	<0.0001	0.00025	0.00096	5	0	0.00028	0.00054	0.00094	4	0	0.00037	0.00045	0.00057
Vanadium	mg/L	24	18	<0.001	<0.001	0.0014	5	4	<0.001	<0.001	0.0017	4	2	<0.001	0.0010	0.0012
Zinc	mg/L	40	28	<0.003	<0.003	0.070	16	14	<0.003	<0.003	<0.005	9	8	<0.003	<0.003	0.0042
Zirconium	mg/L	0	0	-	-	-	0	0	-	-	-	0	0	-	-	-

a) Includes historical and recent Birch Creek (Rescan 2012a; Golder 2021a,b), Twin Creek (Beak 1980; EBA 2005; Rescan 2012a; Golder 2021a,b), and Paulette Creek (Rescan 2012b; Golder 2021a,b) data and data collected from Unnamed Creeks within the Historical Pine Point Mine Site (Golder 2021a,b).

b) Includes historical (Beak 1980; EBA 2005; Rescan 2012a) and recent (Golder 2021a,b) data.

c) Includes historical (EBA 2005; Rescan 2012a) and recent (Golder 2021a,b) data.

- = no data; $\mu\text{S}/\text{cm}$ = microsiemens per centimetre; NTU = Nephelometric Turbidity Units; mg/L = milligrams per litre; mg-N/L = milligrams of nitrogen per litre; mg-P/L = milligrams of phosphorus per litre; CaCO_3 = calcium carbonate; ND = not detected; WAD = weak acid dissociation.